



Republic of Namibia
Annotated Statutes

REGULATIONS

REGULATIONS MADE IN TERMS OF

Communications Act 8 of 2009

section 100(6)

Regulations setting out the Frequency Channeling Plan for Digital Terrestrial Television

General Notice 166 of 2013

(GG 5201)

came into force on date of publication: 29 May 2013

These regulations were made by the Board of the
Communications Regulatory Authority of Namibia.

ARRANGEMENT OF REGULATIONS

1. Definitions
 2. Purpose
 3. Applicability
 4. Table of Frequency Allocations
-

Definitions

1. In these regulations, any word or expression to which a meaning is assigned in the Act, shall have the same meaning and -

“Act” means the Communications Act, 2009 (Act No. 8 of 2009).

Purpose

2. These regulations set out the Frequency Channeling Plan for Digital Terrestrial Television in terms of section 100 of the Act.

**REGULATIONS
Communications Act 8 of 2009**

Regulations setting out the Frequency Channeling Plan for Digital Terrestrial Television

Applicability

3. These regulations are applicable to all Broadcasting Service Licensees, as contained in the Regulations Setting Out Broadcasting and Telecommunications Service Licence Categories as amended in Government Gazette No. 5148, Notice No. 74, dated 13 March 2013, providing or intending to provide Digital Terrestrial Television.

Table of Frequency Allocations

4. The table of frequency allocations sets out Digital Terrestrial Television allocations for Namibia adopted by the Revised ITU Regional Radio Communication Conference in 2006 (GE06 Plan) for terrestrial television broadcasting in bands ranging from 174 MHz to 230 MHz and 470 MHz to 694 MHz.

Site Name	Latitude	Longitude	Multiplex Number	Frequency (MHz)	Channel Number	TX Power (W)	Antenna Peak Gain (dBd)	Antenna Peak Gain (dBd)	Polarisation	Antenna Height (m)	Region
Aminuis	23 40 35.6 S	19 26 01.6 E	1	210	9	1000	30.00	11.5	Vertical	119.2	Omaheke
Aminuis	23 40 35.6 S	19 26 01.6 E	2	626	40	1000	30.00	11.5	Vertical	119.2	Omaheke
Aminuis	23 40 35.6 S	19 26 01.6 E	3	666	45	1000	30.00	11.5	Vertical	119.2	Omaheke
Aminuis	23 40 35.6 S	19 26 01.6 E	4	658	44	1000	30.00	11.5	Vertical	119.2	Omaheke
Aranos	24 6 50.4 S	19 6 3.9 E	1	570	33	500	26.99	7.5	Horizontal	91.1	Hardap
Aranos	24 6 50.4 S	19 6 3.9 E	2	642	42	500	26.99	7.5	Horizontal	91.1	Hardap
Aranos	24 6 50.4 S	19 6 3.9 E	3	610	38	500	26.99	7.5	Horizontal	91.1	Hardap
Aranos	24 6 50.4 S	19 6 3.9 E	4	514	26	500	26.99	7.5	Horizontal	91.1	Hardap
Arendesnes	18 2 30.9 S	19 37 27.8 E	1	202	8	1000	30.00	14.7	Horizontal	216	Kavango
Arendesnes	18 2 30.9 S	19 37 27.8 E	2	530	28	1000	30.00	14.7	Horizontal	216	Kavango
Arendesnes	18 2 30.9 S	19 37 27.8 E	3	474	21	1000	30.00	14.7	Horizontal	216	Kavango
Arendesnes	18 2 30.9 S	19 37 27.8 E	4	482	22	1000	30.00	14.7	Horizontal	216	Kavango
Aus	26 39 41.0 S	16 19 3.0 E	1	658	44	20	13.01	7.5	Horizontal	81.1	Karas
Aus	26 39 41.0 S	16 19 3.0 E	2	626	40	20	13.01	7.5	Horizontal	81.1	Karas
Aus	26 39 41.0 S	16 19 3.0 E	3	690	48	20	13.01	7.5	Horizontal	81.1	Karas
Aus	26 39 41.0 S	16 19 3.0 E	4	674	46	20	13.01	7.5	Horizontal	81.1	Karas
Aussenkehr	28 21 58.1 S	17 26 9.0 E	1	530	28	20	13.01	7.5	Horizontal	61.1	Karas
Aussenkehr	28 21 58.1 S	17 26 9.0 E	2	482	22	20	13.01	7.5	Horizontal	61.1	Karas
Aussenkehr	28 21 58.1 S	17 26 9.0 E	3	554	31	20	13.01	7.5	Horizontal	61.1	Karas
Aussenkehr	28 21 58.1 S	17 26 9.0 E	4	626	40	20	13.01	7.5	Horizontal	61.1	Karas
Bethanien	26 29 0.7 S	17 14 18.0 E	1	202	8	2000	33.01	11.6	Horizontal	216.8	Karas
Bethanien	26 29 0.7 S	17 14 18.0 E	2	522	27	2000	33.01	11.6	Horizontal	216.8	Karas
Bethanien	26 29 0.7 S	17 14 18.0 E	3	554	31	2000	33.01	11.6	Horizontal	216.8	Karas
Bethanien	26 29 0.7 S	27 14 18.0 E	4	586	35	2000	33.01	11.6	Horizontal	216.8	Karas
Brukkaros	25 51 20.2 S	17 46 53.3 E	1	186	6	100	20.00	8	Vertical	67.42	Karas
Brukkaros	25 51 20.2 S	17 46 53.3 E	2	610	38	100	20.00	8	Vertical	67.42	Karas
Brukkaros	25 51 20.2 S	17 46 53.3 E	3	642	42	100	20.00	8	Vertical	67.42	Karas
Brukkaros	25 51 20.2 S	17 46 53.3 E	4	562	32	100	20.00	8	Vertical	67.42	Karas
Buitepos	22 17 00.0 S	19 54 00.0 E	1	498	24	500	26.99	12.9	Vertical	82.23	Omaheke
Buitepos	22 17 00.0 S	19 54 00.0 E	2	530	28	500	26.99	12.9	Vertical	82.23	Omaheke
Buitepos	22 17 00.0 S	19 54 00.0 E	3	658	44	500	26.99	12.9	Vertical	82.23	Omaheke
Buitepos	22 17 00.0 S	19 54 00.0 E	4	690	48	500	26.99	12.9	Vertical	82.23	Omaheke
Chetto	17 55 53.3 S	22 36 43.4 E	1	194	7	1000	30.00	10	Horizontal	125	Caprivi
Chetto	17 55 53.3 S	22 36 43.4 E	2	546	30	1000	30.00	10	Horizontal	125	Caprivi
Chetto	17 55 53.3 S	22 36 43.4 E	3	578	34	1000	30.00	10	Horizontal	125	Caprivi
Chetto	17 55 53.3 S	22 36 43.4 E	4	602	37	1000	30.00	10	Horizontal	125	Caprivi
Corridor	23 30 55.6 S	19 50 54.8 E	1	474	21	400	26.02	10.5	Horizontal	82.42	Omaheke
Corridor	23 30 55.6 S	19 50 54.8 E	2	490	23	400	26.02	10.5	Horizontal	82.42	Omaheke
Corridor	23 30 55.6 S	19 50 54.8 E	3	522	27	400	26.02	10.5	Horizontal	82.42	Omaheke
Corridor	23 30 55.6 S	19 50 54.8 E	4	554	31	400	26.02	10.5	Horizontal	82.42	Omaheke
Divundu	18 4 37.5 S	21 44 55.3 E	1	610	38	1000	30.00	12.5	Horizontal	120	Kavango
Divundu	18 4 37.5 S	21 44 55.3 E	2	490	23	1000	30.00	12.5	Horizontal	120	Kavango
Divundu	18 4 37.5 S	21 44 55.3 E	3	522	27	1000	30.00	12.5	Horizontal	120	Kavango
Divundu	18 4 37.5 S	21 44 55.3 E	4	554	31	1000	30.00	12.5	Horizontal	120	Kavango
Eenhana	17 29 57.1 S	16 31 24.2 E	1	578	34	100	20.00	10.5	Horizontal	92.42	Ohangwena

REGULATIONS
Communications Act 8 of 2009

Regulations setting out the Frequency Channeling Plan for Digital Terrestrial Television

Eenhana	17 29 57.1 S	16 31 24.2 E	2	634	41	100	20.00	10.5	Horizontal	92.42	Ohangwena
Eenhana	17 29 57.1 S	16 31 24.2 E	3	506	25	100	20.00	10.5	Horizontal	92.42	Ohangwena
Eenhana	17 29 57.1 S	16 31 24.2 E	4	610	38	100	20.00	10.5	Horizontal	92.42	Ohangwena
Eholongo	18 23 12.6 S	14 58 11.8 E	1	506	25	1000	30.00	10.5	Horizontal	212.42	Omusati
Eholongo	18 23 12.6 S	14 58 11.8 E	2	522	27	1000	30.00	10.5	Horizontal	212.42	Omusati
Eholongo	18 23 12.6 S	14 58 11.8 E	3	538	29	1000	30.00	10.5	Horizontal	212.42	Omusati
Eholongo	18 23 12.6 S	14 58 11.8 E	4	570	33	1000	30.00	10.5	Horizontal	212.42	Omusati
Eiseb-1	21 21 15.3 S	20 28 31.9 E	1	482	22	100	20.00	10.5	Horizontal	122.42	Omaheke
Eiseb-1	21 21 15.3 S	20 28 31.9 E	2	554	31	100	20.00	10.5	Horizontal	122.42	Omaheke
Eiseb-1	21 21 15.3 S	20 28 31.9 E	3	562	32	100	20.00	10.5	Horizontal	122.42	Omaheke
Eiseb-1	21 21 15.3 S	20 28 31.9 E	4	578	34	100	20.00	10.5	Horizontal	122.42	Omaheke
Elandsfontein	19 24 0.7 S	16 16 38.8 E	1	482	22	2000	33.01	10.5	Horizontal	212.42	Otjozondjupa
Elandsfontein	19 24 0.7 S	16 16 38.8 E	2	634	41	2000	33.01	10.5	Horizontal	212.42	Otjozondjupa
Elandsfontein	19 24 0.7 S	16 16 38.8 E	3	610	38	2000	33.01	10.5	Horizontal	212.42	Otjozondjupa
Elandsfontein	19 24 0.7 S	16 16 38.8 E	4	562	32	2000	33.01	10.5	Horizontal	212.42	Otjozondjupa
Epukiro	21 33 3.6 S	19 25 19.2 E	1	178	5	1000	30.00	11.5	Horizontal	219.15	Omaheke
Epukiro	21 33 3.6 S	19 25 19.2 E	2	474	21	1000	30.00	11.5	Horizontal	219.15	Omaheke
Epukiro	21 33 3.6 S	19 25 19.2 E	3	538	29	1000	30.00	11.5	Horizontal	219.15	Omaheke
Epukiro	21 33 3.6 S	19 25 19.2 E	4	506	25	1000	30.00	11.5	Horizontal	219.15	Omaheke
Epupa	17 5 13.1 S	13 12 16.4 E	1	618	39	100	20.00	7.5	Horizontal	91.1	Kunene
Epupa	17 5 13.1 S	13 12 16.4 E	2	514	26	100	20.00	7.5	Horizontal	91.1	Kunene
Epupa	17 5 13.1 S	13 12 16.4 E	3	538	29	100	20.00	7.5	Horizontal	91.1	Kunene
Epupa	17 5 13.1 S	13 12 16.4 E	4	562	32	100	20.00	7.5	Horizontal	91.1	Kunene
Erongo Solar	21 43 42.2 S	15 31 21.9 E	1	178	5	100	20.00	10.1	Horizontal	38.5	Erongo
Erongo Solar	21 43 42.2 S	15 31 21.9 E	2	618	39	100	20.00	10.1	Horizontal	38.5	Erongo
Erongo Solar	21 43 42.2 S	15 31 21.9 E	3	650	43	100	20.00	10.1	Horizontal	38.5	Erongo
Erongo Solar	21 43 42.2 S	15 31 21.9 E	4	514	26	100	20.00	10.1	Horizontal	38.5	Erongo
Gam	20 9 27.5 S	20 43 22.7 E	1	186	6	50	16.99	11.3	Vertical	216.8	Otjozondjupa
Gam	20 9 27.5 S	20 43 22.7 E	2	482	22	50	16.99	11.3	Vertical	216.8	Otjozondjupa
Gam	20 9 27.5 S	20 43 22.7 E	3	514	26	50	16.99	11.3	Vertical	216.8	Otjozondjupa
Gam	20 9 27.5 S	20 43 22.7 E	4	546	30	50	16.99	11.3	Vertical	216.8	Otjozondjupa
Gibeon	25 7 2.4 S	17 56 22.7 E	1	210	9	2000	33.01	11.5	Vertical	140	Hardap
Gibeon	25 7 2.4 S	17 56 22.7 E	2	506	25	2000	33.01	11.5	Vertical	140	Hardap
Gibeon	25 7 2.4 S	17 56 22.7 E	3	538	29	2000	33.01	11.5	Vertical	140	Hardap
Gibeon	25 7 2.4 S	17 56 22.7 E	4	570	33	2000	33.01	11.5	Vertical	140	Hardap
Gobabis	22 26 6.1 S	19 0 31.9 E	1	650	43	2000	33.01	11.6	Horizontal	218.8	Kunene
Gobabis	22 26 6.1 S	19 0 31.9 E	2	618	39	2000	33.01	11.6	Horizontal	218.8	Kunene
Gobabis	22 26 6.1 S	19 0 31.9 E	3	634	41	2000	33.01	11.6	Horizontal	218.8	Kunene
Gobabis	22 26 6.1 S	19 0 31.9 E	4	666	45	2000	33.01	11.6	Horizontal	218.8	Kunene
Gochas	24 50 44.8 S	18 49 8.1 E	1	498	24	500	26.99	7.5	Horizontal	91.1	Hardap
Gochas	24 50 44.8 S	18 49 8.1 E	2	482	22	500	26.99	7.5	Horizontal	91.1	Hardap
Gochas	24 50 44.8 S	18 49 8.1 E	3	546	30	500	26.99	7.5	Horizontal	91.1	Hardap
Gochas	24 50 44.8 S	18 49 8.1 E	4	578	34	500	26.99	7.5	Horizontal	91.1	Hardap
Gross Herzhog	22 42 33.5 S	17 3 37.4 E	1	178	5	4500	36.53	11.6	Horizontal	99	Khomas
Gross Herzhog	22 42 33.5 S	17 3 37.4 E	2	498	24	4500	36.53	11.6	Horizontal	99	Khomas
Gross Herzhog	22 42 33.5 S	17 3 37.4 E	3	562	32	4500	36.53	11.6	Horizontal	99	Khomas
Gross Herzhog	22 42 33.5 S	17 3 37.4 E	4	682	47	4500	36.53	11.6	Horizontal	99	Khomas
Impalila	17 46 46.7 S	25 12 54.0 E	1	610	38	100	20.00	7.5	Horizontal	30	Caprivi
Impalila	17 46 46.7 S	25 12 54.0 E	2	642	42	100	20.00	7.5	Horizontal	30	Caprivi
Impalila	17 46 46.7 S	25 12 54.0 E	3	658	44	100	20.00	7.5	Horizontal	30	Caprivi
Impalila	17 46 46.7 S	25 12 54.0 E	4	562	32	100	20.00	7.5	Horizontal	30	Caprivi
Jericho	28 19 0.6 S	19 44 3.0 E	1	626	40	500	26.99	10.5	Horizontal	122.42	Karas
Jericho	28 19 0.6 S	19 44 3.0 E	2	490	23	500	26.99	10.5	Horizontal	122.42	Karas
Jericho	28 19 0.6 S	19 44 3.0 E	3	570	33	500	26.99	10.5	Horizontal	122.42	Karas
Jericho	28 19 0.6 S	19 44 3.0 E	4	602	37	500	26.99	10.5	Horizontal	122.42	Karas
Kalkrand	24 5 5.9 S	17 34 28.8 E	1	522	27	1000	30.00	10.5	Horizontal	182.42	Hardap
Kalkrand	24 5 5.9 S	17 34 28.8 E	2	474	21	1000	30.00	10.5	Horizontal	182.42	Hardap
Kalkrand	24 5 5.9 S	17 34 28.8 E	3	610	38	1000	30.00	10.5	Horizontal	182.42	Hardap
Kalkrand	24 5 5.9 S	17 34 28.8 E	4	666	45	1000	30.00	10.5	Horizontal	182.42	Hardap
Kamanjab	19 34 40.6 S	14 53 18.4 E	1	546	30	2000	33.01	11.3	Horizontal	216.8	Kunene
Kamanjab	19 34 40.6 S	14 53 18.4 E	2	482	22	2000	33.01	11.3	Horizontal	216.8	Kunene
Kamanjab	19 34 40.6 S	14 53 18.4 E	3	514	26	2000	33.01	11.3	Horizontal	216.8	Kunene
Kamanjab	19 34 40.6 S	14 53 18.4 E	4	578	34	2000	33.01	11.3	Horizontal	216.8	Kunene
Katima Mulilo	17 31 6.8 S	24 16 18.4 E	1	178	5	1000	30.00	16.7	Horizontal	214.9	Caprivi
Katima Mulilo	17 31 6.8 S	24 16 18.4 E	2	490	23	1000	30.00	16.7	Horizontal	214.9	Caprivi
Katima Mulilo	17 31 6.8 S	24 16 18.4 E	3	626	40	1000	30.00	16.7	Horizontal	214.9	Caprivi
Katima Mulilo	17 31 6.8 S	24 16 18.4 E	4	586	35	1000	30.00	16.7	Horizontal	214.9	Caprivi
Keetmanshoop	26 34 38.1 S	18 8 6.5 E	1	210	9	100	20.00	4.5	Vertical	57.1	Karas
Keetmanshoop	26 34 38.1 S	18 8 6.5 E	2	178	5	100	20.00	4.5	Vertical	57.1	Karas

REGULATIONS
Communications Act 8 of 2009

Regulations setting out the Frequency Channeling Plan for Digital Terrestrial Television

Keetmanshoop	26 34 38.1 S	18 8 6.5 E	3	506	25	100	20.00	4.5	Vertical	57.1	Karas
Keetmanshoop	26 34 38.1 S	18 8 6.5 E	4	538	29	100	20.00	4.5	Vertical	57.1	Karas
Khorixas	20 21 33.4 S	14 58 52.8 E	1	202	8	2000	33.01	11.7	Vertical	140	Kunene
Khorixas	20 21 33.4 S	14 58 52.8 E	2	538	29	2000	33.01	11.7	Vertical	140	Kunene
Khorixas	20 21 33.4 S	14 58 52.8 E	3	570	33	2000	33.01	11.7	Vertical	140	Kunene
Khorixas	20 21 33.4 S	14 58 52.8 E	4	602	37	2000	33.01	11.7	Vertical	140	Kunene
Klein Waterberg	20 41 11.0 S	17 3 49.0 E	1	186	6	4500	36.53	13.3	Vertical	110	Otjozondjupa
Klein Waterberg	20 41 11.0 S	17 3 49.0 E	2	530	28	4500	36.53	13.3	Vertical	110	Otjozondjupa
Klein Waterberg	20 41 11.0 S	17 3 49.0 E	3	618	39	4500	36.53	13.3	Vertical	110	Otjozondjupa
Klein Waterberg	20 41 11.0 S	17 3 49.0 E	4	650	43	4500	36.53	13.3	Vertical	110	Otjozondjupa
Koes	25 55 22.8 S	19 9 20.0 E	1	474	21	500	26.99	10.5	Horizontal	92.42	Karas
Koes	25 55 22.8 S	19 9 20.0 E	2	490	23	500	26.99	10.5	Horizontal	92.42	Karas
Koes	25 55 22.8 S	19 9 20.0 E	3	578	34	500	26.99	10.5	Horizontal	92.42	Karas
Koes	25 55 22.8 S	19 9 20.0 E	4	690	48	500	26.99	10.5	Horizontal	92.42	Karas
Kongola	17 48 37.5 S	23 23 16.7 E	1	538	29	500	26.99	12.9	Horizontal	122.23	Caprivi
Kongola	17 48 37.5 S	23 23 16.7 E	2	474	21	500	26.99	12.9	Horizontal	122.23	Caprivi
Kongola	17 48 37.5 S	23 23 16.7 E	3	554	31	500	26.99	12.9	Horizontal	122.23	Caprivi
Kongola	17 48 37.5 S	23 23 16.7 E	4	618	39	500	26.99	12.9	Horizontal	122.23	Caprivi
Krantsberg	27 8 35.7 S	18 55 38.4 E	1	178	5	2000	33.01	11.3	Horizontal	110	Karas
Krantsberg	27 8 35.7 S	18 55 38.4 E	2	482	22	2000	33.01	11.3	Horizontal	110	Karas
Krantsberg	27 8 35.7 S	18 55 38.4 E	3	498	24	2000	33.01	11.3	Horizontal	110	Karas
Krantsberg	27 8 35.7 S	18 55 38.4 E	4	514	26	2000	33.01	11.3	Horizontal	110	Karas
Leonardville	23 29 31.2 S	18 47 15.6 E	1	506	25	500	26.99	10.5	Horizontal	122.42	Omaheke
Leonardville	23 29 31.2 S	18 47 15.6 E	2	554	31	500	26.99	10.5	Horizontal	122.42	Omaheke
Leonardville	23 29 31.2 S	18 47 15.6 E	3	586	35	500	26.99	10.5	Horizontal	122.42	Omaheke
Leonardville	23 29 31.2 S	18 47 15.6 E	4	546	30	500	26.99	10.5	Horizontal	122.42	Omaheke
Luderitz	26 45 22.2 S	15 20 49.7 E	1	546	30	500	26.99	10.5	Vertical	92.42	Karas
Luderitz	26 45 22.2 S	15 20 49.7 E	2	474	21	500	26.99	10.5	Vertical	92.42	Karas
Luderitz	26 45 22.2 S	15 20 49.7 E	3	562	32	500	26.99	10.5	Vertical	92.42	Karas
Luderitz	26 45 22.2 S	15 20 49.7 E	4	594	36	500	26.99	10.5	Vertical	92.42	Karas
Maltahohe	24 53 26.7 S	16 53 35.9 E	1	586	35	2000	33.01	12.1	Horizontal	200	Hardap
Maltahohe	24 53 26.7 S	16 53 35.9 E	2	498	24	2000	33.01	12.1	Horizontal	200	Hardap
Maltahohe	24 53 26.7 S	16 53 35.9 E	3	562	32	2000	33.01	12.1	Horizontal	200	Hardap
Maltahohe	24 53 26.7 S	16 53 35.9 E	4	658	44	2000	33.01	12.1	Horizontal	200	Hardap
Mariental	24 27 19.2 S	17 54 52.6 E	1	202	8	250	23.98	8.1	Horizontal	72	Hardap
Mariental	24 27 19.2 S	17 54 52.6 E	2	618	39	250	23.98	8.1	Horizontal	72	Hardap
Mariental	24 27 19.2 S	17 54 52.6 E	3	650	43	250	23.98	8.1	Horizontal	72	Hardap
Mariental	24 27 19.2 S	17 54 52.6 E	4	682	47	250	23.98	8.1	Horizontal	72	Hardap
Klein Windhoek	22 23 24.6 S	16 59 1.3 E	1	194	7	800	29.03	10.7	Horizontal	110	Khomas
Klein Windhoek	22 23 24.6 S	16 59 1.3 E	2	530	28	800	29.03	10.7	Horizontal	110	Khomas
Klein Windhoek	22 23 24.6 S	16 59 1.3 E	3	642	42	800	29.03	10.7	Horizontal	110	Khomas
Klein Windhoek	22 23 24.6 S	16 59 1.3 E	4	658	44	800	29.03	10.7	Horizontal	110	Khomas
Nkurenkuru	17 40 38.6 S	18 36 6.0 E	1	210	9	2000	33.01	14.7	Vertical	184.53	Kavango
Nkurenkuru	17 40 38.6 S	18 36 6.0 E	2	602	37	2000	33.01	14.7	Vertical	184.53	Kavango
Nkurenkuru	17 40 38.6 S	18 36 6.0 E	3	634	41	2000	33.01	14.7	Vertical	184.53	Kavango
Nkurenkuru	17 40 38.6 S	18 36 6.0 E	4	666	45	2000	33.01	14.7	Vertical	184.53	Kavango
Noordoewer	28 40 55.0 S	17 38 16.7 E	1	690	48	400	26.02	9.9	Vertical	85	Karas
Noordoewer	28 40 55.0 S	17 38 16.7 E	2	474	21	400	26.02	9.9	Vertical	85	Karas
Noordoewer	28 40 55.0 S	17 38 16.7 E	3	498	24	400	26.02	9.9	Vertical	85	Karas
Noordoewer	28 40 55.0 S	17 38 16.7 E	4	570	33	400	26.02	9.9	Vertical	85	Karas
Okongo	17 23 24.0 S	17 37 52.0 E	1	178	5	2000	33.01	11.6	Vertical	218.6	Ohangwena
Okongo	17 23 24.0 S	17 37 52.0 E	2	682	47	2000	33.01	11.6	Vertical	218.6	Ohangwena
Okongo	17 23 24.0 S	17 37 52.0 E	3	514	26	2000	33.01	11.6	Vertical	218.6	Ohangwena
Okongo	17 23 24.0 S	17 37 52.0 E	4	586	35	2000	33.01	11.6	Vertical	218.6	Ohangwena
Omitara	22 20 11.3 S	17 55 27.0 E	1	610	38	250	23.98	7.5	Horizontal	91.1	Omaheke
Omitara	22 20 11.3 S	17 55 27.0 E	2	642	42	250	23.98	7.5	Horizontal	91.1	Omaheke
Omitara	22 20 11.3 S	17 55 27.0 E	3	658	44	250	23.98	7.5	Horizontal	91.1	Omaheke
Omitara	22 20 11.3 S	17 55 27.0 E	4	626	40	250	23.98	7.5	Horizontal	91.1	Omaheke
Omuthiya	18 22 0.0 S	16 34 19.8 E	1	514	26	2000	33.01	10.5	Horizontal	182.42	Oshikoto
Omuthiya	18 22 0.0 S	16 34 19.8 E	2	498	24	2000	33.01	10.5	Horizontal	182.42	Oshikoto
Omuthiya	18 22 0.0 S	16 34 19.8 E	3	554	31	2000	33.01	10.5	Horizontal	182.42	Oshikoto
Omuthiya	18 22 0.0 S	16 34 19.8 E	4	626	40	2000	33.01	10.5	Horizontal	182.42	Oshikoto
Onesi	17 33 54.6 S	14 33 59.4 E	1	554	31	2000	33.01	14	Vertical	214.5	Omusati
Onesi	17 33 54.6 S	14 33 59.4 E	2	610	38	2000	33.01	14	Vertical	214.5	Omusati
Onesi	17 33 54.6 S	14 33 59.4 E	3	514	26	2000	33.01	14	Vertical	214.5	Omusati
Onesi	17 33 54.6 S	14 33 59.4 E	4	474	21	2000	33.01	14	Vertical	214.5	Omusati
Opuwo	18 10 7.0 S	13 55 50.0 E	1	178	5	2000	33.01	11.6	Horizontal	119.2	Kunene
Opuwo	18 10 7.0 S	13 55 50.0 E	2	626	40	2000	33.01	11.6	Horizontal	119.2	Kunene
Opuwo	18 10 7.0 S	13 55 50.0 E	3	642	42	2000	33.01	11.6	Horizontal	119.2	Kunene

REGULATIONS
Communications Act 8 of 2009

Regulations setting out the Frequency Channeling Plan for Digital Terrestrial Television

Opuwo	18 10 7.0 S	13 55 50.0 E	4	658	44	2000	33.01	11.6	Horizontal	119.2	Kunene
Oranjemund	28 33 15.2 S	16 25 34.2 E	1	602	37	250	23.98	7.5	Horizontal	91.1	Karas
Oranjemund	28 33 15.2 S	16 25 34.2 E	2	514	26	250	23.98	7.5	Horizontal	91.1	Karas
Oranjemund	28 33 15.2 S	16 25 34.2 E	3	626	40	250	23.98	7.5	Horizontal	91.1	Karas
Oranjemund	28 33 15.2 S	16 25 34.2 E	4	634	41	250	23.98	7.5	Horizontal	91.1	Karas
Oshakati	17 47 26.0 S	15 42 36.0 E	1	682	47	2000	33.01	13.3	Vertical	260	Oshana
Oshakati	17 47 26.0 S	15 42 36.0 E	2	482	22	2000	33.01	13.3	Vertical	260	Oshana
Oshakati	17 47 26.0 S	15 42 36.0 E	3	490	23	2000	33.01	13.3	Vertical	260	Oshana
Oshakati	17 47 26.0 S	15 42 36.0 E	4	618	39	2000	33.01	13.3	Vertical	260	Oshana
Otjimbingwe	22 21 25.0 S	16 7 41.0 E	1	578	34	500	26.99	10.5	Horizontal	92.42	Erongo
Otjimbingwe	22 21 25.0 S	16 7 41.0 E	2	194	7	500	26.99	10.5	Horizontal	92.42	Erongo
Otjimbingwe	22 21 25.0 S	16 7 41.0 E	3	626	40	500	26.99	10.5	Horizontal	92.42	Erongo
Otjimbingwe	22 21 25.0 S	16 7 41.0 E	4	658	44	500	26.99	10.5	Horizontal	92.42	Erongo
Otjinene	20 50 42.0 S	18 59 18.6 E	1	634	41	2000	33.01	10.5	Horizontal	212.42	Omaheke
Otjinene	20 50 42.0 S	18 59 18.6 E	2	498	24	2000	33.01	10.5	Horizontal	212.42	Omaheke
Otjinene	20 50 42.0 S	18 59 18.6 E	3	562	32	2000	33.01	10.5	Horizontal	212.42	Omaheke
Otjinene	20 50 42.0 S	18 59 18.6 E	4	690	48	2000	33.01	10.5	Horizontal	212.42	Omaheke
Ovitoto	21 57 54.0 S	17 12 52.5 E	1	514	26	100	20.00	7.5	Horizontal	81.1	Otjozondjupa
Ovitoto	21 57 54.0 S	17 12 52.5 E	2	490	23	100	20.00	7.5	Horizontal	81.1	Otjozondjupa
Ovitoto	21 57 54.0 S	17 12 52.5 E	3	554	31	100	20.00	7.5	Horizontal	81.1	Otjozondjupa
Ovitoto	21 57 54.0 S	17 12 52.5 E	4	634	41	100	20.00	7.5	Horizontal	81.1	Otjozondjupa
Paresis	20 20 1.0 S	16 19 10.0 E	1	178	5	100	20.00	10.5	Horizontal	45	Otjozondjupa
Paresis	20 20 1.0 S	16 19 10.0 E	2	498	24	100	20.00	10.5	Horizontal	45	Otjozondjupa
Paresis	20 20 1.0 S	16 19 10.0 E	3	546	30	100	20.00	10.5	Horizontal	45	Otjozondjupa
Paresis	20 20 1.0 S	16 19 10.0 E	4	690	48	100	20.00	10.5	Horizontal	45	Otjozondjupa
Rietfontein	21 51 2.0 S	20 45 21.0 E	1	650	43	1000	30.00	12.6	Vertical	70.7	Omaheke
Rietfontein	21 51 2.0 S	20 45 21.0 E	2	626	40	1000	30.00	12.6	Vertical	70.7	Omaheke
Rietfontein	21 51 2.0 S	20 45 21.0 E	3	594	36	1000	30.00	12.6	Vertical	70.7	Omaheke
Rietfontein	21 51 2.0 S	20 45 21.0 E	4	666	45	1000	30.00	12.6	Vertical	70.7	Omaheke
Rooidag	19 16 48.2 S	19 11 51.6 E	1	178	5	2000	33.01	11.7	Horizontal	200	Oshikoto
Rooidag	19 16 48.2 S	19 11 51.6 E	2	578	34	2000	33.01	11.7	Horizontal	200	Oshikoto
Rooidag	19 16 48.2 S	19 11 51.6 E	3	618	39	2000	33.01	11.7	Horizontal	200	Oshikoto
Rooidag	19 16 48.2 S	19 11 51.6 E	4	554	31	2000	33.01	11.7	Horizontal	200	Oshikoto
Rosh Pinah	27 58 17.8 S	16 44 28.1 E	1	634	41	100	20.00	10.5	Horizontal	92.42	Karas
Rosh Pinah	27 58 17.8 S	16 44 28.1 E	2	514	26	100	20.00	10.5	Horizontal	92.42	Karas
Rosh Pinah	27 58 17.8 S	16 44 28.1 E	3	602	37	100	20.00	10.5	Horizontal	92.42	Karas
Rosh Pinah	27 58 17.8 S	16 44 28.1 E	4	610	38	100	20.00	10.5	Horizontal	92.42	Karas
Rossing	22 31 37.6 S	14 49 20.8 E	1	194	7	2000	33.01	11.5	Vertical	110	Erongo
Rossing	22 31 37.6 S	14 49 20.8 E	2	594	36	2000	33.01	11.5	Vertical	110	Erongo
Rossing	22 31 37.6 S	14 49 20.8 E	3	666	45	2000	33.01	11.5	Vertical	110	Erongo
Rossing	22 31 37.6 S	14 49 20.8 E	4	690	48	2000	33.01	11.5	Vertical	110	Erongo
Sesfontein	19 6 12.3 S	13 43 1.1 E	1	186	6	2000	33.01	12.1	Vertical	110	Kunene
Sesfontein	19 6 12.3 S	13 43 1.1 E	2	498	24	2000	33.01	12.1	Vertical	110	Kunene
Sesfontein	19 6 12.3 S	13 43 1.1 E	3	530	28	2000	33.01	12.1	Vertical	110	Kunene
Sesfontein	19 6 12.3 S	13 43 1.1 E	4	562	32	2000	33.01	12.1	Vertical	110	Kunene
Shamvura	18 2 35.5 S	20 51 38.2 E	1	626	40	500	26.99	14.5	Vertical	214.5	Kavango
Shamvura	18 2 35.5 S	20 51 38.2 E	2	506	25	500	26.99	14.5	Vertical	214.5	Kavango
Shamvura	18 2 35.5 S	20 51 38.2 E	3	538	29	500	26.99	14.5	Vertical	214.5	Kavango
Shamvura	18 2 35.5 S	20 51 38.2 E	4	570	33	500	26.99	14.5	Vertical	214.5	Kavango
Signalberg	19 34 29.0 S	17 42 39.1 E	1	194	7	4500	36.53	12.3	Horizontal	119.1	Otjozondjupa
Signalberg	19 34 29.0 S	17 42 39.1 E	2	666	45	4500	36.53	12.3	Horizontal	119.1	Otjozondjupa
Signalberg	19 34 29.0 S	17 42 39.1 E	3	594	36	4500	36.53	12.3	Horizontal	119.1	Otjozondjupa
Signalberg	19 34 29.0 S	17 42 39.1 E	4	602	37	4500	36.53	12.3	Horizontal	119.1	Otjozondjupa
Stampriet	24 20 31.5 S	18 25 8.6 E	1	186	6	1000	30.00	14.9	Horizontal	217.2	Hardap
Stampriet	24 20 31.5 S	18 25 8.6 E	2	594	36	1000	30.00	14.9	Horizontal	217.2	Hardap
Stampriet	24 20 31.5 S	18 25 8.6 E	3	530	28	1000	30.00	14.9	Horizontal	217.2	Hardap
Stampriet	24 20 31.5 S	18 25 8.6 E	4	634	41	1000	30.00	14.9	Horizontal	217.2	Hardap
Steinhausen	21 37 45.5 S	18 15 33.7 E	1	210	9	1000	30.00	12.3	Horizontal	75	Omaheke
Steinhausen	21 37 45.5 S	18 15 33.7 E	2	490	23	1000	30.00	12.3	Horizontal	75	Omaheke
Steinhausen	21 37 45.5 S	18 15 33.7 E	3	522	27	1000	30.00	12.3	Horizontal	75	Omaheke
Steinhausen	21 37 45.5 S	18 15 33.7 E	4	586	35	1000	30.00	12.3	Horizontal	75	Omaheke
Terrance Bay	19 57 44.5 S	13 1 16.7 E	1	178	5	50	16.99	7.7	Vertical	45	Kunene
Terrance Bay	19 57 44.5 S	13 1 16.7 E	2	682	47	50	16.99	7.7	Vertical	45	Kunene
Terrance Bay	19 57 44.5 S	13 1 16.7 E	3	618	39	50	16.99	7.7	Vertical	45	Kunene
Terrance Bay	19 57 44.5 S	13 1 16.7 E	4	650	43	50	16.99	7.7	Vertical	45	Kunene
Tsumeb	19 16 44.0 S	17 41 24.8 E	1	626	40	20	13.01	7.5	Horizontal	92.42	Oshikoto
Tsumeb	19 16 44.0 S	17 41 24.8 E	2	658	44	20	13.01	7.5	Horizontal	92.42	Oshikoto
Tsumeb	19 16 44.0 S	17 41 24.8 E	3	690	48	20	13.01	7.5	Horizontal	92.42	Oshikoto
Tsumeb	19 16 44.0 S	17 41 24.8 E	4	674	46	20	13.01	7.5	Horizontal	92.42	Oshikoto

REGULATIONS
Communications Act 8 of 2009

Regulations setting out the Frequency Channeling Plan for Digital Terrestrial Television

Tsumkwe Bay	19 35 36.0 S	20 30 8.0 E	1	602	37	100	20.00	10.5	Horizontal	92.42	Otjozondjupa
Tsumkwe Bay	19 35 36.0 S	20 30 8.0 E	2	618	39	100	20.00	10.5	Horizontal	92.42	Otjozondjupa
Tsumkwe Bay	19 35 36.0 S	20 30 8.0 E	3	658	44	100	20.00	10.5	Horizontal	92.42	Otjozondjupa
Tsumkwe Bay	19 35 36.0 S	20 30 8.0 E	4	562	32	100	20.00	10.5	Horizontal	92.42	Otjozondjupa
Uis	21 13 21.6 S	14 53 5.1 E	1	490	23	100	20.00	10.5	Horizontal	62.42	Erongo
Uis	21 13 21.6 S	14 53 5.1 E	2	594	36	100	20.00	10.5	Horizontal	62.42	Erongo
Uis	21 13 21.6 S	14 53 5.1 E	3	506	25	100	20.00	10.5	Horizontal	62.42	Erongo
Uis	21 13 21.6 S	14 53 5.1 E	4	530	28	100	20.00	10.5	Horizontal	62.42	Erongo
Ur	27 31 33.5 S	18 33 14.1 E	1	658	44	1000	30.00	13.6	Horizontal	75	Karas
Ur	27 31 33.5 S	18 33 14.1 E	2	594	36	1000	30.00	13.6	Horizontal	75	Karas
Ur	27 31 33.5 S	18 33 14.1 E	3	546	30	1000	30.00	13.6	Horizontal	75	Karas
Ur	27 31 33.5 S	18 33 14.1 E	4	626	40	1000	30.00	13.6	Horizontal	75	Karas