



*Argief*

BUITENGEWONE

# OFFISIËLE KOERANT

VAN SUIDWES-AFRIKA.

# OFFICIAL GAZETTE

EXTRAORDINARY  
OF SOUTH WEST AFRICA.



UITGAWE OP GESAG.

PUBLISHED BY AUTHORITY.

10c

Vrydag, 6 Desember 1968

WINDHOEK

Friday, 6 December 1968

No. 2948

## INHOUD

## CONTENTS

*Bladsy/Page*

### ALGEMENE KENNISGEWING:—

### GENERAL NOTICE:

No. 249 Indeks vir die Regulasies op Myne, Bedrywe  
en Minerale 1968 . . . . .

Index to Mines, Works and Minerals Regulations,  
1968 . . . . . 1914

## Algemene Kennisgewing.

## General Notice.

(No. 249 van 1968.)

(No. 249 of 1968.)

### INDEKS

VIR DIE REGULASIES OP MYNE, BEDRYWE EN  
MINERALE 1968.

### INDEX

TO MINES, WORKS AND MINERALS  
REGULATIONS, 1968.

Die volgende indeks word vir inligting gepubliseer:—

The following index is published for information:—

#### AANSTELLINGS:

bestuurder . . . . .	26; 28
ingenieur . . . . .	38
mynopsigter . . . . .	32
opmeter . . . . .	39 (1 tot 3)
skofbaas . . . . .	33 (1 tot 3)
spanbaas . . . . .	35 (1—2)
skagwagter bo- en ondergronds . . . . .	45

Afpen — sien kleims.

AFSPOEL (OORBLAAS) VOOR BOOR-  
WERK IN SKAG . . . . . 117 (7)

AFWESIGHEID VAN BESTUURDER . . . . . 28 (4)

#### AMBULANS:

draagbare — aantal . . . . .	245 (1 a)
noodhulpposte — aantal . . . . .	245 (2)
noodhulpverbande — beamptes dra . . . . .	245 (4)
noodhulpkissie — inhoud . . . . .	245 (1 b)
reëlings — Direkteur mag eise stel . . . . .	247
toesig — bevoegde persoon . . . . .	245 (3)

BEGRAFNIS-SERTIFIKAAT . . . . . 239

#### BESTUURDER:

aanstelling . . . . .	26; 28
aanstelling — afwesigheid . . . . .	28 (4)
aanstelling — meer as een . . . . .	28 (3)
aanvaarding van pligte . . . . .	26 (2)
assistente . . . . .	28 (5 b); 30
eienaar moet middele voorsien . . . . .	27
kennisgewing van aanstelling . . . . .	26 (3)
pligte . . . . .	28 (5); 31
register van bestuurders . . . . .	26 (4)
twee myne — nie op werk nie . . . . .	28 (2)
verantwoordelik indien niemand anders . . . . .	144
verantwoordelik — aanmeld van oortredings . . . . .	28 (5 d)
verantwoordelik — aanstelling van spanbaas . . . . .	34
verantwoordelik — deursoek van nie-blankes . . . . .	31 (20)
verantwoordelik — drinkwater . . . . .	31 (6)
verantwoordelik — kennisgewings aan vorige bestuurder . . . . .	31 (17)
verantwoordelik — latrines . . . . .	31 (2—3)
verantwoordelik — mediese hulp . . . . .	248
verantwoordelik — ongelukverslae . . . . .	31 (16)
verantwoordelik — opbou van skag-kraag . . . . .	31 (12)
verantwoordelik — ophys van persone . . . . .	31 (18)
verantwoordelik — sanitêre geriewe . . . . .	31 (1)

#### ABANDONMENT OF MINE:

calculation and survey books . . . . .	127 (2)
plans to be brought up to date . . . . .	127 (1)

ABSENCE OF MANAGER . . . . . 28 (4)

#### EXTRACT OF REGULATIONS:

defacing penalty . . . . .	157 (3)
notice bilingual . . . . .	157 (1)
posting copy . . . . .	157 (1)
renewal when defaced . . . . .	157 (2)

#### ACCIDENT:

conveyance to hospital or abode . . . . .	248
death — burial certificate . . . . .	239
death — place to be left undisturbed . . . . .	237
death — reporting immediately . . . . .	236 & 240
gassing — notices . . . . .	150
medical aid . . . . .	248
non-casualty accident . . . . .	241
particulars — form for . . . . .	235 (1) (b)
person who may attend inquiries . . . . .	238
register . . . . .	242
reporting . . . . .	235

AIR RECEIVER — details required before use . . . . . 186

#### AMBULANCE:

competent person to be in charge . . . . .	245 (3)
Director may demand . . . . .	247
first aid boxes — contents, etc. . . . .	245 (1) (b)
first aid equipment — officials to carry . . . . .	245 (4)
first aid stations — numbers . . . . .	245 (2)
stretchers — number required . . . . .	245(1) (a)

ANTIDOTE — for cyanide poisoning . . . . . 249

#### APPOINTMENT:

banksman . . . . .	45
engineer . . . . .	38
ganger . . . . .	35 (1) (2)
manager . . . . .	26 (1); 28 (1) to (4)
mine overseer . . . . .	32
onsetter . . . . .	45
shift boss . . . . .	33 (1) to (3)
surveyor . . . . .	39 (1) to (3)

AUTOMATIC DEVICE — for lubricating machinery . . . . . 172 (2)

#### BARRIER:

closing by onsetter or banksman . . . . .	45 (5) (a)
shaft bottom . . . . .	50 (2)
steeply inclined workings . . . . .	50 (3)

verantwoordelik — skagsink-voordurende toesig . . . . .	31 (10)
verantwoordelik — slykdamme . . . . .	31 (15)
verantwoordelik — span-grootte van . . . . .	31 (9)
verantwoordelik — stormwaterslote . . . . .	31 (11)
verantwoordelik — toepassing van regulasies . . . . .	28 (5 a)
verantwoordelik — toestand masjinerie/materiaal . . . . .	31 (5)
verantwoordelik — tye van skofte en skietwerk . . . . .	31 (4)
verantwoordelik — veiligheid/dissipline . . . . .	28 (5 c)
verantwoordelik — veiligheidsversperings . . . . .	31 (19)
verantwoordelik — wag teen oorstroming . . . . .	31 (13—14)
verantwoordelik — wagplekke . . . . .	31 (7)
<b>BESOEDDELDE LUG:</b>	
persone nie blootstel . . . . .	103 (1)
<b>BESKUTTING — SKAGSINKWERK . . . . .</b>	<b>64 (1)</b>
<b>BETEKENIS VAN WOORDE IN REGULASIES . . . . .</b>	
	1
<b>BEVOEGDE PERSOON:</b>	
ambulans-beampte . . . . .	245 (3)
elektriese masjinerie . . . . .	193
ingenieur . . . . .	38 (1)
masjinerie . . . . .	161 (2)
mynopsigter . . . . .	32 (1)
ontploffbare stowwe — magasyn . . . . .	109
skofbaas . . . . .	33 (1)
<b>BEVUILING VAN WERKSPLEKKE . . . . .</b>	<b>151</b>
<b>BLAASPYP — GOEDGEKEURDE ONTWERP . . . . .</b>	
	117 (4 b)
<b>BOGRONDSE SKAGWAGTER . . . . .</b>	<b>45</b>
(sien ook Skagwagter-bogronde)	
<b>BOOR:</b>	
naby sokke . . . . .	117 (5 d)
oorblaas (afspoel) sinkskagte . . . . .	117 (7 b)
rigting moet aangewys word . . . . .	117 (5 e)
<b>BOORGAT:</b>	
dieper maak . . . . .	117 (5 a)
steenkool — inligting aan S.A. Instituut vir Brandnavorsing . . . . .	134 (3)
steenkool — ou aantekeninge . . . . .	134 (2)
steenkool — verwittig Direkteur . . . . .	134 (1)
<b>DAE EN URE VAN WERK (sien ook Sondagarbeid) . . . . .</b>	
	256; 257; 258
<b>DAGBOUMYNWERKE: . . . . .</b>	
ondergraving verbied . . . . .	50 (5)
rand — skoon vir 10 voet . . . . .	50 (5)
wanneer omheining nodig is . . . . .	50 (4)
<b>DAGVAARDING:</b>	
getuie/beskuldigde . . . . .	244 (1—2)
<b>DAMME:</b>	
bestuurder verantwoordelik . . . . .	31 (15)
<b>DAMPE:</b>	
in verslagboek opteken . . . . .	138 (2 c)
<b>DEFEKTE:</b>	
veiligheids-/gesondheidstoestelle . . . . .	138 (2 b)
<b>DEFEKTIEWE TOESTANDE:</b>	
verslag . . . . .	138 (2 d)

<b>BANKSMAN:</b>	
appointment . . . . .	45 (1) (2)
certificate . . . . .	45 (1) (a)
persons travelling . . . . .	45 (5)
transport in cage, notice . . . . .	112 (1)
responsibility — call bell system . . . . .	69 (3) (4)
responsibility — closing doors . . . . .	45 (5) (a)
responsibility — explosives — delivering . . . . .	112 (3)
responsibility — explosives and material with persons . . . . .	45 (5) (b) (c)
responsibility — locked bell, retaining key . . . . .	69 (2)
responsibility — number of persons travelling . . . . .	45 (5) (e)
responsibility — signals — ringing personally . . . . .	45 (5) (f)
responsibility — working from ore box . . . . .	45 (5) (g)
<b>BELL — tone of . . . . .</b>	<b>69 (4)</b>
<b>BELTS: . . . . .</b>	<b>169 (2); 171</b>
<b>BENCH MARK — required on all properties . . . . .</b>	
	124 (1)
<b>BLASTING:</b>	
attaching detonator to primer . . . . .	118 (10)
cartridges only to be used . . . . .	118 (7)
certificates . . . . .	117 (1); 251 to 255
charging hole — no force to be used . . . . .	118 (12)
charging stick . . . . .	118 (11)
charging up — time for . . . . .	118 (8)
counting of shots . . . . .	118 (17)
detonator in primer cartridge . . . . .	118 (9)
electrical — entry forbidden after connecting . . . . .	118 (19) (c)
electrical — exploder to be kept locked . . . . .	118 (19) (a)
electrical misfires . . . . .	118 (19) (e)
electrical — provisions re testing . . . . .	118 (19) (d)
electrical — time to connect . . . . .	118 (19) (b)
extracting charges from hole . . . . .	117 (4) (a)
firing charges — counting shots . . . . .	118 (17)
firing charges — guarding approaches . . . . .	118 (15)
firing charges — lighting torches . . . . .	118 (16)
fixed time . . . . .	118 (21)
force not to be used when charging . . . . .	118 (12)
fumes — dissipation . . . . .	118 (20)
guarding approaches . . . . .	118 (15)
inflammable gases . . . . .	117 (3)
lighting torches — approved type . . . . .	118 (16)
misfires . . . . .	118 (18)
misfires — surface mining . . . . .	118 (25)
preparation of charges — assistance . . . . .	117 (2)
special signals . . . . .	70 (5)
tamping — approved material . . . . .	118 (13)
tamping — withdrawal forbidden . . . . .	118 (22)
time for charging up . . . . .	118 (8)
time for re-entry . . . . .	118 (17)
warning to be given . . . . .	118 (14)
water blast . . . . .	118 (23)
quarries — trenches . . . . .	118 (24)
<b>BLASTING CERTIFICATE:</b>	
ganger to hold . . . . .	35 (3) (4)
Manager to retain . . . . .	116 (3)
miner to produce . . . . .	116 (2)
no one to blast without . . . . .	116 (1)

## DEFINISIES:

gebruiker . . . . .	25
kragtoevoer — masjinerie . . . . .	177 (2)
perdekrag . . . . .	38 (12)
regulasies . . . . .	25

DEURE (HEKKE) — TOEMAAK . . . . .	45 (5 a)
-----------------------------------	----------

DEURSOEK VAN PERSONE . . . . .	31 (20)
--------------------------------	---------

DIEPTEWYSER . . . . .	74 (4)
-----------------------	--------

DRAAGBARE . . . . .	245 (1 a)
---------------------	-----------

DRINKWATER . . . . .	31 (6)
----------------------	--------

DRONKENSAP . . . . .	141
----------------------	-----

## DRUKVATE:

rekords . . . . .	187 (1)
skoonmaak vir ondersoek . . . . .	187 (2)
toerusting nodig . . . . .	187 (3)
toets van/jaarliks . . . . .	187 (1)
verloop en veiligheidskleppe . . . . .	187 (4)
vrystellings . . . . .	187 (5)

DRYFBANDE . . . . .	169 (2); 171
---------------------	-----------------

## DUBBELUITGANGE:

bestuurder verantwoordelik . . . . .	92 (3)
in goeie toestand hou . . . . .	92 (2)
skagte . . . . .	91
vrystelling . . . . .	93 (1—2); 94

## DWARSVERSPERRINGS —

ONDERSOEK VAN . . . . .	31 (19)
-------------------------	---------

## EIENAAR

bestuurder — aanvang van pligte . . . . .	47; 55 26 (2)
moet alle middele voorsien . . . . .	27

## ELEKTRIESE MASJINERIE:

ardverbinding . . . . .	195
gebruiker — beskermingstoerusting . . . . .	194
gebruiker — herstelwerk/ondersoek . . . . .	193
geleiers — afstand vanaf plofstof magasyn . . . . .	202 (3)
geleiers — minimum hoogtes . . . . .	201
geleiers — verhoed kontak . . . . .	190
geleiers — verbinding by aanvangs- punt . . . . .	199 (3)
geleiers — verbindings aan lyngeleiers . . . . .	199 (1)
geleiers — veiligheidsfaktore . . . . .	202
geleiers — verspreidingstelsel . . . . .	200
geleiers — waar om te isoleer . . . . .	199 (2)
isolering . . . . .	196
kennisgewing — ongemagtigde toe- gang . . . . .	189; 191
ondersoek — bevoegde persoon . . . . .	193
omheining . . . . .	189
skakelborde . . . . .	192
tralie-tipe stutte . . . . .	198
transformator en skakelstasies . . . . .	197
veiligheidstoerusting . . . . .	194

## ELEKTRISITEIT:

tralie-tipe stutte — beskerming . . . . .	198
---	-----

## ENJINDRYWER (MASJINIS)

## (HYSWERK):

aandag aftrek . . . . .	58
drywer se logboek — verslae . . . . .	41 (11)
neerlaat — trom ontkoppel — verbied . . . . .	41 (5)
ontkoppeling — briektoets . . . . .	41 (4)
permit — vervoer van mense . . . . .	40; 72
persone reis — pouse . . . . .	41 (10)
seine — klaarsein voor beweging . . . . .	41 (1)

BLOWING OVER — before drilling in shaft . . . . .	117 (7)
--	---------

BLOW PIPE — approved design . . . . .	117 (4) (b)
---------------------------------------	-------------

BOILER ATTENDANT — permit . . . . .	44
-------------------------------------	----

## BOILERS:

attendant . . . . .	44
access to be unobstructed . . . . .	207 (4)
application for new boilers . . . . .	204
application for use . . . . .	203
blow off cock — position . . . . .	221 (1)
blow off cock — connection . . . . .	221 (3)
blow off cock — construction . . . . .	221 (2)
blow off cock — discharge . . . . .	221 (4)
blow off cock — discharge to common pipe . . . . .	221 (5)
construction . . . . .	205 (1)
certificate of registration . . . . .	205 (3)
check valve . . . . .	214
clear space all round . . . . .	207 (1) (2)
copper plate . . . . .	223 (2) (3)
dangerous — discontinuation of use . . . . .	231 (2)
economiser . . . . .	211
efficiency impaired, reduction of pres- sure . . . . .	231 (1)
examination — casing not to be re- moved . . . . .	228
examination — equipment to be pro- vided . . . . .	226
examination — failure to comply . . . . .	225 (3)
examination — inspector to notify . . . . .	225 (1)
examination — lights, electric . . . . .	224 (4)
examination — masonry not to be re- placed . . . . .	229
examination — preparation . . . . .	225 (2)
examination — removal of parts . . . . .	224 (2) (3); 227
feeding apparatus . . . . .	213
height of highest fitting . . . . .	207 (3)
hydraulic testing . . . . .	230
log book . . . . .	233
low water alarms . . . . .	219
overheating — flues . . . . .	210
maker's name . . . . .	223 (1)
manholes . . . . .	212
permit for use . . . . .	205 (2)
pressure gauge — details . . . . .	220 (1)
pressure gauge — separate connections . . . . .	220 (2)
register — duplicate if lost . . . . .	232 (3)
register — free of charge . . . . .	232 (1)
register — to be kept in safe place . . . . .	232 (2)
repairs — transport or closing — in- spector to be notified . . . . .	234
safety precautions during cleaning . . . . .	224 (1)
safety valves — construction . . . . .	217 (3)
safety valves — direct attachment . . . . .	216 (2)
safety valves — limits to be fixed . . . . .	218
safety valves — one to be locked . . . . .	216 (3)
safety valves — position of weights and springs . . . . .	217 (2)
safety valves — safety requirements . . . . .	217 (1)
safety valves — two to each boiler . . . . .	216 (1)
safety valves — two connected boilers . . . . .	216 (4)
safety valves — when only one is per- mitted . . . . .	216 (5)
stationary boiler not to be moved . . . . .	208
stop valves — boilers in series . . . . .	222 (2)
stop valves — construction . . . . .	222 (3)
stop valves — non-use forbidden . . . . .	222 (4)
stop valves — one for each boiler . . . . .	222 (1)
test gauge attachments . . . . .	220 (3) (4)
water — not to be thrown on ashes . . . . .	224 (5)

seine — nuwe na een minuut . . . . .	41 (2)	water gauge — cocks to be fitted . . . . .	215 (1)
seine — oproepklok — verontagsaam . . . . .	41 (9)	water gauge — connecting pipes . . . . .	215 (2) (3)
skagreparasies — logboek . . . . .	66 (3)	water gauge — guards . . . . .	215 (7)
snelheid — soos bepaal . . . . .	41 (3 a)	water gauge — lowest level marks . . . . .	215 (6)
stilhouplekke — matige beweging . . . . .	41 (3 b)	water gauge — one only for small boiler . . . . .	215 (5)
verbyloop van bestemming — verhoed . . . . .	41 (3 c)	water gauge — test cocks . . . . .	215 (4)
<b>AS:</b>		water gauge — two for each boiler . . . . .	215 (1)
boorgate vooruit . . . . .	54	water level — heights . . . . .	209
geen werk wanneer teenwoordig . . . . .	53 (1)	working gauge — pressure . . . . .	206
uitsonderings van verbod . . . . .	53 (2)	<b>BOREHOLE:</b>	
verlate werksplekke . . . . .	101	coal — Director to be informed . . . . .	134 (1)
<b>ASVERGIFTIGING:</b>		coal — old records to be forwarded . . . . .	134 (2)
behandeling — kennisgewing . . . . .	150	coal — records to Fuel Research Institute . . . . .	134 (3)
gevalle — meld dadelik aan . . . . .	37 (10)	water — when approaching . . . . .	54
<b>ATE (BOORGATE):</b>		<b>BOUNDARY PILLAR . . . . .</b>	<b>55</b>
afmerk van . . . . .	117 (5 e)	<b>BUILDINGS:</b>	
diepmaak van . . . . .	117 (5 a—b)	erection on undermined ground . . . . .	47 (2)
posisie en rigting . . . . .	118 (5)	forbidden within claim or mining areas . . . . .	47 (3)
weiergate . . . . .	117 (5 b)	penalties . . . . .	47 (4)
<b>EBOUE:</b>		undermining without permission . . . . .	47 (1)
ondermyn — sonder goedkeuring . . . . .	47 (1)	<b>BURIAL CERTIFICATE . . . . .</b>	<b>239</b>
oprigting van — op kleims, myngebiede . . . . .	47 (3)	<b>CAGE:</b>	
oprigting van — op ondermynde grond . . . . .	47 (2)	construction . . . . .	80 (2)
oprigting — strafbepalings . . . . .	47 (4)	cover in vertical shaft . . . . .	80 (1)
<b>EBRUIKER:</b>		explosives — tools, etc., forbidden . . . . .	80 (5)
(sien ook masjinerie en elektriese masjinerie)		number of persons travelling . . . . .	80 (3)
elektrisiteit — traliestut beskerm . . . . .	198	riding on top forbidden . . . . .	80 (6)
kompressors — defekte . . . . .	188 (3)	safety attachments . . . . .	59; 80 (1)
kompressors — skoon lug . . . . .	188 (1)	travelling with material forbidden . . . . .	80 (4)
kompressors — smeltproppe en termometers . . . . .	188 (2)	<b>CALCIUM CARBIDE, transport of . . . . .</b>	<b>52 (8)</b>
lugontvangtoestelle . . . . .	186	<b>CERTIFICATE:</b>	
masjinerie — afskrif regulasies opplak . . . . .	166	boiler . . . . .	205 (3)
masjinerie — bandaangedrewe toestel . . . . .	169 (2)	blasting — Director may suspend or cancel . . . . .	255
masjinerie — behandeling bewegende dryfbande . . . . .	172 (3)	blasting — issuing authority . . . . .	251
masjinerie — beskadigde sae . . . . .	178	blasting — manager to retain . . . . .	254
masjinerie — bevoegde persoon — toesig . . . . .	161 (2)	blasting — open — castworkings . . . . .	253
masjinerie — bewegende sae . . . . .	180	blasting — qualifications . . . . .	252
masjinerie — drukvate/bepalings/ ingaan . . . . .	176 (2)	<b>CHANGE HOUSE:</b>	
masjinerie — drukvate/skoon/getoets . . . . .	187 (1—2)	at all main entrances . . . . .	138 (1) (a)
masjinerie — drukvate/toerusting . . . . .	187 (3—4)	European miners to use . . . . .	138 (1) (b)
masjinerie — drukvate — vrystellings . . . . .	187 (5)	lockers . . . . .	138 (1) (c)
masjinerie — genoeg spasie nodig . . . . .	174	<b>CLAIMS:</b>	
masjinerie — herstel in beweging verbied . . . . .	172 (1)	abandoned — cancelled or transferred . . . . .	8 (1)
masjinerie — kragtoevoer — skerms . . . . .	177	abandoned — cancelled or transferred beacons — . . . . .	8 (2)
masjinerie — lere — moenie kan gly nie . . . . .	173	pegging . . . . .	2; 5
masjinerie — outomatiese oliestelsel . . . . .	172 (2)	pegging beacons . . . . .	4; 5; 6; 9
masjinerie — platforms/beskerming . . . . .	176 (1)	pegging corner or line pegs . . . . .	3 (3)
masjinerie — skaafmasjiene . . . . .	182	pegging line pegs . . . . .	3 (2)
masjinerie — tapgatmasjiene . . . . .	184	pegging — indicating beacons . . . . .	6
masjinerie — toestelle — verwydering van bande . . . . .	171	pegging — method of determining corners . . . . .	3 (1) (a)
masjinerie — toestelle om aan- en stop te sit . . . . .	169 (1)	pegging — method of pegging . . . . .	2 (1)
masjinerie — transformators en skakelkamers — skerms . . . . .	197	pegging — metal plates before sunset . . . . .	2 (2)
masjinerie — verantwoordelikheid — beligting . . . . .	167	pegging — notification . . . . .	7
masjinerie — verantwoordelikheid — regulasies . . . . .	162	pegging — ordinal numbers to be given . . . . .	2 (3)
masjinerie — verantwoordelikheid — veiligheid . . . . .	163; 185 (1)	pegging — plates . . . . .	3 (2); 4 (2)
		pegging — trenches . . . . .	5 (4)
		transfer — forms — registration . . . . .	8 (3)
		transfer — re-erections of beacons . . . . .	8 (4)
		transfer — failure to observe requirements . . . . .	8 (5)
		<b>CODE OF SIGNALS — see signals . . . . .</b>	

masjinerie — vloer — skoon en gelyk	175	COMPETENT PERSON:	
masjinerie — vormmasjiene . . . . .	183	ambulance officer . . . . .	245 (3)
masjinerie — sae — band . . . . .	181	competent engineer . . . . .	38 (1)
masjinerie — sae — rond — houer ru hout . . . . .	179 (3)	electrical machinery . . . . .	193
masjinerie — sae — rond — skerms .	179 (1)	explosive magazine . . . . .	109 (6)
masjinerie — sae — rond — stootstok- ke . . . . .	179 (2)	machinery . . . . .	161 (2)
woordomskrywing . . . . .	25	mine overseer . . . . .	32 (1)
GEREEDSKAP:		shift boss . . . . .	33 (1)
vasmaak in vervoermiddel . . . . .	61	COMPLAINT — record book . . . . .	138 (2) (a)
vir beveiliging — kosteloos . . . . .	52 (2—3)	COMPRESSOR:	
GESAMENTLIKE BEHEER . . . . .	28 (3)	air supply — best possible . . . . .	188 (1)
GEVAARLIKE GROND — VOORSORG . . . . .	37 (8)	defects . . . . .	188 (3)
GESLOTE KLOK . . . . .	69 (2)	fusible plug and thermometer . . . . .	188 (2)
GHWANO:		CONTRACTOR — manager to have control	147
steuring van voëls . . . . .	149 (1)	CYANIDE:	
vuurwapens — afskiet . . . . .	149 (2)	antidote . . . . .	249
GRENSPILAAR . . . . .	55	content in sand filling . . . . .	152
HARDE HOEDE . . . . .	64 (2)	DAMS — managers responsibility . . . . .	31 (15)
HOË STEIERWERKE — OMHEINING . . . . .	48 (4); 176 (1)	DAMAGE — to safety or health arrange- ments forbidden . . . . .	154
HOOFVERKEERSWEEË — HOOGTE . . . . .	99	DANGEROUS GROUND — precautions . . . . .	37 (8)
HOOGTEMERKVLAK . . . . .	124	DATUM PLANE . . . . .	124 (2)
HOOGTEMERK . . . . .	124 (1)	DAYS & HOURS OF LABOUR (see Sun- day labour) . . . . .	256; 257; 258
HOUT, ENS., VIR BEVEILIGING — KOSTELOOS . . . . .	52 (2—3)	DEFECTS — in safety and health appliances . . . . .	138 (2) (b)
HYSMASJIEN:		DEFINITIONS:	
aandag aftrek — drywer . . . . .	58	horse power . . . . .	38 (12)
bepalings geld nie vir vlak prospek- teerskagte . . . . .	75	regulations . . . . .	25
briek vir elke trom . . . . .	57 (1)	transmission machinery . . . . .	177 (2)
diepteaanwysers . . . . .	74 (4)	user . . . . .	25
doeltreffendheid — vereistes . . . . .	74 (1)	DEPTH INDICATOR . . . . .	74 (4)
drywer — kwalifikasies . . . . .	40 (2)	DEPUTING WORK forbidden . . . . .	155
drywer — logboek . . . . .	81 (6)	DETONATORS:	
drywer — permit . . . . .	40 (1)	insertion in primer cartridge . . . . .	118 (9) (10)
drywer — vrystelling . . . . .	40 (3 tot 6)	storage with other explosives . . . . .	109 (4)
koppelaar — sluittoestel . . . . .	57 (2)	transport . . . . .	112 (6)
koppelaar — toets van . . . . .	41 (6)	DISOBEDIENCE of orders . . . . .	145
koppeling — tou en trom . . . . .	59	DOUBLE EXITS:	
maksimale duur van skof . . . . .	76 (2)	manager responsible for . . . . .	92 (3)
maksimale spoed . . . . .	76 (1)	shafts . . . . .	91
ondersoeke . . . . .	74 (7)	to be kept in good condition . . . . .	92 (2)
proefrit — na stilstand . . . . .	83	when exemption can be granted . . . . .	93 (1) (2); 94
randtes tou om trom . . . . .	74 (3)	DRINKING WATER . . . . .	31 (6)
takograaf en spoedwyser . . . . .	74 (8)	DRUMS — see winding engine . . . . .	
toestelle om oorhysing te verhoed . . . . .	74 (6)	DRUNKENESS . . . . .	141
toets — Direkteur kan beveel . . . . .	84	DRILL-HOLE — deepening forbidden . . . . .	117 (5) (a)
toebehore moet stewig vas wees . . . . .	57 (3)	DRILLING:	
toukoppeling aan trom . . . . .	74 (3)	blowing over in shafts . . . . .	117 (7) (b)
tromme — flense om glipping te vermy . . . . .	74 (2)	direction to be indicated . . . . .	117 (5) (e)
vereistes voor permit om te gebruik . . . . .	73	near sockets . . . . .	117 (5) (d)
vrystelling . . . . .	85	DUST:	
waarskuwingstoestel — oorhysing . . . . .	74 (5)	broken ground — damping before re- moval . . . . .	103 (3)
HYSMASJINERIE:		at orepasses — grizzleys etc. . . . .	103 (2)
defektief — geen gebruik . . . . .	81 (3)		
drywer se logboek . . . . .	81 (5)		
masjinerie-rekordboek . . . . .	81 (4)		
ondersoeke . . . . .	81		
ondersoeke — daaglik/weeklik . . . . .	81 (1)		
ondersoeke — inwendig . . . . .	81 (2 b)		
ondersoeke — uitwendig . . . . .	81 (2 a)		

## [YSHOK:

aantal persone wat mag reis . . . . .	80 (3)
bedekking — vertikale skag . . . . .	80 (1)
gereedskap . . . . .	80 (5)
konstruksie . . . . .	80 (2)
ontploffbare stowwe . . . . .	80 (5)
reis — bo-op verbied . . . . .	80 (6)
reis saam met materiaal . . . . .	80 (4)
veiligheidsverbinding . . . . .	59; 80 (1)

## YWERK:

kompartmente deurkruis . . . . .	90
lang (uitstekende) materiaal — vas . . . . .	61
skag — herstelwerk gedurende hywerk . . . . .	66 (1)
skag — sinkemmer . . . . .	62
skag — sink — neerlaat na bodem . . . . .	41 (8)
toetsritte na herstelwerk . . . . .	66 (2)
veiligheidskettings . . . . .	59
waarsku drywer voor herstelwerk . . . . .	66 (3)
windas-vashouer . . . . .	56

## INGENIEUR:

aanstelling . . . . .	38
aanstelling — kennisgewing . . . . .	38 (8)
aanstelling — meer as een . . . . .	38 (10)
bevoegde persoon — minder as 500 P.K. . . . .	38 (4 tot 7)
pligte — ondersoek . . . . .	38 (11)
sertifikaat — verpligtend . . . . .	38 (1 tot 3)
toesig — meer as een myn . . . . .	38 (9)

## AARTE:

afskrifte na Direkteur . . . . .	125
foutgrense . . . . .	130
hoogtes — verwys na hoogtemerk . . . . .	124 (2)
hoogtemerk . . . . .	124 (1)
inligting vertroulik . . . . .	126
koördinate — aanpas by plaasopmeting . . . . .	122
koördinate — onbestaanbaar . . . . .	123
op datum voor myn sluit . . . . .	127 (1)
opmetings — meter of voet . . . . .	121
straf — nalaat om te hou . . . . .	128
straf — versteek . . . . .	129
ventilasiestrome . . . . .	131
ventilasie — besonderhede . . . . .	100 (7)
vrystelling — minder as 200 . . . . .	120
wat gehou moet word . . . . .	119

## ALSIIUM-KARBIDE . . . . .

52

## ENNISGEWINGS:

bepalings — klagteboek . . . . .	138 (2 f)
beskadiging van — straf . . . . .	157 (3)
hernuwing indien beskadig . . . . .	157 (2)
seine — kodes . . . . .	71
uittreksels — regulasies . . . . .	157 (1)

## ETTINGS VIR VEILIGHEID:

wanneer by hyshokke . . . . .	59
-------------------------------	----

## LAGTEBOEK . . . . .

138 (2 a)

## LEIMS:

afsteek . . . . .	2; 5
afsteek — aanduidingsbakens . . . . .	6
afsteek — bakens . . . . .	4; 5; 6; 9
afsteek — hoek en lynpenne . . . . .	3 (3)
afsteek — hoekbepalings . . . . .	3 (1 a— b—c)
afsteek — kennisgewing . . . . .	7
afsteek — lynpenne . . . . .	3 (2)
afsteek — metode van . . . . .	2 (1)
afsteek — plate voor sonsondergang . . . . .	2 (2)
afsteek — plate . . . . .	3 (2); 4 (2)

## ELECTRICAL MACHINERY:

conductors — connection at point of entry . . . . .	199 (3)
conductors — connections with mains . . . . .	199 (1)
conductors — distance from explosive magazine . . . . .	202 (3)
conductors — distribution scheme to be approved . . . . .	200
conductors — factors of safety . . . . .	202
conductors — minimum heights . . . . .	201
conductors — where to be insulated . . . . .	199 (2)
contact — to be provided against . . . . .	190
examination — competent person . . . . .	193
earthing . . . . .	195
fencing enclosure . . . . .	189
insulating . . . . .	196
lattice type supports . . . . .	198
notices — unauthorised entrance . . . . .	189; 191
protective equipment . . . . .	194
switchboards . . . . .	192
transformer and switch houses . . . . .	197
user — repairs on live apparatus . . . . .	193
user — supply of insulating clothing . . . . .	194

## ELEVATED PLATFORMS to be securely

fenced . . . . .	48 (4); 176 (1)
------------------	-----------------

## EMPLOYEES — records of . . . . .

139

## ENGINEER — APPOINTMENT . . . . .

38

appointment of more than one . . . . .	38 (10)
certificated — when compulsory . . . . .	38 (1) (2) (3)
competent person when less than 500 h.p. . . . .	38 (4) to (7)
duties — examinations . . . . .	38 (11)
in charge of more than one mine . . . . .	38 (9)
notice of appointment . . . . .	38 (8)

## ENGINE DRIVER:

forbidden to lower from unclutched drum . . . . .	41 (5)
log book reports . . . . .	41 (11)
not to be spoken to . . . . .	58
overrunning — means to prevent . . . . .	41 (3) (c)
permit to convey persons . . . . .	40; 72
persons travelling — pause before moving . . . . .	41 (10)
shaft repairs in log book . . . . .	66 (3)
signal — clear before moving . . . . .	41 (1)
signal — call bell to be disregarded . . . . .	41 (9)
signal — not acted on, fresh signal . . . . .	41 (2)
speed not to exceed limit . . . . .	41 (3) (a)
stopping places — gentle stoppage . . . . .	41 (3) (b)
unclutching — testing brakes . . . . .	41 (4)

## ENTERING working places without in-

structions . . . . .	52 (7)
----------------------	--------

## EXCAVATIONS — precautions . . . . .

37 (8)

## EXEMPTIONS:

raising conveyance when shaft sinking where regulations — inapplicable . . . . .	70 (3) 143
winding engine tests . . . . .	85

## EXPLOSIVES:

cancellation of permit . . . . .	108
conveyance underground . . . . .	111 (g)
detonators and fuses in separate boxes . . . . .	111 (1) (b)
detonators and explosives not to be transported in same receptacle . . . . .	112 (6)
disposal when mine closes . . . . .	115
duties when conveying in shaft . . . . .	112 (2)
Explosives Ordinance . . . . .	106 (1)

afsteek — slote . . . . .	5 (4)	ganger responsible for own keys . . . . .	111 (1) (d)
afsteek — volgordelike rangnommers	2 (3)	ignitor cord . . . . .	112 (9)
oordrag — heroprigting van bakens .	8 (4)	illegal possession . . . . .	114
oordrag — verontagsaming van ver-	8 (5)	illegal to use if not supplied by em-	
eistes . . . . .		ployer . . . . .	111 (1) (h)
oordrag — vorms vir registrasie . . .	8 (3)	limit of 100 lbs. in one place . . . . .	110
verlaat — gerojeer of oorgedra . . .	8 (1)	magazines to be in charge of competent	
verlaat — gerojeer of oorgedra bakens	8 (2)	persons . . . . .	109 (6)
<b>KLOKSTELSELS — KLANK . . . . .</b>	<b>69 (4)</b>	no naked lights . . . . .	111 (1) (f);
<b>KNALDOPPIES:</b>			112 (7)
bewaring apart . . . . .	109 (4)	no tools in explosives boxes . . . . .	111 (1) (c)
in aansteekpatroon steek . . . . .	118 (9—10)	not to be left unattended . . . . .	112 (3)
vervoer . . . . .	112 (6)	notice to be given before conveying in	
<b>KOMPRESSOR:</b>		cage . . . . .	112 (1)
defekte . . . . .	188 (3)	only authorised persons to handle . . .	112 (4);
lug — beste moontlike . . . . .	188 (1)		111 (2)
smeltproppe en termometers . . . . .	188 (2)	permit lapses if not used . . . . .	106 (4)
<b>KONTRAKTEUR — BESTUURDER TOE-</b>		provisions to apply to magazines . . .	109
<b>SIGHOUDEND . . . . .</b>	<b>147</b>	receptacle approved by inspector . . .	112 (5)
<b>LANDDROSHOF . . . . .</b>	<b>244 (4)</b>	removal from mine forbidden . . . . .	111 (1) (i);
<b>LATRINES . . . . .</b>	<b>31 (1—3)</b>		113
<b>LEERGANGE:</b>		smoking forbidden . . . . .	112 (8)
bepalings . . . . .	97	storage book . . . . .	109 (6)
dra van bore en gereedskap . . . . .	98	storage by ganger in locked box . . . .	111 (1) (a)
in loopplekke . . . . .	97	to be used in rotation . . . . .	111 (1) (e)
in skagte . . . . .	95 (1—2);	underground magazine permit . . . . .	106 (2)
	96; 97	underground magazine fee . . . . .	106 (3)
<b>LEIBANE — VERTIKALE SKAGTE . . . . .</b>	<b>63</b>	underground storage — 24 hours . . .	107
<b>LIGTE:</b>		<b>EXPLOSIVES MAGAZINE — distance</b>	
elke persoon moet dra . . . . .	105 (1)	from electrical power line . . . . .	202 (3)
masjinerie moet belig word . . . . .	105 (2)	<b>FANS at crusher stations . . . . .</b>	<b>103 (2) (b)</b>
oop — voorkoming van brand . . . . .	104 (3)	<b>FENCING:</b>	
vaste ligte . . . . .	105 (3)	abandoned underground workings . . .	51
<b>LOGBOEKE:</b>		cross-winding compartments . . . . .	65 (1)
enjindrywers . . . . .	81 (5)	disused excavations . . . . .	48 (3) (c)
skofbaas . . . . .	33 (8—9)	elevated platforms . . . . .	48 (4)
<b>LOKOMOTIEF:</b>		open workings . . . . .	50 (4)
drywer van persone . . . . .	42 (1—2);	subsidiences . . . . .	48 (1)
	86	<b>FIRE:</b>	
<b>LONE — GEEN BETALING IN KROEË</b>	<b>140</b>	persons to be removed . . . . .	104 (1)
<b>LOOPWEG (Sien ook dubbeluitgange):</b>		persons — safety not to be endangered	104 (2)
afskorting — hyskompartemente . . .	96 (1—2)	prevention . . . . .	104 (3)
lere — bepalinge . . . . .	97	<b>FIRST AID:</b>	
lere — oor 20 grade . . . . .	95	courses of instruction . . . . .	246 (2)
minimum hoogte — hoofverkeersweë	99	mine officials to attend . . . . .	246 (1)
vry ruimte tussen dubbelspore . . . .	89	non-Europeans to be encouraged . . . .	246 (3)
vrystelling — afskorting . . . . .	96 (3)	stations on every four levels . . . . .	245 (2)
<b>LOS KLERE — WAAR VERBIED . . . . .</b>	<b>168</b>	<b>FOUL AIR — persons not to be exposed to</b>	<b>103 (1)</b>
<b>LUGONTVANGTOESTEL . . . . .</b>	<b>186</b>	<b>FLOODING — prevention of . . . . .</b>	<b>31 (11)</b>
<b>MAGASYN VIR SPRINGSTOWWE:</b>		<b>FUMES to be recorded in record book . .</b>	<b>138 (2) (c)</b>
afstand vanaf elektriese kraglyn . . .	202 (3)	<b>GANGER:</b>	
bewaring . . . . .	tot 110	appointment . . . . .	34; 35 (1)
intrek van permit . . . . .	108		(2)
ondergronds . . . . .	106 tot 110	blasting — attaching detonator to	
<b>MASJINERIE:</b>		primer . . . . .	118 (10)
(sien ook Gebruiker en Elektriese		blasting certificate . . . . .	35 (3) (4)
masjinerie)		blasting — charging only with wood	
afskrif van regulasies — beskadiging	166	brass or copper . . . . .	118 (11)
bandaangedrewe — aansit en afhaal	170	blasting — counting of shots . . . . .	118 (17)
bandaangedrewe — behandeling in be-			(20)
weging . . . . .	172 (3)	blasting — detonator in primer cart-	
bandaangedrewe — kontrak met dryf-		ridge . . . . .	118 (9)
as . . . . .	171	blasting — electric entry forbidden af-	
		ter connecting . . . . .	118 (19)
		blasting — electric exploder to be kept	(c)
		locked . . . . .	118 (19)
			(a)



bandaangedrewe — toestelle . . . . .	169 (2)	blasting — electric misfires . . . . .	118 (19)
beligting . . . . .	167	blasting — electric provisions re testing . . . . .	118 (19)
bevoegde persoon in bevel . . . . .	161 (2)	blasting — electric time to connect . . . . .	118 (19)
defekte aanmeld . . . . .	165	blasting — explosives only unwrapped cartridges . . . . .	118 (7)
doeltreffende aan- en stopsit-toestelle . . . . .	169 (1)	blasting — force not to be used . . . . .	118 (12)
gebruiker — aanstelling van hulp . . . . .	162 (b)	blasting — fixed time . . . . .	118 (21)
gebruiker — alles in goeie toestand hou . . . . .	162 (f)	blasting — guarding approaches . . . . .	118 (15)
gebruiker — installasies volgens regulasies . . . . .	162 (e)	blasting — lighting torches . . . . .	118 (16)
gebruiker — nakoming van regulasies . . . . .	162 (a)	blasting — misfires to be reported . . . . .	118 (18)
gebruiker — onervare persone inlig . . . . .	162 (d)	blasting — quarries and trenches . . . . .	118 (24)
gebruiker — veiligheid en dissipline . . . . .	162 (c)	blasting — quarries and trenches misfires . . . . .	118 (25)
gebruiker — veiligheidstoestelle . . . . .	163	blasting — tamping approved material . . . . .	118 (13)
genoeg ruimte nodig . . . . .	174	blasting — tamping withdrawal forbidden . . . . .	118 (22)
ketting — tapgatmasjien-skerm . . . . .	184	blasting — time for charging up . . . . .	118 (8)
kragtoevoermasjinerie — skerm . . . . .	177 (1)	blasting — time for re-entry . . . . .	118 (17)
kragtoevoermasjinerie — woordomskrywing . . . . .	177 (2)	blasting — warning before blasting . . . . .	118 (14)
los klere — waar nie toegelaat . . . . .	168	blasting — water blast, use of and testing . . . . .	118 (23)
lere moet nie kan gly nie . . . . .	173	duties in care and use of explosives . . . . .	111 (1)
mynopsigter — pligte . . . . .	38 (11)	drilling — plugs . . . . .	118 (3)
ooringende vloer — gelyk . . . . .	175	drilling — instructing workmen of danger . . . . .	118 (6)
oortreding binne skerm, ens. . . . .	185 (2)	drilling supply of plugs to be kept on hand . . . . .	118 (4)
ononderbroke toesig . . . . .	161 (3)	drilling position and direction of holes . . . . .	118 (5)
persone moet bevele gehoorsaam . . . . .	164	exploring and repair work — safety of persons . . . . .	52 (1) (7)
persone in bevel — veiligheid . . . . .	161 (1)	flammable gas — examination . . . . .	118 (1)
sae — band — skerm . . . . .	181	removal of loose ground — misfires . . . . .	118 (2)
sae — beskadigdes . . . . .	178	responsibility — dangerous ground precautions . . . . .	37 (2 to 7)
sae — bewegende — skerm . . . . .	180	responsibility — examination and making safe . . . . .	37 (1 to 7)
sae — kragaangedrewe . . . . .	178	responsibility — gassing to be reported . . . . .	37 (10)
sae — rond — skerm ens. . . . .	179 (1)	responsibility — life line, use of . . . . .	37 (9)
sae — rond — stootstok . . . . .	179 (2)	responsibility — returning after working place idle or blasting . . . . .	37 (1)
sae — rond — vashou ru hout . . . . .	179 (3)	responsibility — safeguard all persons under his charge . . . . .	36
skaafmasjiene — meganiese voering . . . . .	182 (1—2)	responsibility working places — unlawful entry . . . . .	37 (11)
skaafmasjiene — skerm . . . . .	182 (3—4)	tampering with explosive boxes . . . . .	111 (2)
skerm vir alle ontblote masjinerie . . . . .	185 (1)	tools in explosives boxes . . . . .	111 (1) (c)
smering in beweging . . . . .	172 (1—2)		
vaste enjin . . . . .	43		
vormmasjiene — skerm . . . . .	183		
<b>MASJINIS (sien Enjindrywer)</b>			
<b>MEDIESE HULP</b> . . . . .	248		
<b>MERK VAN TYDKAARTE</b> . . . . .	142 (2)		
<b>MONSTERS — DIREKTEUR MAG NEEM</b>	148		
<b>MYNGEBIED:</b>			
amtelike nommers . . . . .	9		
bakens — beskrywing . . . . .	14		
diagramme — geletterde bakens . . . . .	17		
diagramme — kantoorgelde . . . . .	24		
diagramme — koördinate . . . . .	10		
diagramme — kruising grense . . . . .	12		
diagramme — rangnommers . . . . .	22		
diagramme — saamgestelde kaarte . . . . .	21		
diagramme — twee of meer . . . . .	16 (a—b)		
diagramme — vereistes . . . . .	16; 18; 19; 20		
driehoekstelsel — bakens . . . . .	10		
lynbakens . . . . .	13		
reghoekige vorm . . . . .	11		
werksplan . . . . .	23		
<b>MYNOPSIGTER:</b>			
aanstelling . . . . .	32 (1)		
aanstelling skriftelik . . . . .	32 (4)		
blanke . . . . .	32 (3)		
sertifikate . . . . .	32 (2)		
verantwoordelikhede . . . . .	32 (5); 38 (11)		
<b>MYN — woordomskrywing</b> . . . . .	25		
		<b>GANGS:</b>	
		limit to number of persons . . . . .	31 (9) (a)
		limit to 40 minutes between inspection . . . . .	31 (9) (b)
		number and size may be approved by administrator . . . . .	31 (9) (c)
		<b>GAS:</b>	
		accumulation in disused workings . . . . .	101
		boreholes in advance of workings . . . . .	54
		when prohibitions do not apply . . . . .	53 (2)
		work prohibited when present . . . . .	53 (1)
		<b>GASSING:</b>	
		reporting cases immediately . . . . .	37 (10)
		treatment — posting notices . . . . .	150
		<b>GATES — closing by banksman or onsetter</b>	45 (5) (a)
		<b>GAUGE:</b>	
		water gauge (see boilers . . . . .	215
		pressure vessels (see User, compressors) . . . . .	
		<b>GUANO:</b>	
		discharge of firearms forbidden . . . . .	149 (2)
		entry to island or platforms forbidden . . . . .	149 (1)

NATURELLE-RESERVAAT . . . . .	28 (1)	GUIDES — vertical shafts . . . . .	63
	(a); 29;	HARD HATS . . . . .	64 (2)
	30 (4);	HAULAGE GEAR — riding on . . . . .	88
	32 (3);	HEADGEAR — clearance . . . . .	79 (1)
	33 (3);	HOLES:	
	35 (2);	deepening . . . . .	117 (5) (a)
	38 (3—	misfires . . . . .	117 (5) (b)
	5); 39	marking of . . . . .	117 (5) (e)
	(2); 40	position and direction . . . . .	118 (5)
	(2 a);	HOMELANDS . . . . .	28 (1)
	46		(a);
NOODHULP:			29; 30
mynbeamptes — moet opgelei word . . . . .	246 (1)		(4); 32
nie-blankes — aanmoediging . . . . .	246 (3)		(3); 33
onderrig — kursusse . . . . .	246 (1—2)		(3); 35
stasie op elke vierde vlak . . . . .	245 (2)		(2); 38
OMHEINING:			(3)
by hyskompartemente . . . . .	65 (1)		(5); 39
ingesakte gebiede . . . . .	48 (1)		(2); 40
steierwerke wat hoog is . . . . .	48 (4)		(2)
verlate uitgrawings . . . . .	48 (3)		(a); 46
verlate ondergrondse werke . . . . .	57		
werksplekke wat oop is . . . . .	50 (4); 73		
	(2)		
ONBEVOEGDE PERSOON . . . . .	31 (8)	HORSE POWER — definition . . . . .	38 (12)
ONDERGRONDSE SKAGWAGTER:		INCOMPETENT PERSON . . . . .	31 (8)
aanstelling . . . . .	45 (1 tot	INFLAMMABLE GAS . . . . .	118 (1)
	4)	INTERPRETATION OF TERMS . . . . .	25
verantwoordelikhede:		INQUIRY:	
aanstal persone . . . . .	45 (5 e)	examination of witnesses . . . . .	238
by ertskaas . . . . .	45 (5 g)	form of summons — serving, etc. . . . .	244 (1)
deure toemaak . . . . .	45 (5 a)	Director may administer oath . . . . .	243 (c)
onbehoorlik ry . . . . .	45 (5 d)	Director may summon witnesses . . . . .	243 (a) (b)
persone/materiaal saam . . . . .	45 (5 b)	magistrate to hold if director unable . . . . .	240
seine — self gee . . . . .	45 (5 f)	INTOXICATING LIQUOR . . . . .	141
springstowwe vervoer . . . . .	45 (5 c)	JOINT CONTROL . . . . .	28 (3)
ONDERGRAWING VERBIED . . . . .	50 (5)	KEYS — explosives and detonator boxes . . . . .	111 (b) (d)
ONDERGROND:		LADDERWAY:	
beskerming — Direkteur kan wysig . . . . .	52 (4)	carrying of drills and tools forbidden . . . . .	98
beskerming — geen gereedskap by		provisions . . . . .	97
skagbek . . . . .	52 (6)	in shafts . . . . .	95 (1)
beskerming — houtkopplanke . . . . .	52 (5)		(2);
beskerming — loopweg . . . . .	50 (3)	in travelling ways . . . . .	96; 97
beskerming — materiaal — kosteloos . . . . .	52 (3)	LATRINES . . . . .	31 (1) to
beskerming — vertikale skag — bodem . . . . .	50 (2)		(3)
beskerming — voorraad timmerhout . . . . .	52 (2)	LEAVE (see also Sunday labour) . . . . .	258
ingange — beskerming . . . . .	50 (1)	LEVEL CROSSINGS . . . . .	90
ingange — verlate plekke . . . . .	51	LIFE LINE . . . . .	37 (9)
ingang — werksplekke . . . . .	52 (1)	LIGHTS:	
ingang — werksplekke opdrag . . . . .	52 (7)	every person to carry . . . . .	105 (1)
ONDERSOEK:		machinery to be clearly distinguished . . . . .	105 (2)
beëdiging . . . . .	243 (c)	naked — fire prevention . . . . .	104 (3)
dagvaarding — bestelling . . . . .	244 (1)	stationary . . . . .	105 (3)
dagvaarding — getuies . . . . .	243 (a—b)	LOCKED BELL . . . . .	69 (2)
landdros — as Direkteur nie kan nie . . . . .	240	LOCKERS — in change house . . . . .	138 (1) (c)
kruisverhoor van getuies . . . . .	238	LOCOMOTIVE:	
ONGEHOORSAAMHEID — BEVELE . . . . .	145	driver of persons . . . . .	42 (1)
ONGELUKKE:			(2); 86
besonderhede — opgawevorms . . . . .	234 (1 b)	LOG BOOKS:	
dood — begrafnis-sertifikaat . . . . .	239	engine drivers . . . . .	81 (5)
dood — onmiddellik kennis gee . . . . .	236; 240		
dood — toneel onaangeroerd . . . . .	237		
gasvergiftiging — kennisgewing . . . . .	150		
kennisgewing van . . . . .	235		
mediese hulp . . . . .	248		
ondersoek — wie mag bywoon . . . . .	238		
register . . . . .	242		
sonder ongeval . . . . .	241		
vervoer na hospitaal of huis . . . . .	248		

ONGEMAGTIGDE PERSONE OP MYNE EN WERKE . . . . .	156	shift bosses . . . . .	33 (8) & (9)
ONTVLAMBARE GAS . . . . .	118 (1)	LOOSE CLOTHING — forbidden . . . . .	168
ONTPLOFBARE STOWWE — ORDONANSIE OP . . . . .	106 (1)	MACHINERY:	
ONTPLOFBARE STOWWE (SPRING-STOWWE):		(see also User — electrical machinery)	
aansteekkoord . . . . .	112 (9)	belt driven, appliances to stop . . . . .	169 (2)
bewaarboek . . . . .	109 (6)	belt not to be treated in motion . . . . .	172 (3)
gebruik in ontvangsorde . . . . .	111 (1 e)	belt — provision to prevent contact with shaft . . . . .	171
gebruik net werkgewer syne . . . . .	111 (1 h)	belt — shipping and unshipping in motion . . . . .	170
gereedskap — nie in kaste nie . . . . .	111 (1 c)	chain mortising — guards . . . . .	184
hanteer — net gemagtigdes . . . . .	111 (2); 112 (4)	competent person in charge . . . . .	161 (2)
hoeveelheid op een plek . . . . .	110	continual supervision . . . . .	161 (3)
houers — goedgekeur . . . . .	112 (5)	copy of regulations — destruction of defect — report . . . . .	166 165
kennisgewing voor skagvervoer . . . . .	112 (1)	efficient stopping and starting appliances . . . . .	169 (1)
knaldoppies en lonte — apart . . . . .	111 (1 b)	guards for all exposed machinery . . . . .	185 (1)
knaldoppies en plofstowwe — aparte vervoer . . . . .	112 (6)	ladders to be non-skid . . . . .	173
ligte — moet toe wees . . . . .	112 (7)	lighting . . . . .	167
magasyn — ondergrond-bepalings . . . . .	109	loose clothing forbidden . . . . .	168
magasyn-gelde . . . . .	106 (3)	lubrication in motion — automatic devices . . . . .	172 (2)
magasyn — permit verval van . . . . .	106 (4)	lubrication in motion — provisions . . . . .	172 (1)
magasyn — permit intrekking van . . . . .	108	mine overseer . . . . .	38 (11)
magasyn — permit . . . . .	106 (2)	persons on premises to obey orders . . . . .	164
magasyn — 24 uur verbruik . . . . .	107	persons in charge — responsible for safety . . . . .	161 (1)
magasyn — toesig — bevoegdes . . . . .	109 (6)	planing machine — guards . . . . .	182 (3) (4)
onwettige besit van . . . . .	114	planing machine — mechanical feed . . . . .	182 (1) (2)
pligte — vervoer in skag . . . . .	112 (2)	saws — band — guards . . . . .	181
pligte — vervoer in myn . . . . .	112 (3)	saws — circular — fencing and guards . . . . .	179 (1)
rook verbode . . . . .	112 (8)	saws — circular — holding rough timber . . . . .	179 (3)
spanbaas — sleutels dra . . . . .	111 (1 d)	saws — circular push stick . . . . .	179 (2)
spanbaas — kaste gesluit . . . . .	111 (1 a)	saws — damaged . . . . .	178
vervoer — ondergrond . . . . .	111 (g)	saws — power driven . . . . .	178
verwydering verbied . . . . .	111 (1 I); 113	saws — swing guards . . . . .	180
wegdoening wanneer myn sluit . . . . .	115	spindle — machinery — guards . . . . .	183
ONTKOPPELDE TROM — GEEN NEERLATING . . . . .	41 (5)	stationary engine driver . . . . .	43
OORDRAG VAN WERK — verbied . . . . .	155	sufficient space to be provided . . . . .	174
OORTYD . . . . .	257 (4)	surrounding floor to be level . . . . .	175
OORSTROMING — VOORKOMING . . . . .	31 (11)	transmission — definition . . . . .	177 (2)
OPGAWES:		transmission guards . . . . .	177 (1)
Direkteur mag andere aanvra . . . . .	132 (5)	trespassing behind guards . . . . .	185 (2)
jaarliks — finansieël . . . . .	133	user — to appoint assistants . . . . .	162 (b)
juisheid — onder eed bevestig . . . . .	136	user — to enforce regulations . . . . .	162 (a)
maandeliks . . . . .	132	user — to instruct inexperienced persons . . . . .	162 (d)
strawwe . . . . .	135; 137	user — to provide for safety and discipline . . . . .	162 (c)
OPPERVLAKTE:		user — to provide plant to comply with regulations . . . . .	162 (e)
beskerming . . . . .	47	user — to maintain plant in good order . . . . .	162 (f)
omheining van insakkings . . . . .	48 (1)	user — to maintain safety appliances in good order . . . . .	163
uitgrawings, slote, ens. . . . .	48 (2)	MAGAZINES:	
verlate werksplekke . . . . .	48 (3)	cancellation . . . . .	108
OPMETING:		underground . . . . .	106 to 110
myng gebied — driehoeksmeting — bakens . . . . .	10	storage . . . . .	106 to 110
myng gebied — lynbakens . . . . .	13	MAGISTRATE'S COURT . . . . .	244 (4)
myng gebied — kruising van grense . . . . .	12	MAIN TRAVELLING WAY, height . . . . .	99
OPMETER:		MANAGER:	
aanstelling . . . . .	39 (1—2)	appointment . . . . .	26 (1); & 28
aanstelling — kennisgewing . . . . .	39 (3)	appointment during absence . . . . .	28 (4)
kaarte — moet teken . . . . .	39 (4)	appointment — more than one . . . . .	28 (3)
nie verantwoordelik werk van andere . . . . .	39 (6)	assistants . . . . .	28 (5) (b) & 30
wanneer bestuurder mag teken . . . . .	39 (5)		
water- of gasversamelings . . . . .	54		

OUTOMATIESE APPARAAT:		assumption of duties . . . . .	26 (2)
smering van masjinerie . . . . .	172 (2)	duties . . . . .	28 (5) & 31
OU WERKSPLEKKE — ONDERSOEK VAN . . . . .	101	notice of appointment to director . . . . .	26 (3)
PEILERS:		not to work on two mines . . . . .	28 (2)
drukhouders (sien Gebruiker/Kompresors) waterpeilers (stoomketels) . . . . .	215	owner to provide facilities . . . . .	27
PERDEKRAG — WOORDOMSKRYWING . . . . .	38 (12)	register of managers . . . . .	26 (4)
PERMITTE:		responsible if no other person nominated . . . . .	144
hymasjiendrywer — vervoer van persone . . . . .	40; 72	responsibility — accident reports . . . . .	31 (16)
lokomotiefdrywer — vervoer van persone . . . . .	42 (1—2); 86	responsibility — drinking water . . . . .	31 (6)
sondag-arbeid . . . . .	256	responsibility — enforcement of regulations . . . . .	28 (5) (a)
stoomketeloppasser . . . . .	44	responsibility — gang number of men in . . . . .	31 (9)
vaste enjin . . . . .	43	responsibility — appointment of . . . . .	34
PLATFORMS . . . . .	48 (4); 176 (1)	responsibility — hoisting men . . . . .	31 (18)
PROPPE — VERWYDERING VAN . . . . .	117 (6)	responsibility — director's notices to previous manager . . . . .	31 (17)
PROSPEKTEER — STEENKOOL — OLIE . . . . .	134	responsibility — latrines . . . . .	31 (2) (3)
PUT — TENK — DRUKVAT:		responsibility — material and plant maintenance . . . . .	31 (5)
ingang alleen belet . . . . .	176 (2)	responsibility — raise collar of shaft . . . . .	31 (12)
(a ii)		responsibility — reporting breach of regulations . . . . .	28 (5) (d)
ingang tensy vry van dampe . . . . .	176 (2)	responsibility — safety and discipline . . . . .	28 (5) (c)
(a i)		responsibility — sanitary conveniences . . . . .	31 (1)
ligte — bepalings . . . . .	176 (2 b)	responsibility — shaft sinking, supervision by miner at all times . . . . .	31 (10)
REDDINGSTOU . . . . .	37 (9)	responsibility — searching of non-europeans . . . . .	31 (20)
REGULASIES:		responsibility — slimes dams . . . . .	31 (15)
aanspreeklikheid/ander wette . . . . .	159	responsibility — storm water trenches . . . . .	31 (11)
afskrifte — uittreksels . . . . .	157 (1); 166	responsibility — stulls, examination of responsibility — times of shifts and blasting . . . . .	31 (4)
hernuwing — uittreksels . . . . .	157 (2)	responsibility — waiting places . . . . .	31 (7)
nakoming — geen aanspreeklikheid . . . . .	146 (1)	responsibility — watch on dangers from flooding . . . . .	31 (13) (14)
onderrig — ongeleerdes . . . . .	158	MARKING time tickets . . . . .	142 (2)
onkunde — onthef nie . . . . .	160	MEANING of words in regulations . . . . .	1
oortreding — nalatigheid/aanhitsing . . . . .	146 (2)	MEDICAL AID — manager responsible . . . . .	248
opplak van — voorsieningwerkers . . . . .	157 (1)	MINE — definition . . . . .	25
straf — beskadiging — inmenging . . . . .	157 (3)	MINE OVERSEER:	
vrystelling — ontoepaslik . . . . .	143	appointment . . . . .	32 (1)
REHOBOTH-GEBIET . . . . .	28 (1) (a); 29; 30 (4); 32 (3); 33 (3); 35 (2); 38 (3 & 5); 39 (2); 40 (2); 46	appointment in writing . . . . .	32 (4)
REKORD:		certificates . . . . .	32 (2)
boek (klagtes) — defekte, ens. . . . .	138 (2 b)	European . . . . .	32 (3)
boek (klagtes) — dampe, ens. . . . .	138 (2 c)	responsibility . . . . .	32 (5); 38 (11)
boek (klagtes) — in verkleehuis . . . . .	138 (2 a)	MINING AREA:	
boek (klagtes) — nie daarmee peuter drukvate . . . . .	138 (2 e)	beacons — description . . . . .	14
drukvate . . . . .	187 (1)	beacons — official numbers . . . . .	9
uitgloeïng van verbindings . . . . .	81 (7 d)	diagrams — lettered beacons . . . . .	17
werknemers . . . . .	139 (1)	diagrams — co-ordinates . . . . .	10
SANDOPVULLING:		diagrams — composite diagrams . . . . .	21
sianied-inhoud . . . . .	152	diagrams — intersection — farm boundary . . . . .	12
SANITÊRE GERIEWE . . . . .	31 (1 tot 3)	diagrams — ordinal numbers . . . . .	22
SEEVOËLS — BESKERMING . . . . .	149	diagrams — requirements . . . . .	16; 18; 19; 20
		diagrams — fees of office . . . . .	24
		diagrams — two or more . . . . .	16 (a) (b)
		line beacons . . . . .	13
		rectangular shape . . . . .	11
		triangulation stations . . . . .	10
		working plan . . . . .	23

## SEINE:

ander seinmetodes — goedkeuring	69 (5)
bepalings — wisselingsmetodes	67 (1 tot 3)
elektries — afsonderlike stelsels	69 (1)
geslote klok	69 (2)
kode	70 (1); 71
kode — opplak	71 (1)
kode — straf by verontagsaming	71 (2)
naturelle — (Bantoe) reservate	46
ongemagtigdes mag nie	68 (1)
oproepklok	69 (3—4)
persone — reis net na ontvangs van sein	70 (2)
Rehoboth	46
skagwagters alleen mag sein	68 (2)
skagwagter sertifikate	68 (3)
sinkskag	70 (3)
skiet in sinkskag	70 (4)
sluittoestelle — hysing persone	69 (5)

## EINKODE — SIEN SEINE

## ERTIFIKAAT:

skiet — bestuurder moet behou	254
skiet — dagboumynerk	253
skiet — Direkteur kan skors	255
skiet — kwalifikasies	252
skiet — uitreikingsbevoegdheid	251
stoomketel	205 (3)

## ANIED EN ARSEEN:

inhoud — sandopvulling	152
teengif	249

## KAGSINKWERK:

beskerming — sinkers	64 (1)
emmers — bestendig — nie oorlaai	62
lere — wanneer nodig	95 (1—2)
oorblaas (afspoel)	117 (7)
ophys en neerlaat van emmers	41 (7—8); 70 (3)

## KAGWAGTER (BOGRONDS)

(sien ook ondergrondse skagwagter):	
aantal persone wat mag reis	45 (5 e)
aanstelling	45 (1—2)
geslote klokstelsel — sleutel	69 (2)
ontploffbare stowwe	112 (3)
ontploffbare stowwe en materiaal met persone	45 (5) (b—c)
oproepstelsel	69 (3—4)
persone wat ry	45 (5)
seine — self gee	45 (5 f)
sertifikaat	45 (1 a)
toemaak — deure en hekke	45 (5 a)
vervoer van springstof	112 (1)

## KAGTORING — VRY BEWEEGRUIMTE

	79 (1)
--	--------

## KAGTE:

beskerming — verkeersweg	50 (3)
dubbele uitgange na oppervlakte	91
deurkruis van hyskompartemente	65 (1—2)
ingange — geen gereedskap	52 (6)
krae vry van rook	100 (1)
reparasies — nie gedurende hyswerk	66 (1)
reparasies — proefritte daarna	66 (2)
steilhellend — omhein ingang	48 (4); 50 (1)
veiligheidstoestelle — hysbak	79 (3)
verlate — omheining	51
vertikaal — distansie stelle van onder	63
vertikaal — leibane nodig	63
vertikaal — omheining ens.	48 (4); 50 (1)

## MISFIRE:

blasting of	118 (17) (20) (21)
deepening or drilling near forbidden	117 (5) (b) (c)
examination	118 (2)
plugging	118 (3)
in shafts or confined spaces	117 (5) (b)
to be reported	118 (18)

## NATIVE RESERVES

	28 (1) (a)
	29; 30 (4); 32 (3); 33 (3); 35 (2); 38 (3)
	(5); 39
	(2); 40
	(2)
	(a); 46

## NOTICES:

extracts of regulations	157 (1)
defacing — pulling down — penalty	157 (3)
renewal when defaced	157 (2)
requirements re complaint book	138 (2) (f)
signals — codes	71

## OLD WORKINGS — examination of

101

## ONSETTER:

appointment	45 (1) to (4)
responsibility — closing doors, gates	45 (5) (a)
responsibility — explosives	45 (5) (c)
responsibility — improper travelling	45 (5) (d)
responsibility — number of persons	45 (5) (e)
responsibility — persons and material at same time	45 (5) (b)
responsibility — signals, ringing personally	45 (5) (f)
responsibility — when working from ore box	45 (5) (g)

## OPEN WORKINGS:

edge to be cleared for 10 ft.	50 (5)
undercutting forbidden	50 (5)
when fences required	50 (4)

## OUTLETS to surface — manager responsible

91 (3); 92

## OVERTIME

257 (4)

## OWNER

	47—55
assumption of duties of manager	26 (2)
to give facilities to manager	27

## PEGGING see claims

## PENALTIES:

defacing notices	157 (3)
failing to render returns	135
false or late returns	135; 137
leave provisions	258 (9)
mining under buildings, etc.	47 (4)
plans — failing to keep — or concealing	128; 129; 153

## PENTHOUSE

64 (1)

## PERMITS:

boiler attendant	44
locomotive drivers	42 (1) (2); 86
to operate winding engine for persons	40; 72
stationary engines	43
sunday labour	256

vertikaal — slagbome onder . . . . .	50 (2)	PIT, TANK OR VESSEL	
vry hysruimte — heel onder . . . . .	79 (2)	entry forbidden alone . . . . .	176 (2) (a)
vry hysruimte — heel bo . . . . .	79 (1)	ii	
<b>SKIETWERK:</b>		entry forbidden till clear of fumes . . . . .	176 (2)
afskiet — fakkelstokke . . . . .	118 (16)	(a) i	
afskiet — op vasgestelde tyd . . . . .	118 (21)	provisions regarding lights . . . . .	176 (2) (b)
afskiet — skote tel . . . . .	118 (17)	<b>PLANS:</b>	
afskiet — toegange bewaak . . . . .	118 (15)	benchmark . . . . .	124 (1)
afskiet — waarsku . . . . .	118 (14)	brought up to date before abandoning	
dagboumynwerkgroewe ens. . . . .	118 (24)	mine . . . . .	127 (1)
elektries — geen ingang na opkoppe-		co-ordinates to conform to farm survey	122
ling . . . . .	118 (19 c)	co-ordinates inconsistent on two pro-	
elektries — plowwer gesluit hou . . . . .	118 (19 a)	perties . . . . .	123
elektries — toetsvereistes . . . . .	118 (19 d)	copies to be lodged with director . . . . .	125
elektries — tyd om te verbind . . . . .	118 (19 b)	exemption if fewer than 200 employees	120
elektries — weiergate . . . . .	118 (19 e)	information to be confidential . . . . .	126
fakkelstokke — goedgekeur . . . . .	118 (16)	levels to refer to benchmark . . . . .	124 (2)
gasdampe — verdrywe . . . . .	118 (20)	limits of errors . . . . .	130
hertoegang — tydsverloop . . . . .	118 (17)	measurements to be in metres or feet	121
knaldoppie in skietpatroon . . . . .	118 (9—10)	penalties for failing to keep . . . . .	128
laai van gat — geen geweld . . . . .	118 (12)	penalties for concealing . . . . .	129
laaistok . . . . .	118 (11)	required to be kept . . . . .	119
laai tyd . . . . .	118 (8)	to show ventilating currents . . . . .	131
laaiwerk — geen geweld . . . . .	118 (12)	ventilation details . . . . .	100 (7)
ontvlambare gasse — verbod . . . . .	117 (3)	<b>PLUG — removal . . . . .</b>	<b>117 (6)</b>
sertifikaat . . . . .	117 (1);	<b>PLATFORMS . . . . .</b>	<b>48 (4);</b>
	251 tot		<b>176 (1)</b>
	255	<b>POISONOUS WATER . . . . .</b>	<b>49; 249;</b>
skote — tel . . . . .	118 (17)		<b>250</b>
spesiale seine . . . . .	70 (5)	<b>POLUTION OF WORKINGS . . . . .</b>	<b>151</b>
springpatrone alleenlik . . . . .	118 (7)	<b>PRESSURE VESSELS:</b>	
stopsel — goedgekeurde materiaal . . . . .	118 (13)	fittings required . . . . .	187 (3)
stopsel — uithaal verbied . . . . .	118 (22)	inspector may grant exemption . . . . .	187 (5)
toegange — bewaak . . . . .	118 (15)	records . . . . .	187 (1)
tyd om te laai . . . . .	118 (8)	reducing and safety valves . . . . .	187 (4)
uithaal van springstof uit gat . . . . .	117 (4 a)	to be cleaned on examination . . . . .	187 (2)
voorbereiding van ladings — hulp . . . . .	117 (2)	to be tested annually . . . . .	187 (1)
waarskuwing — afskiet . . . . .	118 (14)	<b>PROSPECTING:</b>	
watersproeier . . . . .	118 (23)	for coal or oil . . . . .	134
weiergate . . . . .	118 (18)	<b>RECORD:</b>	
weiergate — dagboumynwerk . . . . .	118 (25)	annealing connections . . . . .	81 (7) (d)
<b>SKIETSERTIFIKAAT:</b>		of persons employed . . . . .	139 (1)
bestuurder moet behou . . . . .	116 (3)	pressure vessels . . . . .	187 (1)
niemand mag skiet daarsonder . . . . .	116 (1)	book — for defects in appliances and	
spanbaas moet houer wees . . . . .	35 (3—4)	ventilation . . . . .	138 (2) (b)
spanbaas moet toon . . . . .	116 (2)	book — fumes, etc. . . . .	138 (2) (c)
<b>SKOFBAAS:</b>		books — not to be tampered with . . . . .	138 (2) (e)
aanstelling . . . . .	33 (1)	book — to be kept in change house for	
bestuurder — verantwoordelikheid . . . . .	33 (6)	complaints . . . . .	138 (2) (a)
blanke . . . . .	33 (3)	<b>REGULATIONS:</b>	
bykomende aanstellings . . . . .	33 (2)	cannot be contracted out of . . . . .	146 (1)
gedeelte van werksplekke . . . . .	33 (4)	contravention by neglect or instigation	146 (2)
inspeksie — werksplekke . . . . .	33 (7)	copies and abstracts . . . . .	157 (1);
logboek . . . . .	33 (8)		166
logboek — moet geteken word . . . . .	33 (9)	exemption where inapplicable . . . . .	143
ondersoek van sokke . . . . .	33 (8 c)	ignorance shall not exonerate . . . . .	160
span — geen toesig . . . . .	33 (10)	instructing illiterate persons . . . . .	158
spanbaas — moet regulasies nakom . . . . .	33 (5)	penalty for interfering or defacing	157 (3)
teenwoordig — skiettyd . . . . .	33 (11)	posting and supplying to workmen . . . . .	157 (1)
teken oortredings aan . . . . .	33 (8 a)	prosecution under other laws . . . . .	159
teken veiligheidsbevele aan . . . . .	33 (8 b)	renewal . . . . .	157 (2)
<b>SLAGBOOM:</b>		<b>REHOBOTH GEBIET . . . . .</b>	<b>28 (1)</b>
skagbodem . . . . .	50 (2)		(a);
toemaak by stasies . . . . .	45 (5) (a)		29; 30
<b>SLEUTELS — SPRINGSTOFKASTE . . . . .</b>	<b>111 (b—d)</b>		(4); 32
<b>SLUITBARE TOESTELLE — VERKLEE-</b>			(3); 33
<b>HUIS . . . . .</b>	<b>138 (1 c)</b>		(3); 35
<b>SLYKDAMME . . . . .</b>	<b>31 (15)</b>		

<b>OKKE:</b>			(2); 38
naby boor . . . . .	117 (5 d)		(3)
proppe verwyder . . . . .	117 (6)		(5); 39
	(7 a)		(2); 40
			(2); 46
<b>LUIT VAN MYN:</b>			
kaarte . . . . .	127 (1)	<b>REPORT — defective conditions . . . . .</b>	138 (2) (d)
opmetings — berekeningsboeke . . . . .	126 (2)	<b>RETURNS:</b>	
		annual and financial . . . . .	133
<b>ONDAG-ARBEID — VERLOF, ENS.:</b>		inspector may demand others . . . . .	132 (5)
afwesigheid — siekte as diens . . . . .	258 (4)	monthly . . . . .	132
afwesigheid — sonder verlof . . . . .	258 (6)	penalties . . . . .	135; 137
agt-en-veertig-uur-week . . . . .	257 (1)	to be verified on oath . . . . .	136
bepierking — vakansiedagwerk . . . . .	256		
opgeloopte verlof . . . . .	258 (8)	<b>ROPE:</b>	
toesig — ure ondergrond . . . . .	257 (3 c)	attachment to drum . . . . .	59
tyd — na en van werksplek . . . . .	257 (3 c)	coiling and fixing . . . . .	74 (1) (e)
tye — afaan en opkom — onder-		connection to be annealed or replaced	81 (7) (c)
grondse myne . . . . .	256 (3 a)	gauge . . . . .	60 (2)
tye van skofte — dagboumyne . . . . .	256 (3 b)	maximum breaking strain and load . . . . .	77 (1) &
verlof — betaling . . . . .	258 (2)	(2)	
verlof — betaling basiese skaal . . . . .	258 (5)	monthly examinations . . . . .	81 (2) (c)
verlof — betaling diensbeëindiging . . . . .	258 (3)		(d)
verlof — bepaling . . . . .	258 (1)	new attachments to be run twice . . . . .	82
vrystellings — 48 uur week . . . . .	257 (2)	previously used . . . . .	77 (4)
	(3 d)	quality . . . . .	60 (1)
		record book . . . . .	81 (7)
<b>PANNE:</b>			(b);
aantal beperk . . . . .	31 (9 a)		82 (2)
aantal en grootte — Administrateur . . . . .	31 (9 c)	removal of men from shaft when at-	
aantal werksplekke . . . . .	31 (9 b)	taching . . . . .	82 (3)
		sample supplied to Director . . . . .	60 (3)
<b>PANBAAS (MYNER):</b>		spare . . . . .	77 (5)
aanstelling . . . . .	34; 35	spliced . . . . .	77 (3)
	(1—2)	test certificate . . . . .	78 (1)
beveiliging — almal onder toesig . . . . .	36	to be recapped . . . . .	81 (7) (a)
beveiliging — werksplekke . . . . .	52 (1) (7)	<b>ROPE RECORD BOOK:</b>	
boorwerk — posisie en rigting . . . . .	118 (5)	particulars . . . . .	78 (2)
boorwerk — proppe . . . . .	118 (3)	to be signed . . . . .	78 (2)
boorwerk — voorraad proppe . . . . .	118 (4)	<b>SAFETY CHAINS — when required for</b>	
boorwerk — werksmense onderrig . . . . .	118 (6)	cages . . . . .	59
gasvergiftiging — aanmelding . . . . .	37 (10)	<b>SAFETY PRECAUTIONS — not to be</b>	
gereedskap — springstofkaste . . . . .	111 (1 c)	damaged . . . . .	154
gevaarlike grond . . . . .	37 (2—7)	<b>SAFETY PILLARS:</b>	
heringang — geen werk — skietwerk . . . . .	37 (1)	on inside of boundary lines . . . . .	55 (1)
losgrond — verwyder — weiergate . . . . .	118 (2)	on adjoining mines . . . . .	55 (2) (3)
ondersoek en veilig maak . . . . .	37 (1—7)	<b>SAMPLES — Director may take . . . . .</b>	148
ontvlambare gas . . . . .	118 (1)	<b>SAND FILLING — cyanide content . . . . .</b>	152
peuter met springstofkaste . . . . .	111 (2)	<b>SANITARY CONVENIENCES . . . . .</b>	31 (1) (2)
pligte — springstof . . . . .	111 (1)		(3)
reddingslyn . . . . .	37 (9)	<b>SEA BIRDS — protection . . . . .</b>	149
<b>KIET:</b>		<b>SEARCH OF PERSON . . . . .</b>	31 (20)
skiet — aanmelding — weiergate . . . . .	118 (18)	<b>SHAFTS:</b>	
skiet — aansteekfakkels . . . . .	118 (16)	abandoned fencing . . . . .	51
skiet — bepaalde tyd . . . . .	118 (21)	crossing winding compartment . . . . .	65 (1) (2)
skiet — elektries — ingang . . . . .	118 (19 c)	collars to be kept clear of smoke . . . . .	100 (1)
skiet — elektries — plowwer toegesluit . . . . .	118 (19 a)	depth below lowest landing . . . . .	79 (2)
skiet — elektries — toets . . . . .	118 (19 d)	double outlet to surface . . . . .	91
skiet — elektries — tyd vir koppel . . . . .	118 (19 b)	entrances — tools, etc., to be kept	
skiet — elektries — weiergate . . . . .	118 (19 e)	away . . . . .	52 (6)
skiet — geen geweld . . . . .	118 (12)	headgear clearance . . . . .	79 (1)
skiet — groewe, slote ens. . . . .	118 (24)	protection of travelling way . . . . .	50 (3)
skiet — knaldoppie in patroon . . . . .	118 (9—10)	repairs — after trial trips . . . . .	66 (2)
skiet — laaistok . . . . .	118 (11)	repairs forbidden while working . . . . .	66 (1)
skiet — net patrone in omslae . . . . .	118 (7)	safety devices for cage . . . . .	79 (3)
skiet — sertifikate . . . . .	35 (3—4)	steeply inclined — fencing entrance . . . . .	48 (4);
skiet — stopsel goedgekeur . . . . .	118 (13)		50 (1)
skiet — tel skote . . . . .	118 (17)		50 (2)
	(20)	vertical — barrier at bottom . . . . .	
skiet — toegange bewaak . . . . .	118 (15)	vertical — distances of timbers from	
skiet — tyd om te laai . . . . .	118 (8)	bottom . . . . .	63
skiet — tyd heringaan . . . . .	118 (17)	vertical — guides required . . . . .	63
skiet — uithaal stopsel . . . . .	118 (23)		
skiet — weiergate — groewe, ens. . . . .	118 (25)		
skiet — waarsku voor skiet . . . . .	118 (14)		

skiet — watersproeier . . . . .	118 (23)	SHAFT SINKING:	
werksplekke — onwettig ingaan . . . . .	37 (11)	blowing over . . . . .	117 (7)
STEILHELLEND — OMHEIN INGANG . . . . .	50 (1)	buckets — steadying & filling . . . . .	62
STERK DRANK . . . . .	141	protection for sinkers . . . . .	64 (1)
STILSTAANDE WATER . . . . .	153	raising and lowering buckets . . . . .	41 (7)
STOF:			(8); 70
ertsbane — roostersiwwe, ens. . . . .	103 (2)	when ladders required . . . . .	95 (1) (2)
gebreekte grond . . . . .	103 (3)	SHIFT BOSS:	
STOOMKETELS:		additional . . . . .	33 (2)
aansoek — nuwe . . . . .	204	appointment . . . . .	33 (1)
aansoek — vir gebruik . . . . .	203	European . . . . .	33 (3)
afblaaskraan — gemeenskaplike pyp . . . . .	221 (5)	gang — charge of forbidden . . . . .	33 (10)
afblaaskraan — konstruksie . . . . .	221 (2)	log book . . . . .	33 (8)
afblaaskraan — ontlading . . . . .	221 (4)	managers — responsibility not relieved	33 (6)
afblaaskraan — posisie . . . . .	221 (1)	records — to be signed . . . . .	33 (9)
afblaaskraan — verbinding . . . . .	221 (3)	responsibility — examination of	
doeltreffendheid — laer druk . . . . .	231 (1)	sockets . . . . .	33 (8) (c)
drukmeter — aparte verbindings . . . . .	220 (2)	responsibility — inspection of working	
drukmeter — besonderhede . . . . .	220 (1)	places . . . . .	33 (7)
gevaarlik — staakverbruik . . . . .	231 (2)	responsibility — presence at blasting	
hidroliese toets . . . . .	230	time . . . . .	33 (11)
hoogste toebehore . . . . .	207 (3)	responsibility — recording breach of	
keerklep . . . . .	214	regulations . . . . .	33 (8)
keerklep — een vir elke ketel . . . . .	222 (1)	responsibility — recording safety in-	
keerklep — konstruksie . . . . .	222 (3)	structions . . . . .	33 (8) (b)
keerklep — meer as een ketel . . . . .	222 (2)	responsibility — regulations, obser-	
keerklep — stoomaftrekking . . . . .	222 (4)	vance, by ganger . . . . .	33 (5)
kleppe — direk verbind . . . . .	216 (2)	responsibility, section of workings . . . . .	33 (4)
kleppe — een gesluit . . . . .	216 (3)	SIGNALS:	
kleppe — gemeenskaplike stoomhouer	216 (4)	banksman and onsetter — only to give	68 (2)
kleppe — gewig of veerontwerp . . . . .	217 (2)	blasting in shaft . . . . .	70 (4)
kleppe — konstruksie . . . . .	217 (3)	call bell . . . . .	69 (3) (4)
kleppe — twee vir elke ketel . . . . .	216 (1)	code . . . . .	70 (1); 71
kleppe — vasgestelde ladings . . . . .	218	code posting . . . . .	71 (1)
kleppe — veiligheidsontwerp . . . . .	217 (1)	code penalty for acting in conflict . . . . .	71 (2)
kleppe — wanneer een genoegsaam	216 (5)	electrical — separate arrangements . . . . .	69 (1)
konstruksie . . . . .	205 (1)	for use with sinking shaft . . . . .	70 (3)
koperplaat . . . . .	223 (2—3)	locked bell . . . . .	69 (2)
laagwater — alarm . . . . .	219	locking systems for winding persons . . . . .	69 (5)
mangate . . . . .	212	Native reserves — Rehoboth . . . . .	46
ondersoek — bystand . . . . .	226	onsetter's certificate for persons tra-	
ondersoek — inspekteur moet kennis		velling . . . . .	68 (3)
gee . . . . .	225 (1)	other systems to be approved . . . . .	69 (5)
ondersoek — ligte — elektries . . . . .	224 (4)	persons not to travel until signal re-	
ondersoek — omhulsel nie terug . . . . .	229	ceived . . . . .	70 (2)
ondersoek — omhulsel voor toets . . . . .	228	provisions for — means of interchang-	
ondersoek — voorbereiding . . . . .	225	ing . . . . .	67 (1) (2)
ondersoek — verwydering omhulsel . . . . .	224 (2—3);		(3)
	227	unauthorised persons not to give . . . . .	68 (1)
ondersoek — versuim gebruiker . . . . .	225 (3)	SLIMES DAM . . . . .	31 (15)
oop ruimte rondom . . . . .	207 (1—2)	SOCKETS:	
opgawes — herstel, gebruik staak . . . . .	234	drilling in vicinity . . . . .	117 (5) (d)
oppasser — permit . . . . .	44	withdrawing of plugs forbidden . . . . .	117 (6) (7)
permit — vir gebruik . . . . .	205 (2)		(a)
registrasiesertifikaat . . . . .	205 (3)	STATIONARY ENGINE — permit for	
register — duplikaat . . . . .	232 (3)	driver . . . . .	43
register — kosteloos . . . . .	232 (1)	STULLS — examination of . . . . .	31 (19)
register — hou veilig . . . . .	232 (2)	SUMMONING of witnesses and accused . . . . .	244 (1) (2)
toegang — onbelemmerd . . . . .	207 (4)	SUNDAY LABOUR & HOURS, DAYS	
toetsmeter — verbinding . . . . .	220 (3—4)	ETC.:	
toevoerapparaat . . . . .	213	absences to count as employment . . . . .	258 (4)
vasstaande ketel . . . . .	208	absence without leave . . . . .	258 (6)
veiligheid — voorsorg . . . . .	224 (1)	accumulated leave . . . . .	258 (8)
verslagboek . . . . .	233	exemptions from 48 hours/week . . . . .	257 (2);
vervaardiger se naam . . . . .	223 (1)		3 (d)
vlamgange — oorverhit . . . . .	210	forty-eight hour/week . . . . .	257 (1)
voorverhitter . . . . .	211	leave pay . . . . .	258 (2)



water — nie op warm as, ens. . . . .	224 (5)	leave pay at basic rates . . . . .	258 (5)
waterpeiler — kraan nodig . . . . .	215 (1)	leave pay on termination of service . . . . .	258 (3)
waterpeiler — laagste waterstand . . . . .	215 (6)	leave provisions . . . . .	258 (1)
waterpeiler — net een vir klein ketel . . . . .	215 (5)	restriction from working on holidays . . . . .	256
waterpeiler — skerms . . . . .	215 (7)	supervision and recording by officials . . . . .	257 (3) (c)
waterpeiler — toetskrane . . . . .	215 (4)	time of entry and return — under-ground mines . . . . .	257 (3) (a)
waterpeiler — twee per ketel . . . . .	215 (1)	time getting to and from working place . . . . .	257 (3) (c)
waterpeiler — verbindingspype . . . . .	215 (2—3)	times of shifts — opencast mines . . . . .	257 (3) (b)
waterstand . . . . .	209		
werkdruk . . . . .	206		
<b>STOPSEL:</b>		<b>SUPERVISION:</b>	
uithaal van . . . . .	118 (22)	of machinery in absence of person in charge . . . . .	161 (1)
materiaal . . . . .	118 (13)	to be continuous . . . . .	155
<b>STRAWWE:</b>		<b>SURFACE PROTECTION . . . . .</b>	
kaart — nalaat om te hou, ens. . . . .	128; 129	disused workings . . . . .	48 (3)
kennisgewings beskadig . . . . .	157 (3)	excavations — trenches etc. . . . .	48 (2)
myn onder geboue, ens. . . . .	47 (4)	fencing subsidences . . . . .	48 (1)
vals of laat opgawes . . . . .	135; 137	<b>SURVEY:</b>	
verlobbepalings . . . . .	258 (9)	mining area — intersection of farm and mine boundaries . . . . .	12
versuim opgawes te maak . . . . .	135	mining area — line beacons . . . . .	13
		mining area — triangulation beacons . . . . .	10
<b>TEENGIF — SIANIED EN ARSEEN . . . . .</b>	249	<b>SURVEYOR:</b>	
<b>TERME — WOORDOMSKRYWING . . . . .</b>	25	appointment . . . . .	39 (1) (2)
		notification of appointment . . . . .	39 (3)
<b>TOESIG:</b>		not responsible for previous work . . . . .	39 (6)
masjinerie — bevoegde skofmanne . . . . .	161 (1)	to sign plans . . . . .	39 (4)
moet aanhoudend wees . . . . .	155	when manager may sign . . . . .	39 (5)
		water or gas accumulations . . . . .	54
<b>TOEGANG — WERKSPLEKKE — OPDRAG . . . . .</b>	52 (7)	<b>STAGNANT WATER . . . . .</b>	
		153	
<b>TOU:</b>		<b>STATIONARY ENGINE — permit to drive . . . . .</b>	
breeklas en vrag . . . . .	77 (1—2)	43	
dikte van drade . . . . .	60	<b>STEEPLY INCLINED — fencing entrance . . . . .</b>	
gesplits . . . . .	77 (3)	50 (1)	
glipping op trom — bondel . . . . .	74 (1 e); (2)	<b>STRETCHERS . . . . .</b>	
herkopping . . . . .	81 (7 a)	245 (1) (a)	
konneksie aan trom . . . . .	59	<b>TAILINGS — sand filling cyanide content . . . . .</b>	
kwaliteit . . . . .	60 (1)	152	
maandelikse ondersoek . . . . .	81 (2 c—d)	<b>TAMPING:</b>	
monster voorsien . . . . .	60 (3)	material . . . . .	118 (13)
nuwe toerusting — twee ritte . . . . .	82	withdrawal . . . . .	118 (22)
rekordboek . . . . .	81 (7 b); 82 (2)	<b>TERMS — interpretation . . . . .</b>	
spaar . . . . .	77 (5)	25	
toetsertifikaat . . . . .	78 (1)	<b>TIME TICKETS — where to be marked . . . . .</b>	
verbinding — uitgloeing, ens. . . . .	81 (7) c	142 (2)	
verwyder persone — verbinding . . . . .	82 (3)	<b>TIMBER</b>	
voorheen gebruik . . . . .	77 (4)	<b>TOOLS:</b>	
<b>TOUVERSLAGBOEK:</b>		to be supplied free . . . . .	52 (2) (3)
besonderhede . . . . .	78 (2)	fastening in conveyance . . . . .	61
moet geteken word . . . . .	78 (2)	<b>TRAMWAY:</b>	
<b>TREKTOESTELLE — ry op trok of tou . . . . .</b>	88	authority from inspector . . . . .	88 (2)
		level crossing — speed . . . . .	90 (2)
<b>TROM SIEN HYSMASJEN.</b>		persons forbidden to travel . . . . .	88 (1)
		signalman for crossovers . . . . .	90 (1)
<b>TUISLANDE . . . . .</b>	28 (1 a); 29; 30 (4); 32 (3); 33 (3); 35 (2); 38 (3) (5); 39 (2); 40 (2); 46	underground — provisions . . . . .	87
		<b>TRAVELLING WAY:</b>	
		(see also double exits)	
		bratticing from winding compartment . . . . .	96 (1) (2)
		clearance between double rails . . . . .	89
		exemption from bratticing . . . . .	96 (3)
		ladders — when over 20° . . . . .	95
		ladders — provisions concerning . . . . .	97
		minimum height . . . . .	99
		<b>UNAUTHORISED PERSON entering mines or works . . . . .</b>	
		156	
		<b>UNCLUTCHED DRUM — lowering from forbidden . . . . .</b>	
		41 (5)	
		<b>UNDERCUTTING forbidden . . . . .</b>	
		50 (5)	

TYDKAARTE — MERK VAN . . . . .	142 (2)
UITGANGE NA OPPERVLAKTE . . . . .	91 (3); 92
UITGRAWINGS — VOORSORG . . . . .	37 (8)
UITSKOT — SAND SE SIANIED-INHOUD	152
UITTREKSELS VAN REGULASIES:	
beskadiging van — straf . . . . .	157 (3)
opplak van . . . . .	157 (1)
tale . . . . .	157 (1)
vervanging beskadigdes . . . . .	157 (2)
VASTE ENJIN — PERMIT VIR DRYWER	43
VEILIGHEIDSMIDDELS — BESKADING VAN . . . . .	
	154
VEILIGHEIDSPILARE:	
aan binnekant van grenslyne . . . . .	55 (1)
aanliggende myne . . . . .	55 (2—3)
VENTILASIE:	
blinde werksplekke . . . . .	102 (1)
deure — selfsluitend wees . . . . .	100 (6)
hoeveelheid & kwaliteit . . . . .	100 (3)
intrekskagte — verdeling van lugstrome . . . . .	100 (2)
kaart — besonderhede . . . . .	100 (7)
meganiese toestelle . . . . .	100 (4)
verbetering — stelsel . . . . .	100 (5)
VERGIFTIGDE WATER . . . . .	49; 249; 250
VERVOERWEG:	
ondergrond — bepalings . . . . .	87
persone mag nie ry nie . . . . .	88 (1)
sinjaalman by kruisings . . . . .	90 (1)
vervoer persone — verlof nodig . . . . .	88 (2)
vlakkoorgang — spoed . . . . .	90 (2)
VERKLEEHUIS:	
blankes moet gebruik . . . . .	138 (1 b)
sluitbare toestelle . . . . .	138 (1 c)
waar nodig . . . . .	138 (1 a)
VERLOF (sien ook sondagarbeid) . . . . .	258
VLAKOORGANG — KRUIS . . . . .	90
VRYSTELLINGS:	
hysmasjien toets . . . . .	85
ophysing — sinkskag . . . . .	70 (3)
regulasies — waar onuitvoerbaar . . . . .	143
VUUR:	
persone moet verwyder word . . . . .	104 (1)
persone moet buite gevaar wees . . . . .	104 (2)
voorkoming . . . . .	104 (3)
WAAIERS BY BREKERS . . . . .	103 (2 b)
WAGPLEKKE . . . . .	31 (7)
WAG TEEN OORSTROMING . . . . .	31 (13)
WASGERIEWE . . . . .	250

## UNDERGROUND:

entrances — protection of . . . . .	50 (1)
entrances — to abandoned workings . . . . .	51
entrances — to workings forbidden until made safe . . . . .	52 (1)
protection — entrance to working places without instruction forbidden . . . . .	52 (7)
protection — headboards . . . . .	52 (5)
protection — Director may modify system . . . . .	52 (4)
protection — materials to be supplied free . . . . .	52 (3)
protection — reserve of timber . . . . .	52 (2)
protection — tools forbidden near mouth of shaft . . . . .	52 (6)
protection — travelling way . . . . .	50 (3)
protection — vertical shaft bottom . . . . .	50 (2)

## USER:

(see also machinery and electrical machinery)	
air receivers . . . . .	186
band saws . . . . .	181
circular saws — guards . . . . .	179 (1)
circular saws — holding rough timber . . . . .	179 (3)
circular saws — push sticks . . . . .	179 (2)
compressors — air supply to be clean . . . . .	188 (1)
compressors — fusible plugs and thermometers . . . . .	188 (2)
compressors — to remove defects . . . . .	188 (3)
definition . . . . .	25
electricity — lattice type supports to be guarded . . . . .	198
machinery — automatic devices for oiling . . . . .	172 (2)
machinery — competent person to supervise . . . . .	161 (2)
machinery — copy of regulations to be posted . . . . .	166
machinery — floor to be kept clean and level . . . . .	175
machinery — gear for belt drivers . . . . .	169 (2)
machinery — ladders to be non-skid . . . . .	173
machinery — mortising machine — regulations . . . . .	184
machinery — moulding machine — regulations . . . . .	183
machinery — planing machine — regulations . . . . .	182
machinery — platforms to be protected . . . . .	176 (1)
machinery — pressure tanks — provisions re entering . . . . .	176 (2)
machinery — pressure vessels — exemption from regulations . . . . .	187 (5)
machinery — pressure vessels — fitting required . . . . .	187 (3) (4)
machinery — pressure vessels — to be kept clean and tested . . . . .	187 (1) (2)
machinery — repairs in motion forbidden . . . . .	172 (1)
machinery — responsibility for regulations . . . . .	162
machinery — responsibility for safety appliances . . . . .	163
machinery — responsibility to install artificial lighting . . . . .	167
machinery — saws not to be used if damaged . . . . .	178
machinery — swing saws — regulations . . . . .	180
machinery — to provide appliances for removing belts . . . . .	171
machinery, to provide stopping and starting gear . . . . .	169 (1)

<b>WATER:</b>		machinery, to provide sufficient space	174
boorgate vooruit . . . . .	54	machinery, transmission machinery —	
drinkwater . . . . .	250 (3)	regulations guards . . . . .	177
essaaikantore — drinkwater . . . . .	250 (1)	machinery, treating belts in motion	
ingaan in versameling . . . . .	37 (9)	forbidden . . . . .	172
stilstaande . . . . .	153	transformer and switch rooms to be	
stofbeheer . . . . .	103 (2 a)	screened . . . . .	197
vergiftigde . . . . .	49 (1—2)	<b>VENTILATION:</b>	
wasgeriewe . . . . .	250 (2)	dead ends . . . . .	102 (1)
<b>WATER EN GAS — GEVAAR . . . . .</b>	<b>54</b>	doors — self closing . . . . .	100 (6)
<b>WATERSPROEIER . . . . .</b>	<b>102 (2);</b>	downcast shaft — splitting current . . . . .	100 (2)
	118	inspector may amend arrangements . . . . .	100 (5)
	(23)	mechanical appliances . . . . .	100 (4)
<b>WATERGAT:</b>		plan — details . . . . .	100 (7)
aanmelding van . . . . .	118 (18)	quantity and quality per working place	100 (3)
dieper maak — naby boor — verbod	117 (5 b—	<b>WAGES — payment in bars forbidden . . . . .</b>	<b>140</b>
c)		<b>WAITING PLACES . . . . .</b>	<b>31 (7)</b>
in skagte of beperkte ruimtes . . . . .	117 (5 b)	<b>WASHING FACILITIES . . . . .</b>	<b>250</b>
ondersoek . . . . .	118 (2)	<b>WATCH on dangers from flooding . . . . .</b>	<b>31 (13)</b>
prop van . . . . .	118 (3)	<b>WATER:</b>	
skiet van . . . . .	118 (17)	assay office — drinking water . . . . .	250 (1)
	(20—	boreholes in advance of workings . . . . .	54
	21)	drinking water . . . . .	250 (3)
<b>WERKNEMERS:</b>		entering accumulation of . . . . .	37 (9)
lone nie in kroee betaal . . . . .	140	laying dust at ore passes etc. . . . .	103 (2) (a)
nie ondergrond verdraag . . . . .	142 (1)	poisonous . . . . .	49 (1) (2)
onderrig — ongeleerdes . . . . .	158	washing facilities . . . . .	250 (2)
onervare of onbekwaam . . . . .	31 (8)	stagnant . . . . .	153
rekord van (register) . . . . .	139 (2)	<b>WATER BLAST . . . . .</b>	<b>102 (2);</b>
<b>WERKSPLEKKE:</b>			118
ingaan wanneer vol water . . . . .	37 (9)		(23)
<b>WOOORDOMSKRYWINGS . . . . .</b>	<b>25</b>	<b>WINDING:</b>	
		crossing compartments . . . . .	90
		holder required for windlass . . . . .	56
		projecting material to be fastened . . . . .	61
		safety chains . . . . .	59
		shaft repairs forbidden whilst winding	66 (1)
		shaft sinking bucket . . . . .	62
		shaft sinking — lowering to bottom	
		forbidden . . . . .	41 (8)
		trial trips after repairs . . . . .	66 (2)
		warning driver before repairs . . . . .	66 (3)
		<b>WINDING ENGINE:</b>	
		attachment of rope to drum . . . . .	59
		attention — driver . . . . .	58
		brake for each drum . . . . .	57 (1)
		clutch — locking gear . . . . .	57 (2)
		clutch — testing . . . . .	41 (6)
		depth indicators . . . . .	74 (4)
		driver — exemption . . . . .	40 (3) to
			(6)
		driver — log book . . . . .	81 (6)
		driver — permit . . . . .	40 (1)
		driver — qualifications . . . . .	40 (2)
		drums — flanges to prevent slipping . . . . .	74 (2)
		efficiency tests . . . . .	74 (1)
		examinations . . . . .	74 (7)
		exemption . . . . .	85
		fittings to be secured . . . . .	57 (3)
		inspector may order tests . . . . .	84
		maximum duration of shift . . . . .	76 (2)
		maximum speed . . . . .	76 (1)
		provisions against overwinding . . . . .	74 (6)
		provisions not applicable to prospects	75
		requirements before issue of permit to	
		use . . . . .	73
		rope attachment to drum . . . . .	74 (3)
		rounds of rope on drum . . . . .	74 (3)

tachograph — when required . . . .	74 (8)
test run after stoppage . . . . .	83
warning device . . . . .	74 (5)
WINDING PLANT:	
defective use to cease . . . . .	81 (3)
driver's log book . . . . .	81 (5)
examinations . . . . .	81
examinations daily and weekly . . . .	81 (1)
examinations external parts . . . . .	81 (2) (a)
examinations internal parts . . . . .	81 (2) (b)
machinery record book . . . . .	81 (4)
WORKINGS — entering when full of water	37 (9) (c)
WORKMEN:	
inexperienced or incompetent . . . . .	31 (8)
instructing if illiterate . . . . .	158
not to be kept waiting underground . .	142 (1)
record of employees . . . . .	139 (2)
wages not to be paid in bars . . . . .	140