



**OFFICIAL GAZETTE**  
EXTRAORDINARY  
OF SOUTH WEST AFRICA  
**BUITENGEWONE**  
**OFFISIËLE KOERANT**  
VAN SUIDWES-AFRIKA

PUBLISHED BY AUTHORITY

UITGAWE OP GESAG

30c Tuesday 13 September 1983 WINDHOEK Dinsdag 13 September 1983 No. 4818

CONTENTS:

INHOUD:

GOVERNMENT NOTICE

GOEWERMENSKENNISGEWING

No. AG. 116 Substitution of Schedules 1 to 9 to the Medicines and related substances control Act, 1965

No. AG. 116 Vervanging van Bylaes 1 tot 9 by die Wet op die Beheer van Medisyne en verwante stowwe, 1965

Page

Bladsy

1

1

**Government Notice**

**Goewermentskennisgewing**

Office of the

Kantoor van die

ADMINISTRATOR-GENERAL FOR THE TERRITORY OF SOUTH WEST AFRICA

ADMINISTRATEUR-GENERAAL VIR DIE GEBIED SUIDWES-AFRIKA

DEPARTMENT OF NATIONAL HEALTH AND WELFARE

DEPARTEMENT VAN NASIONALE GESONDHEID EN WELSYN

No. AG. 116 1983

No. AG. 116 1983

SUBSTITUTION OF SCHEDULES 1 TO 9 TO THE MEDICINES AND RELATED SUBSTANCES CONTROL ACT, 1965

VERVANGING VAN BYLAES 1 TOT 9 BY DIE WET OP DIE BEHEER VAN MEDISYNE EN VERWANTE STOWWE, 1965

Under the powers vested in me by section 37A of the Medicines and Related Substances Control Act, 1965 (Act 101 of 1965), I hereby substitute the Schedules hereunder for Schedules 1 to 9 to the said Act, respectively.

Kragtens die bevoegdheid my verleen by artikel 37A van die Wet op die Beheer van Medisyne en Verwante Stowwe, 1965 (Wet 101 van 1965), vervang ek Bylaes 1 tot 9 by genoemde Wet hierby deur, onderskeidelik, die onderstaande Bylaes.

W.A. VAN NIEKERK

Administrator-General

Windhoek, 27 Junie 1983

W.A. VAN NIEKERK

Administrateur-generaal

Windhoek, 27 Junie 1983

*All substances referred to in Schedules 1, 2 3 and 4 are excluded when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.*

*Al die stowwe genoem in Bylaes 1, 2, 3 en 4 is uitgesluit wanneer spesifiek vir industriële en nie-medisinale laboratoriumdoeleindes verpak, geëtiketteer en gebruik word.*

## SCHEDULE 1

All substances referred to in this Schedule include the following:

- (a) The salts of such substances, where the existence of such salts is possible; and
- (b) all preparations and mixtures of such substances where such preparations and mixtures are not expressly excluded.

Acetanilide and alkyl acetanilides.

Acetyldihydrocodeine; preparations containing not more than 2,5 per cent acetyldihydrocodeine.

Aconite alkaloids; substances, preparations and mixtures containing less than 0,02 per cent thereof.

Adrenaline (epinephrine); preparations and mixtures thereof, except inhalants and except preparations for injection and except eye preparations when intended for glaucoma.

Aminopentamide.

Amyl nitrite.

Anethole trithione.

Anticoagulants when intended for application to the skin.

*Antihistaminics when intended specifically for the treatment of travel sickness and for application to the skin.*

Antimalarials; preparations containing substances in the 4-aminoquinoline, 8-aminoquinoline, diguanide and diaminopyrimidine groups of compounds when intended specifically for malaria prophylaxis.

Antimicrobial substances when intended for application to the skin, nares and external ear, as excluded in Schedule 4.

*Antimony potassium tartrate and antimony sodium tartrate; preparations and mixtures containing less than 1,0 per cent thereof.*

*Antipyrine (phenazone) when intended for application to the skin.*

*Apomorphine; substances, preparations and mixtures containing less than 0,2 per cent thereof.*

## BYLAE 1

Al die stowwe genoem in hierdie Bylae sluit die volgende in:

- (a) Die soute van sodanige stowwe waar die bestaan van sodanige soute moontlik is; en
- (b) alle preparate en mengsels van sodanige stowwe waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.

Adrenaliene (epinefrien); preparate en mengsels daarvan, uitgesonderd inasemiddels en uitgesonderd preparate vir inspuiting en uitgesonderd oogpreparate vir gloukoom bedoel.

*Akonietalkaloïde; stowwe, preparate en mengsels wat minder as 0,02 persent daarvan bevat.*

Amielnitriet

Aminopentamied

Anetooltritioon

*Antihistaminika wanneer spesifiek vir die behandeling van reissiekte en vir aanwending aan die vel bedoel.*

Antimalariamiddels; preparate wat stowwe bevat in die 4-aminokinolien-, 8-aminokinolien-diguanied- en diaminopirimidiengroep verbindings, wanneer spesiaal vir die voorkoming van malaria bedoel.

Antimikrobiese stowwe wanneer vir aanwending aan die vel, neusgate en buite-oor, soos uitgesluit in Bylae 4, bedoel.

*Antimoonskaliumtartraat en antimoonnatriumtartraat; preparate en mengsels wat minder as 1,0 persent daarvan bevat.*

*Antipirien (fenasoon) wanneer vir aanwending aan die vel bedoel.*

Antistolmiddels wanneer vir aanwending aan die vel bedoel.

*Apomorfien; stowwe, preparate en mengsels wat minder as 0,2 persent daarvan bevat.*

*Arsenic; substances, preparations and mixtures containing the equivalent of less than 0,01 per cent arsenic trioxide, except substances, preparations and mixtures registered or sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

*Atropine; substances, preparations and mixtures containing less than 0,1 per cent thereof, except ophthalmic preparations and except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Barbituric acid and its derivatives, unless listed in another Schedule, except amobarbital, cyclobarbital, pentobarbital, secobarbital; preparations and mixtures containing not more than 30 milligrams per minimum recommended or prescribed dose when intended for continued use in asthma and not more than 50 milligrams per minimum recommended or prescribed dose when intended for continued use in epilepsy.

Bee venom when intended for application to the skin.

*Belladonna alkaloids; substances, preparations and mixtures containing less than 0,1 per cent thereof, including belladonna plasters.*

Benorylate.

Beta-aminopropylbenzene and beta-aminoisopropylbenzene as excluded in Schedule 5.

*Beta-carotene when intended for medicinal purposes.*

*Bioallethrin, except when registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Bitolterol.

*Calabar bean alkaloids; substances, preparations and mixtures containing less than 0,2 per cent thereof.*

\*Calcium salts; preparations thereof intended for injection, except preparations for injection registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Camylofin.

*Arseen; stowwe, prepare en mengsels wat die ekwivalent van minder as 0,01 persent arseen-trioksied bevat, uitgesonderd stowwe, prepare en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.*

Asetanilied en alkielasetaniliede.

Asetieldihidrokodeïen; prepare wat nie meer as 2,5 persent asetieldihidrokodeïen bevat nie.

*Atropien; stowwe, prepare en mengsels wat minder as 0,1 persent daarvan bevat, uitgesonderd oogprepare en uitgesonderd prepare en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.*

Barbituursuur en sy derivate, tensy in 'n ander Bylae gelys, uitgesonderd amobarbital, siklobarbital, pentobarbital, sekobarbital; prepare en mengsels wat hoogstens 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat wanneer vir aanhoudende gebruik by asma bedoel, en hoogstens 50 milligram per minimum aanbevole of voorgeskrewe dosis wanneer vir aanhoudende gebruik by epilepsie bedoel.

*Belladonna-alkaloïde; stowwe, prepare en mengsels wat minder as 0,1 persent daarvan bevat met inbegrip van belladonnapleisters.*

Benorilaat.

Beta-aminopropielbenseen en beta-aminoisopropielbenseen soos uitgesluit in Bylae 5.

*Betakaroteen wanneer vir medisinale gebruik bedoel.*

*Bioalletrien; uitgesonderd wanneer dit geregistreer is en verkoop word ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947).*

Bitolterol.

*Braakneut; stowwe, prepare en mengsels wat minder as 0,2 persent strignien bevat.*

Byegif wanneer bedoel vir aanwending aan die vel.

*Clooramien wanneer vir menslike vaginale gebruik bedoel.*

*Cantharidin; substances, preparations and mixtures containing less than 0,01 per cent thereof.*

*Canthaxanthin when intended for medicinal purposes.*

Carbuterol, except preparations for injection and except inhalants.

*Chloramine when intended for human vaginal use.*

Chlorprenaline, except inhalants.

Chlorodyne (Tincture of Chloroform and Morphine BP 1980); preparations and mixtures containing not more than 5,0 per cent chlorodyne in combination with other medicinal ingredients in such a manner that it cannot be recovered by readily applicable means or in a yield that would constitute a risk to public health.

Chloroform, except substances, preparations and mixtures containing less than 20 per cent of chloroform.

Clonidine when intended for treatment of migraine.

Cocaine; preparations containing not more than 0,1 per cent cocaine, calculated as cocaine alkaloid.

Codeine (methymorphine); mixtures containing not more than 2,5 per cent codeine.

Contrast media.

Cresol and phenol; preparations and mixtures containing 3,0 per cent or more of either of these substances, except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Dapsone and its derivatives, unless listed in another Schedule, when intended specifically for malaria prophylaxis.

Dextromethorphan.

Dialysate preparations.

Dihydrocodeine; mixtures containing not more than 2,5 per cent dihydrocodeine.

*Dimenhydrinate when intended specifically for the treatment of travel sickness.*

Chloorprenalinen, uitgesonderd inasemmiddels.

Chlorodien (Tinktuur van Chloroform en Morfiën BP 1980); preparate en mengsels wat hoogstens 5,0 persent chlorodien in samestelling met ander medisinale bestanddele op so 'n wyse bevat dat dit nie maklik of in so 'n mate herwin kan word dat dit 'n gevaar vir die openbare gesondheid inhou nie.

Chloroform, uitgesonderd stowwe, preparate en mengsels wat minder as 20 persent chloroform bevat.

Dapsoon en sy derivate, tensy in 'n ander Bylae gelys, wanneer spesifiek vir die voorkoming van malaria bedoel.

Dekstrometorfaan.

Dialisaatpreparate.

Dihidrokodeïen; mengsels wat nie meer as 2,5 persent dihidrokodeïen bevat nie.

*Dimenhidrinaat wanneer spesifiek bedoel vir die behandeling van reissiekte.*

*Efedra-alkaloïde (natuurlik of sinteties); preparate en mengsels vir aanwending aan die vel, oë, ore en neusgate bedoel wat hoogstens 1,0 persent, en ander preparate en mengsels wat hoogstens 30 milligram efedrien of efedra-alkaloïde per dosis bevat.*

*Eskien; medisinale preparate en mengsels daarvan bedoel vir aanwending aan die vel en wat 1,0 persent of minder eskien bevat.*

Etakridien.

Eter (diëtleter); alle stowwe, preparate en mengsels wat meer as 20 persent eter bevat.

Etielfenielefrien.

Etielmorfien; mengsels wat nie meer as 2,5 persent etielmorfien bevat nie.

Fedrilaat.

*Fenbendasool.*

Fenielbutasoon en sy derivate, tensy in 'n ander Bylae gelys, wanneer vir aanwending aan die vel bedoel.

Fenielefrien, uitgesonderd oogpreparate wat 0,2 persent of minder fenielefrien of sy soute bevat.

*Ephedra alkaloids (natural or synthetic); preparations and mixtures for application to the skin, eyes, ears and nares containing not more than 1,0 per cent thereof and other preparations and mixtures containing not more than 30 milligrams ephedrine or ephedra alkaloids per dose.*

Escin (aescin); medicinal preparations and mixtures thereof intended for application to the skin and containing 1,0 per cent or less of escin.

Ethacridine.

Ether (diethyl ether); all substances, preparations and mixtures containing more than 20 per cent of ether.

Ethylmorphine; mixtures containing not more than 2,5 per cent ethylmorphine.

Ethylphenylephrine.

Fedrilate.

*Fenbendazole.*

Fenoterol, except inhalants and except preparations for injection and except preparations and mixtures thereof when intended for the prevention or delay of labour.

Flufenamic acid when intended for application to the skin.

*Fluorescein when for ophthalmic use.*

*Fluorides; oral medicinal preparations and mixtures thereof containing less than 0,25 milligrams fluorine as fluoride per recommended daily dose.*

Gamma benzene hexachloride; human medicinal preparations and mixtures containing more than 1,0 per cent thereof when intended for application to the skin.

*Gelsemium alkaloids; substances, preparations and mixtures containing less than 0,1 per cent thereof.*

Hexoprenaline, except inhalants and except preparations for injection and except preparations and mixtures thereof when intended for the prevention or delay of labour.

*Homatropine; preparations and mixtures containing less than 0,1 per cent thereof, except ophthalmic preparations.*

Hormones (natural or synthetic) when intended for application to the skin or for human vaginal use.

Fenoterol, uitgesonderd inasemmiddels en uitgesonderd preparate vir inspuiting en uitgesonderd preparate en mengsels daarvan vir die voorkoming of vertraging van baring bedoel.

*Fluoreskien wanneer vir oftalmiese gebruik bedoel.*

*Fluoriede; orale medisinale preparate en mengsels daarvan wat minder as 0,25 milligram fluoor as fluoried per aanbevole daaglikse dosis bevat.*

Flufenaamsuur wanneer vir aanwending aan die vel bedoel.

Foledrien.

Folkodien; mengsels wat nie meer as 2,5 persent folkodien bevat nie.

Fosfolipiede wanneer vir terapeutiese doeleindes bedoel.

Gamma-benseenheksachloried; medisinale preparate en mengsels vir menslike gebruik wat meer as 1,0 persent daarvan bevat en vir aanwending aan die vel bedoel is.

*Gelsemiumalkaloïede; stowwe, preparate en mengsels wat minder as 0,1 persent daarvan bevat.*

Hensoprenalien, uitgesonderd inasemmiddels en uitgesonderd preparate vir inspuiting en uitgesonderd preparate en mengsels daarvan vir die voorkoming of vertraging van baring bedoel.

*Hiossien; stowwe, preparate en mengsels wat minder as 0,1 persent daarvan bevat.*

*Homatropien; preparate en mengsels wat minder as 0,1 persent daarvan bevat, uitgesonderd oogpreparate.*

Hormone (natuurlik of sinteties) wanneer vir aanwending aan die vel of vir menslike vaginale gebruik bedoel.

Inspuitings, tensy in 'n ander Bylae gelys, uitgesonderd preparate wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Ipekakuana-alkaloïede; stowwe, preparate en mengsels daarvan wat meer as 0,01 persent en minder as 0,2 persent alkaloïede, bereken as emetien, bevat.

*Isokonasool wanneer vir aanwending aan die vel bedoel.*

*Hyoscine; substances, preparations and mixtures containing less than 0,1 per cent thereof.*

Injections, unless listed in another Schedule, except preparations registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

*Ipecacuanha alkaloids; substances, preparations and mixtures thereof containing more than 0,01 per cent and less than 0,2 per cent of alkaloids, calculated as emetine.*

*Isoconazole when intended for application to the skin.*

Isoprenaline (isoproterenol), except inhalants and except preparations for injection.

Lead acetate, except when registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Lead plaster and its combinations.

*Lobelia alkaloids; substances, preparations and mixtures containing less than 0,5 per cent thereof.*

*Local anaesthetics, except when intended for ophthalmic and for parenteral use and except when registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Lysozyme when intended for application to the skin.

*Macrogolethers when intended for human vaginal use.*

Mercuric ammonium chloride.

*Mercuric chloride; substances, preparations and mixtures containing less than 1,0 per cent thereof, except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Mercuric iodide.

Mercuric oxides; substances, preparations and mixtures thereof, except those containing less than 3,0 per cent of mercury.

Isoprenalien (isoproterenol), uitgesonderd inasemmiddels en uitgesonderd preparate vir inspuiting.

*Kalabarboontjie-alkaloïde; stowwe, preparate en mengsels wat minder as 0,2 persent daarvan bevat.*

Kaliumchloried wanneer vir intraveneuse infusie of vir inspuiting bedoel.

Kaliumdichromaat.

Kalsiumsoute; preparate daarvan vir inspuiting bedoel, uitgesonderd preparate vir inspuiting wat ingevolge die bepalings van die Wet op Mistowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Kamilofien.

*Kantaridien; stowwe, preparate en mengsels wat minder as 0,01 persent daarvan bevat.*

*Kantaxantien wanneer vir medisinale gebruik bedoel.*

Karbuterol, uitgesonderd preparate vir inspuiting en uitgesonderd inasemmiddels.

Kinien; preparate en mengsels wat meer as 1,0 persent daarvan bevat.

Klonidien wanneer vir die behandeling van migraine bedoel.

Kodeïen (metiëlmorfien); mengsels wat nie meer as 2,5 persent kodeïen bevat nie.

Kokaïen; preparate wat nie meer as 0,1 persent kokaïen, bereken as kokaïenalkaloïed, bevat nie.

Kontrasmiddels.

Kresol en fenol; preparate en mengsels wat 3,0 persent of meer van een van hierdie stowwe bevat, uitgesonderd stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Mistowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Kwikammoniumchloried.

*Kwikchloried; stowwe, preparate en mengsels wat minder as 1,0 persent daarvan bevat, uitge-*

*Mercury organic compounds; substances, preparations and mixtures not in the form of aerosols and intended for application to the skin or mucous membranes and containing less than the equivalent of 0,6 per cent elemental mercury, and except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

*Metacresol sulphonic acid formaldehyde when intended for human vaginal use.*

Metaproterenol, except inhalants and except preparations for injection and except preparations and mixtures thereof when intended for the prevention or delay of labour.

Methoxyphenamine.

*Microfibrillar collagen hydrochloride.*

Morphine; mixtures containing not more than 0,2 per cent morphine calculated as anhydrous morphine.

Mucopolysaccharide polysulphuric acid ester when intended for application to the skin.

Nicotinic acid; oral medicinal preparations and mixtures thereof containing more than 30 milligrams per recommended daily dose, except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Nitrofurantoin when intended for application to the skin.

Nitrofurazone when intended for application to the skin.

*Nitroscanate.*

Norcodeine; mixtures containing not more than 2,5 per cent norcodeine.

*Nux Vomica; substances, preparations and mixtures containing less than 0,2 per cent strychnine.*

Opium; mixtures containing not more than 0,2 per cent of morphine, calculated as anhydrous morphine.

*Oxibendazole.*

*Papaverine; substances, preparations and mixtures containing less than 0,2 per cent thereof.*

*sonderd stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.*

Kwikjodied.

Kwikoksiede; stowwe, preparate en mengsels daarvan, uitgesonderd dié wat minder as 3,0 per sent kwik bevat.

*Kwik-organiëse verbindings; stowwe, preparate en mengsels wat nie in aërosolpreparate vervat is nie, wat vir plaaslike aanwending aan die vel of slymvliese bedoel is en wat minder as die ekwivalent van 0,6 persent elementale kwik bevat, en uitgesonderd stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.*

Lisosiem wanneer vir aanwending aan die vel bedoel.

*Lobelia-alkaloïde; stowwe, preparate en mengsels wat minder as 0,5 persent daarvan bevat.*

*Lokale anestetika; uitgesonderd wanneer vir oftalmiese en parenterale gebruik bedoel, en uitgesonderd wanneer dit geregistreer is en verkoop word ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947).*

Loodasetaat, uitgesonderd wanneer dit ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Loodpleister en sy samestellings.

*Makrogoleters wanneer vir menslike vaginale gebruik bedoel.*

*Metakresolsulfoonsuur-formaldehyd wanneer vir menslike vaginale gebruik bedoel.*

Metaproterenol, uitgesonderd inasemmiddels en uitgesonderd preparate vir inspuiting en uitgesonderd preparate en mengsels daarvan vir die voorkoming of vertraging van baring bedoel.

Metoksifenamien.

*Mikrofirillêre kollageenhydrochloried.*

Morfien; mengsels wat nie meer as 0,2 persent morfien, bereken as anhidriese morfien, bevat nie.

Mukopolisakkariëd-poliswael-suurester wanneer vir aanwending aan die vel bedoel.

Natriumcromoglikaat.

Natriumpentosanpolisulfaat.

Phenylbutazone, and its derivatives, unless listed in another Schedule, when intended for application to the skin.

Phenylephrine, except ophthalmic preparations containing 0,2 per cent or less of phenylephrine or its salts.

Pholcodine; mixtures containing not more than 2,5 per cent pholcodine.

Pholedrine.

Phospholipids when intended for therapeutic purposes.

*Piperonyl butoxide, except when registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Potassium chloride when intended for intravenous infusion or for injection.

Potassium dichromate.

Propylhexedrine; nose preparations and inhalants thereof.

Pyridoxilate.

Quinine; preparations and mixtures containing more than 1,0 per cent thereof.

*Radix valerianae* and its extracts; preparations and mixtures containing more than 10 per cent thereof.

Rimiterol, except inhalants and except preparations for injection.

*Sabadilla alkaloids; substances, preparations and mixtures containing less than 1,0 per cent thereof.*

Salbutamol, except preparations for injection and except inhalants.

Nikotiensuur; orale medisinale preparate en mengsels daarvan wat meer as 30 milligram per aanbevole daaglikse dosis bevat, uitgesonderd stowwe, preparate en mengsels wat ingevolge die bepaling van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

*Nitrofuraantoiën* wanneer vir aanwending aan die vel bedoel.

Nitrofurason wanneer vir aanwending aan die vel bedoel.

*Nitroskanaat.*

Norkodeïen; mengsels wat nie meer as 2,5 persent norkodeïen bevat nie.

*Oksibendasool.*

Opium; mengsels wat nie meer as 0,2 persent morfien, bereken as anhidriese morfien, bevat nie.

*Papaverien; stowwe, preparate en mengsels wat minder as 0,2 persent daarvan bevat.*

*Piperonielbutoksied; uitgesonderd wanneer dit geregistreer is en verkoop word ingevolge die bepaling van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947).*

Piridoksilaat.

Propielheksedrien; neuspreparate en inasemmiddels daarvan.

*Radix valerianae* en sy ekstrakte; preparate en mengsels wat meer as 10 persent daarvan bevat.

Rimiterol, uitgesonderd preparate vir inspuiting en uitgesonderd inasemmiddels.

*Sabadilla-alkaloïede; stowwe, preparate en mengsels wat minder as 1,0 persent daarvan bevat.*

Salbutamol, uitgesonderd preparate vir inspuiting en uitgesonderd inasemmiddels.

Salmefamol, uitgesonderd inasemmiddels en uitgesonderd preparate vir inspuiting.

\*Solkoseriel, oogpreparate en preparate daarvan wanneer vir aanwending aan die vel bedoel.

*Strignien; preparate en mengsels wat minder as 0,2 persent daarvan bevat, uitgesonderd die stof en*



Salmefamol; except inhalants and except preparations for injection.

Sodium cromoglycate.

Sodium pentosan polysulphate.

\*Solcoseryl; ophthalmic preparations thereof and preparations thereof intended for application to the skin.

*Strychnine; preparations and mixtures containing less than 0,2 per cent thereof, except the substance and except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Sulfonamides when intended for application to the eyes, nares and vagina.

Terbutaline.

Theophylline and its derivatives, unless listed in another Schedule, except preparations for injection and except inhalants

Ticlatone.

*uitgesonderd stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.*

Sulfoonamiede wanneer vir aanwending aan die oë, neusgate en vagina bedoel.

Teofillien en sy derivate, tensy in 'n ander Bylae gelys, uitgesonderd preparate vir inspuiting en uitgesonderd inasemmiddels.

Terbutalien.

Tiklatoon.

## SCHEDULE 2

*All substances referred to in this Schedule include the following:*

- (a) *The salts of such substances where the existence of such salts is possible; and*
- (b) *all preparations and mixtures of such substances where such preparations and mixtures are not expressly excluded.*

*Acetarsol when intended for human vaginal use.*

*Acetylcysteine.*

Aconite alkaloids; substances, preparations and mixtures containing 0,02 per cent or more thereof.

Alkaloids and glycosides; all poisonous alkaloids and glycosides and their salts not specifically named in any Schedule.

Aminopentamide.

## BYLAE 2

*Al die stowwe genoem in hierdie Bylae sluit die volgende in:*

- (a) *Die soute van sodanige stowwe waar die bestaan van sodanige soute moontlik is; en*
- (b) *alle preparate en mengsels van sodanige stowwe waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.*

Akonietalkaloïede; stowwe, preparate en mengsels wat 0,02 persent of meer daarvan bevat.

Alkaloïede en glikosiede; alle giftige alkaloïede en glikosiede en hulle soute, wat nie uitdruklik in enige Bylae genoem word nie.

Aminopentamied.

Amobarbital, siklobarbital, pentobarbital, sekobarbital; preparate en mengsels daarvan wat nie meer as 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat nie wanneer vir aanhoudende gebruik by asma en epilepsie bedoel.

Amobarbital, cyclobarbital, pentobarbital, secobarbital; preparations and mixtures thereof containing not more than 30 milligrams per minimum recommended or prescribed dose, when intended for continued use in asthma and epilepsy.

Antihistaminics, unless listed in another Schedule, except preparations and mixtures thereof when intended specifically for the treatment of travel sickness and for application to the skin.

Antimony potassium tartrate and antimony sodium tartrate; substances, preparations and mixtures containing 1,0 per cent or more thereof.

Antipyrine (phenazone), except preparations and mixtures when intended for application to the skin.

Apomorphine; substances, preparations and mixtures containing 0,2 per cent or more thereof.

Aptocaine.

Arecoline, except preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Arsenic; substances, preparations and mixtures containing the equivalent of 0,01 per cent or more of arsenic trioxide, except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

"AS XVII" (Spasmo-urgenin).

Astropine; substances, preparations and mixtures containing 0,1 per cent or more thereof, except ophtalmic preparations and except preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Belladonna alkaloids; substances, preparations and mixtures containing 0,1 per cent or more thereof, except belladonna plasters.

Benproperine.

*Benzethonium chloride when intended for human vaginal use.*

*Bismuth salts when intended for oral use.*

Antihistaminika, tensy in 'n ander Bylae gelys, uitgesonderd preparate en mengsels wanneer spesiaal vir die behandeling van reissiekte en vir aanwending aan die vel bedoel.

Antimoonkaliumtartraat en antimoonnatriumtartraat; stowwe, preparate en mengsels wat 1,0 persent of meer daarvan bevat.

Antipirien (fenasoon), uitgesonderd preparate en mengsels bedoel vir aanwending aan die vel bedoel.

Apomorfen; stowwe, preparate en mengsels wat 0,2 persent of meer daarvan bevat.

Aptokaiën.

Arekolien, uitgesonderd preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Arseen; stowwe, preparate en mengsels wat die ekwivalent van 0,01 persent of meer arseen-trioksied bevat, uitgesonderd stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

"AS XVII" (Spasmo-urgenin).

*Asetarsol wanneer vir menslike vaginale gebruik bedoel.*

Asetielsisteïen.

Atropien; stowwe, preparate en mengsels wat 0,1 persent of meer daarvan bevat, uitgesonderd oogpreparate daarvan en uitgesonderd preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Belladonna-alkaloïede; stowwe, preparate en mengsels wat 0,1 persent of meer daarvan bevat, uitgesonderd belladonnappleisters.

Benproperien.

*Bensetoniumchloried wanneer vir menslike vaginale gebruik bedoel.*

*Bismutsoute wanneer vir orale gebruik bedoel.*

*Bromhexine.*

*Butinoline.*

Calabar bean alkaloids; substances, preparations and mixtures containing 0,2 per cent or more thereof.

Calcium dobesilate.

Camphorated Opium Tincture BP.

Cantharidin: substances, preparations and mixtures containing 0,01 per cent or more thereof.

Carbocisteine.

Carisoprodol.

*Chlorhexidine when intended for human vaginal use.*

Chlormezanone; mixtures thereof where the maximum recommended or prescribed dose does not exceed 100 milligrams chlormezanone.

Chlorzoxazone.

Cyclandelate.

Cyclopentolate, except ophthalmic preparations thereof.

*Dicyclomine.*

*Difenoxin (or diphenoxyllic acid); mixtures containing, per dosage unit, 0,5 milligram or less of difenoxin, calculated as the base, and a quantity of atropine sulphate equal to at least 5,0 per cent of such quantity of difenoxin, calculated as the base, in the mixture.*

*Diphenoxylate; preparations containing not more than 2,5 milligrams of dephenoxylate, calculated as the base, and not less than 25 micrograms of atropine sulphate per dosage unit.*

Dimenhydrinate except when intended specifically for the treatment of travel sickness.

Dithiazanine

*D-norpseudoephedrine.*

*Emepronium.*

Braakneut; stowwe, preparate en mengsels wat 0,2 persent of meer strignien bevat.

*Bromheksien.*

*Butinolien.*

“Camphorated Opium Tincture BP”

*Chloorheksidien wanneer vir menslike vaginale gebruik bedoel.*

Chloormesanoon; mengsels daarvan waar die maksimum aanbevole of voorgeskrewe dosis nie 100 milligram chloormesanoon oorskry nie.

Chloorsoksasoon.

*Difenoksien (of difenoksiensuur); mengsels wat per doseringseenheid 0,5 milligram of minder difenoksien, as basis bereken, bevat en met 'n hoeveelheid atropiensulfaat, gelyk aan minstens 5,0 persent van die hoeveelheid difenoksien, as basis bereken, in die mengsel.*

*Difenoksilaat; preparate wat hoogstens 2,5 milligram difenoksilaat, as basis bereken, en minstens 25 mikrogram atropiensulfaat per doseringseenheid bevat.*

Dimenhidrinaat, uitgesonderd wanneer spesifiek vir die behandeling van reissiekte bedoel.

*Disiklomien.*

Ditiasanien.

*D-norpseudoefedrien.*

*Efedra-alkaloïede (natuurlik of sinteties), uitgesonderd preparate en mengsels wanneer vir aanwending aan die vel, oë, ore en neusgate bedoel, wat hoogstens 1,0 persent, en ander preparate en mengsels wat hoogstens 30 milligram per dosis efedrien of efedra-alkaloïede bevat.*

*Emepronium.*

*Ergotalkaloïede (natuurlik of sinteties) wanneer vir die behandeling van migraine bedoel.*

*Fenielpropanolamien.*

*Fenasopiridien.*

Flavoksaat.

*Ephedra* alkaloids (natural or synthetic), except preparations and mixtures intended for application to the skin, eyes, ears and nares containing not more than 1,0 per cent and other preparations and mixtures containing not more than 30 milligrams per dose of ephedrine or ephedra alkaloids.

*Ergot alkaloids (natural or synthetic) when intended for the treatment of migraine.*

Flavoxate.

Flucytosine when intended for application to the skin.

\*Fluorides; oral medicinal preparations and mixtures thereof containing 0,25 milligrams or more of fluorine as fluoride per recommended daily dose.

Furazolidone, except preparations thereof intended for addition to animal feeds and except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Gelsemium alkaloids; substances, preparations and mixtures containing 0,1 per cent or more thereof.

Glycopyrronium.

Homatropine; preparations and mixtures containing 0,1 per cent or more thereof, except eye preparations.

Hyoscine; substances, preparations and mixtures containing 0,1 per cent or more thereof.

Inhalants containing carbutoleol, chlorprenaline, epinephrine, fenoterol, hexoprenaline, isoproterenol, metaproterenol, rimiterol, salbutamol, salmefamol or theophylline in any quantity.

Isoaminile.

*Isopropamide.*

Lobelia alkaloids; substances, preparations and mixtures containing 0,5 per cent or more thereof.

*Loperamide.*

\*Fluoriede; orale medisinale preparate en mengsels daarvan wat 0,25 milligram of meer fluoor as fluoried per aanbevole daaglikse dosis bevat.

Flusitosien wanneer vir aanwending aan die vel bedoel.

Furasolidoon, uitgesonderd preparate daarvan as toevoeging tot dierevoedsel bedoel en uitgesonderd stowwe, preparate en mengsels wat in gevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Gelsemiumalkaloïede; stowwe, preparate en mengsels wat 0,1 persent of meer daarvan bevat.

Glikopirronium.

Harsolie van *Aspidium (Filix Mas)*.

Hiossien; stowwe, preparate en mengsels wat 0,1 persent of meer daarvan bevat.

Homatropien; preparate en mengsels wat 0,1 persent of meer daarvan bevat, uitgesonderd oogpreparate.

Inasemmiddels wat chloorprenalien, epinefrien, fenoterol, heksoprenalien, isoproterenol, karbuterol, metaproterenol, rimiterol, salbutamol, salmefamol of teofillien in enige hoeveelheid bevat.

Iso-aminiel.

*Isopropamied.*

Kalabarboontjie-alkaloïede; stowwe, preparate en mengsels wat 0,2 persent of meer daarvan bevat.

Kalsiumdobesilaat.

Kantaridien; stowwe, preparate en mengsels wat 0,01 persent of meer daarvan bevat.

Karbosisteien.

Karisoprodol.

Kwikchloried; stowwe, preparate en mengsels wat 1,0 persent of meer daarvan bevat, uitgesonderd stowwe, preparate en mengsels wat in-

Malathion, except preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Mebendazole, except preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Mebeverine.

*Mepenzolate bromide.*

Mephenesin.

Mercuric chloride; substances, preparations and mixtures containing 1,0 per cent or more thereof, except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Mercury organic compounds; except substances, preparations and mixtures not included in aerosol preparations and intended for application to the skin or mucous membranes, and containing less than the equivalent of 0,6 per cent elemental mercury, and except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Mesna.

*Methenamine (hexamine), except when intended for application to the skin.*

*Methixene.*

Methocarbamol.

Nux Vomica; substances, preparations and mixtures containing 0,2 per cent or more of strychnine.

*Octatropine methylbromide.*

Oleoresin of Aspidium (Filix Mas)

*Orphenadrine.*

*Oxyphencylimine.*

*Oxyphenonium.*

Papaverine; substances, preparations and mixtures containing 0,2 per cent or more thereof.

gevolge die bepalinge van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Kwik-organiese verbindings, uitgesonderd stowwe, preparate en mengsels wat nie in aërosolpreparate vervat is nie, wat vir plaaslike aanwending aan die vel of slymvliese bedoel is en wat minder as die ekwivalent van 0,6 persent elementale kwik bevat, en uitgesonderd stowwe, preparate en mengsels wat ingevolge die bepalinge van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Lobelia-alkaloïede; stowwe, preparate en mengsels wat 0,5 persent of meer daarvan bevat.

*Loperamied.*

Malation, uitgesonderd preparate en mengsels wat ingevolge die bepalinge van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Mebendasool, uitgesonderd preparate en mengsels wat ingevolge die bepalinge van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Mebeverien.

Mefenesien.

*Mepensolaatbromied.*

Mesna.

*Metenamien (heksamien), uitgesonderd wanneer vir aanwending aan die vel bedoel.*

*Metikseen.*

Metokarbamol.

*Oksifenonium.*

*Oksifensiklimien.*

*Oktatropienmetielbromied.*

*Orfenadrien.*

Papaverien; stowwe, preparate en mengsels wat 0,2 persent of meer daarvan bevat.

*Pentoxifylline.*

*Phenazopyridine.*

*Phenylpropanolamine.*

*Pinaverium.*

*Pipenzolate.*

*Pipoxolan.*

*Podophyllum resin; preparations and mixtures containing 20 per cent or less thereof.*

*Poldine methylsulphate.*

*Povidone iodine, when intended for human vaginal use.*

*Prifinium bromide.*

*Procyclidine.*

*Propantheline bromide.*

*Propyphenazone.*

*Pyrodifenium.*

*Sabadilla alkaloids; substances, preparations and mixtures containing 1,0 per cent or more thereof.*

*Strychnine; preparations and mixtures containing 0,2 per cent or more thereof, except the substance and except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

*Trimebutine.*

*Pentoksifillien.*

*Pinaverium.*

*Pipensolaat.*

*Pipoksolaan.*

*Pirodifenium.*

*Podofillumhars; preparate en mengsels wat 20 persent of minder daarvan bevat.*

*Poldienmetielsulfaat.*

*Povidoonjodium wanneer vir menslike vaginale gebruik bedoel.*

*Prifiniumbromied.*

*Propantelienbromied.*

*Propifenasoon.*

*Prosiklidien.*

*Sabadilla-alkaloïde; stowwe, preparate en mengsels wat 1,0 persent of meer daarvan bevat.*

*Siklandelaat.*

*Siklopentolaat; uitgesonderd oogpreparate daarvan.*

*Strigien; preparate en mengsels wat 0,2 persent of meer daarvan bevat, uitgesonderd die stof en uitgesonderd stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.*

*Trimebutien.*

### SCHEDULE 3

*All substances referred to in this Schedule include the following:*

- (a) The salts of such substances, where the existence of such salts is possible; and*
- (b) all preparations and mixtures of such substances where such preparations and mixtures are not expressly excluded.*

*Acebutolol.*

### BYLAE 3

*Al die stowwe genoem in hierdie Bylae sluit die volgende in:*

- (a) Die soute van sodanige stowwe waar die bestaan van sodanige soute moontlik is; en*
- (b) alle preparate en mengsels van sodanige stowwe waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.*

*Adrenalien (epinefrien); ogpreparate daarvan wanneer vir gloukoom bedoel.*

Acetazolamide.	Alklofenak.
Acetohexamide.	Allopurinol.
Adrenaline (epinephrine); ophthalmic preparations thereof when intended for glaucoma.	Alprenolol.
Alclofenac.	Amiloried.
Allopurinol.	Antiolimien wanneer vir inspuiting bedoel.
Alprenolol.	<i>Arsanielsuur.</i>
Amiloride.	Asapropasoon.
Anthiolimine when intended for injection.	Asebutolol.
<i>Arsanilic acid.</i>	Asetasolamied.
Atenolol.	Asetoheksamied.
Atropine; ophthalmic preparations thereof.	Atenolol.
Azapropazone.	Atropien; oogpreparate daarvan.
Beclamide.	Beklamied.
Benfluorex.	Benfluoreks.
<i>Benoxaprofen.</i>	<i>Benoksaprofen.</i>
Benzbromarone.	<i>Bensbromaroon.</i>
Benzydamine.	<i>Bensidamien.</i>
Beta-benzalbutyramide.	<i>Besafibraat.</i>
<i>Beta-galactosidase when intended for therapeutic purposes.</i>	Beta-bensalbutiramied.
Betahistine.	<i>Beta-galaktosidase wanneer vir terapeutiese gebruik bedoel.</i>
<i>Bethanidine.</i>	Betahistien.
<i>Bezafibrate.</i>	<i>Betanidien.</i>
Buflomedil.	Buflomediel.
Buformin.	Buformien.
Bumetanide.	Bumetanied.
Calcium disodium edetate when intended for injection.	Chenodeoksicholiensuur.
Carbachol; ophthalmic preparations thereof when intended for glaucoma.	Chloorasaniel.
<i>Carbenoxolone, except when for application to the oral mucosa.</i>	Chlooreksoloon.
	Chloorpropamied.
	Chloortalidoon.

*Carprofen.*

*Carteolol.*

Chenodeoxycholic acid.

Chlorazaniil.

Chlorexolone.

Chlorothiazide and other derivatives of benzo-1,2,4-thiadiazine-7-sulfonamide-1, 1-dioxide, whether or not hydrogenated, including hydrochlorothiazide, bendrofluazide, benzthiazide, cyclopenthiazide, hydroflumenthiazide, metchlorothiazide and polythiazide.

Chlorpropamide.

Chlorthalidone.

Cholestipol.

Chromonar.

Clofibrate.

\*Copper salts when intended for injection for veterinary use.

Cyclopentolate; ophthalmic preparations thereof.

*Debrisoquine.*

Dichlorphenamide.

Diclophenac sodium.

Diflunisal.

Difalone.

Digitalis; its glycosides and other active principles thereof unless diluted blow one unit (BP) in each 2,0 grams.

Dimercaprol when intended for injection.

Dipyridamole.

*Dipyrocetyl.*

*Dithranol.*

*Escin (aescin), except preparations and mixtures thereof containing 1,0 per cent or less or escin when intended for application to the skin.*

Chloortiasied en ander derivate van benso-1, 2, 4-tiadiasiën-7-sulfoonamied-1,1-dioksied, gehidrogeneer al dan nie, insluitende hidrochloortiasied, bendrofluasied, benstiasied, siklopentiasied, hidroflumetiasied, metchloortiasied en politiasied.

Cholestipol.

Chromonar.

*Debrisokien.*

Dichloorfenamied.

Diflunisal.

Difaloon.

Digitalis; sy glikosiede en ander aktiewe bestanddele daarvan, tensy verdun tot minder as een eenheid (BP) in elke 2,0 gram.

Dimerkaprol wanneer vir inspuiting bedoel.

Dipiridamool.

*Dipirosetiel.*

*Ditranol.*

*Eskien, uitgesonderd preparate en mengsels daarvan wat 1,0 persent of minder eskien bevat wanneer vir aanwending aan die vel bedoel.*

*Eskulien wanneer vir orale gebruik bedoel.*

Etakriensuur.

Etambutol.

Etioonamied wanneer vir orale gebruik bedoel.

*Etisasool.*

Etosuksimied.

Fenbufen.

*Fendilien.*

Fenformien.

Fenitoïen.

Fenklofenak.

*Fenofibraat.*



- Esculin when intended for oral use.*
- Ethacrynic acid.
- Ethambutol.
- Ethionamide when intended for oral use.
- Ethosuximide.
- Etisazol.*
- Fenbufen.
- Fenclofenac.
- Fendiline.*
- Fenofibrate.*
- Fenoprofen.
- Floctafenine.
- Flufenamic acid, except preparations and mixtures thereof when intended for application to the skin.
- Flurbiprofen.
- Furosemide.
- \*Gamma globulines when intended for injection, except injections registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).
- Glafenine.*
- Glibenclamide.
- Glibornuride.
- Glicazide.
- Glimidine.
- Glipizide.
- Guanethidine.
- Guanfacine.*
- Homatropine; ophthalmic preparations thereof.
- Hydroquinone; preparations and mixtures containing more than 2,0 per cent hydroquinone.
- Fenoksimetielpenisillien wanneer vir die voorkoming van rumatiëkkors bedoel.
- Fenoprofen.
- Fisostigmien; oogpreparate daarvan vir gloukoom bedoel.
- Floktafenien.
- Flufenaamsuur, uitgesonderd preparate en mengsels daarvan wanneer vir aanwending aan die vel bedoel.
- Flurbiprofen.
- Furosemied.
- \*Gammaglobuliene wanneer vir inspuiting bedoel, uitgesonderd inspuitings wat ingevolge die bepalinge van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.
- Glafenien.*
- Glibenklamied.
- Glibornuried.
- Glikasied.
- Glimidien.
- Glipisied.
- Guanetidien.
- Guanfasien.*
- Hidrokinoon; preparate en mengsels wat meer as 2,0 persent hidrokinoon bevat.
- Homatropien; oogpreparate daarvan.
- Ibuprofen.
- Indapamied.
- Indometasien.*
- Indoprofen.*
- Insulien, uitgesonderd in noodgevalle.
- Isoniasied en sy derivate, tensy in 'n ander Bylae gelys.

Ibuprofen.	*Isosorbied-dinitraat, uitgesonderd in noodgevalle.
Indapamide.	<i>Ivermektien.</i>
<i>Indomethacin.</i>	Kaliumchloried wanneer vir orale gebruik bedoel waar die aanbevole dosis meer as 13,5 millimol kalium (1 000 mg kaliumchloried) per etmaal is.
Indoprofen.	Kaliumkanrenoaat.
Insulin, except in cases of emergency.	Kalsiumdinatriumedetaat wanneer vir inspuiting bedoel.
Iron salts when intended for injection, except preparations for injection registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).	Karbachol; oogpreparate daarvan in glokoom bedoel.
Isoniazid and its derivatives, unless listed in another Schedule.	<i>Karbenoksoloon, uitgesonderd wanneer vir aanwending aan die orale mukosa bedoel.</i>
*Isosorbide dinitrate, except in cases of emergency.	<i>Karprofen.</i>
<i>Ivermectin.</i>	<i>Karteolol.</i>
Ketoprofen.	Ketoprofen.
Ketotifen.	Ketotifen.
Labetalol.	Klofibraat.
Lidoflazine.	*Kopersoute wanneer vir inspuiting vir veterinêre gebruik bedoel.
<i>Meclofenamic acid.</i>	Labetalol.
Mefenamic acid.	Lidoflasien.
<i>Mesulphene.</i>	Mefenaamsuur.
Metformin.	<i>Meklofenaamsuur.</i>
Methimazole.	<i>Mesulfeen.</i>
Metolazone.	Metformien.
Metoprolol.	Metimasool.
Nadolol.	Metolasoon.
Naftidrofuryl.	Metoprolol.
Naproxen.	Nadolol.
Nifedipine.	Naftidrofuriel.
Niflumic acid.	Naprokseen.
*Nitroglycerine when intended for medicinal use, except in cases of emergency.	

Ornidazole, except when intended for application to the skin.

Oxprenolol.

Oxybutynin.

Para-aminosalicylic acid and its esters.

*Penbutolol.*

Penicillinase when intended for injection.

*Pentaerythritol tetranitrate, except in cases of emergency.*

Phenformin.

Phenoxyethylpenicillin when intended for the prophylaxis of rheumatic fever.

Phenytoin.

Physostigmine; ophthalmic preparations thereof when intended for glaucoma.

Pilocarpine; ophthalmic preparations thereof intended for glaucoma.

Pindolol.

Piracetam.

*Piroxicam.*

*Pirprofen.*

Potassium chloride when intended for oral use where the prescribed dose is more than 13,5 millimol of potassium (1 000 mg of potassium chloride) per 24 hours.

Potassium canrenoate.

Practolol.

Pralidoxime when intended for injection.

Primidone.

Probenecid.

Probutolol.

Proctofene.

Propranolol.

Natriumdiklofenak.

Natriumvalproaat.

Nifedipien.

Niflumiensuur.

\*Nitrogliserien wanneer vir medisinale gebruik bedoel, uitgesonderd in noodgevalle.

Oksibutinien.

Oksiprenolol.

Ornidasool, uitgesonderd wanneer vir aanwending aan die vel bedoel.

Paraäminosalisielsuur en sy esters.

*Penbutolol.*

Penisillinase wanneer vir inspuiting bedoel.

*Penta-eritritoltetrastraat, uitgesonderd in noodgevalle.*

Pilokarpien; oogpreparate daarvan vir gloukoom bedoel.

Pindolol.

Pirasetam.

Pirasinamied wanneer vir orale gebruik bedoel.

Piritioksien.

*Piroksikam.*

*Pirprofen.*

Praktolol.

Pralidoksiem wanneer vir inspuiting bedoel.

Primidoon.

Probenesied.

Probukol.

Proktofeen.

Propranolol.

Proteolitiese ensieme wanneer vir inspuiting bedoel.

Proteolytic enzymes when intended for injection.	Protioonamied wanneer vir orale gebruik bedoel.
Prothionamide when for oral use.	<i>Pygeum africanum</i> (Lipido-steroliesekompleks-ekstrak daarvan).
<i>Pygeum africanum</i> (lipido-sterolic complex extract thereof).	<i>Raubasien</i> .
Pyrazinamide when intended for oral use.	<i>Roksarsoon</i> (3-nitro-4-hidroksifenielarsoon-suur) wanneer vir veteriniere gebruik bedoel.
Pyrithioxin.	Siklopentolaat; oogpreparate daarvan.
<i>Raubasine</i> .	<i>Sinksoute</i> vir orale inname waar die daaglikse dosis meer is as 50 mg elementale sink.
<i>Roxarzone</i> (3-nitro-4-hydroxyphenylarsonic acid) when intended for veterinary use.	*Skildklier en sy aktiewe bestanddele en derivate, tensy in 'n ander Bylae gelys.
Sodium valproate.	<i>Somepirak</i> .
Sotalol.	Sotalol.
Spiroinolactone.	Spiroinolaktoon.
Strophanthus; its glycosides and their hydrolysis products, and their derivatives, unless listed in another Schedule.	Strofantus; sy glikosiede en hulle hidroliese produkte, en hulle derivate, tensy in 'n ander Bylae gelys.
Sulindac.	Sulfinpirasoon.
Suloctidil.	Sulindak.
Sulphinpyrazone.	Suloktidiel.
Sulthiame.	Sultiaam.
<i>Suprofen</i> .	<i>Suprofen</i> .
Terizidone.	Terisidoon.
Thiacetazone.	<i>Tiaprofiensuur</i> .
*Thyroid gland and its active principles and derivatives, unless listed in another Schedule.	Tiasetasoon.
<i>Tiaprofenic acid</i> .	Timilol.
Timolol.	Tolamolol.
Tolamolol.	Tolasamied.
Tolazamide.	Tolbutamied.
Tolbutamide.	Tolmetin.
Tolmetin.	Tretinoien.
Tretinoin.	Triamtireen.
Triamterene.	<i>Trikaïen</i> .

Tricaine.

Trimethadione.

Tropicamide.

*Ursodeoxycholic acid.*

Vitamin A; preparations thereof for injection, except preparations for injection registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act 1947 (Act 36 of 1947).

Vitamin D; preparations thereof for injection and oral preparations and mixtures thereof containing more than 500 i.u. per recommended daily dose, except preparations and mixtures thereof registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

*Xipamide.*

*Zinc salts for oral ingestion where the daily dose is more than 50 mg elemental zinc.*

*Zomepirac.*

Trimetadioon.

Tropikamied.

*Ursodeoksicholiensuur.*

Vitamiën A; preparate daarvan vir inspuiting, uitgesonderd preparate vir inspuiting wat ingevolge die bepalings van die Wet op Misstawe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Vitamiën D; preparate daarvan vir inspuiting en orale preparate en mengsels daarvan wat meer as 500 IE per aanbevole daaglikse dosis bevat, uitgesonderd preparate en mengsels wat ingevolge die bepalings van die Wet op Misstawe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

*Xipamied.*

Ystersoute wanneer vir inspuiting bedoel, uitgesonderd preparate vir inspuiting wat ingevolge die bepalings van die Wet op Misstawe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

#### SCHEDULE 4

*All substances referred to in this Schedule include the following:*

- (a) *The salts of such substances, where the existence of such salts is possible; and*
- (b) *all preparations and mixtures of such substances where such preparations and mixtures are not expressly excluded.*

*Acetarsono diethylamine salt when intended for injection.*

Adrenaline when intended for injection.  
Alcuronium.

*Alphacalcidol.*

Alpha-chymotrypsin when intended for ophthalmic use.

Amantadine.

Amethopterin.

#### BYLAE 4

*Al die stowwe genoem in hierdie Bylae sluit die volgende in:*

- (a) *Die soute van sodanige stowwe waar die bestaan van sodanige soute moontlik is; en*
- (b) *alle preparate en mengsels van sodanige stowwe waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.*

Adrenaliën wanneer vir inspuiting bedoel.

Alfachimotripsien wanneer vir oftalmiese gebruik bedoel.

*Alfakalsidol.*

Alkuronium.

Amantadiën.

Ametopterien.

Amifenasool.

Aminopyrine (Amidopyrine).

*Amiodarone.*

Amiphenazole.

Anticoagulants, except preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947), and except preparations intended for application to the skin.

Antihemophilic Factor.

Antimalarials, except the 4-aminoquinoline, 8-aminoquinoline, diguanide and di-amino-pyrimidine groups of compounds and preparations thereof when intended specifically for malaria prophylaxis.

\*Antimicrobial substances (chemotherapeutic substances) synthesised in nature or the laboratory, being substances used in the specific treatment of infections, except the following when intended for topical application to the epidermis, nares and external ear:

Bacitracin;

clotrimazole;

gramicidin;

natamycin;

nystatin;

polymixin B; and

tyrothricin;

and except when intended to be used as germicides and antiseptics and except phenoxymethylpenicillin when intended for the prophylaxis of rheumatic fever, and except those substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

*Antisera for veterinary use, except antisera registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Aprotinin.

Aminopyrine (Amidopyrine).

*Amiodaroon.*

Antihemofilitiese Faktor.

\*Antimalariamiddels, uitgesonderd die 4-aminokinolien-, 8-aminokinolien-, diguanied- en diaminopirimidiengroepe van verbindings en preparate daarvan wanneer spesifiek vir die voorkoming van malaria bedoel.

\*Antimikrobiese stowwe (chemoterapeutiese stowwe) gesintetiseer in die natuur of in 'n laboratorium, synde stowwe wat gebruik word by die spesifieke behandeling van infeksie, uitgesonderd die volgende wanneer vir aanwending aan die epidermis, neusgate en buite-oor bedoel:

Basitrasien;

gramisidien;

klotrimasool;

natamisien;

nistatien;

polimiksien B; en

tirotrisien;

en uitgesonderd wanneer vir gebruik as kiemdoders en antiseptika bedoel, en uitgesonderd fenoksimeetilpenisillien wanneer vir die voorkoming van rumatiekkoors bedoel en uitgesonderd daardie stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

*Antisera vir veteriniere gebruik; uitgesonderd antisera wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.*

Antistolmiddels, uitgesonderd preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word en uitgesonderd preparate vir aanwending aan die vel bedoel.

Aprotinien.

<i>Arabinosylcytosine.</i>	<i>Arabinosielsitosien.</i>
<i>Arsenamide when intended for injection.</i>	<i>Arseenamied wanneer vir inspuiting bedoel</i>
L-Asparaginase.	Asatioprien.
Azathioprine.	<i>Asetarsoondiëtielamiensout wanneer vir inspuiting bedoel</i>
Baclofen.	L-Asparaginase.
Bee venom, except preparations intended for application to the skin.	Baklofen.
Bemegride.	Bemegried.
Bethanechol.	Betanechol.
Biperiden.	Biperideen.
Bleomycin sulphate.	Bloemisiensulfaat.
Bromocriptine.	Bromokroptien.
Bufenoide.	Bufenoïed.
Bumadizone.	Bumadisoon.
Busulphan.	Busulfan.
<i>Calcitriol.</i>	Byegif, uitgesonderd preparate vir aanwending aan die vel bedoel.
<i>Calcium polystyrene sulfonate when intended for therapeutic purposes.</i>	Chloorambusiel
<i>Captopril.</i>	<i>Chloordantoïen wanneer vir menslike vaginale gebruik bedoel.</i>
Carbachol, except ophthalmic preparations thereof when intended for glaucoma.	Chloorkien wanneer vir antirumatiese gebruik bedoel.
Carbidopa.	Cholestiramienhars.
Carbuterol when intended for injection.	Cisplatin.
Chlorambucil.	Dakarbasiën.
<i>Chlordantoin when intended for human vaginal use.</i>	Daktinomisien (aktinomisien D).
Chloroquine when intended for antirheumatic use.	*Dapsoon en sy derivate, tensy in 'n ander Bylae gelys, uitgesonderd preparate en mengsels spesifiek vir die voorkoming van malaria bedoel.
Cholestyramine resin.	Daunomisien (daunorubisien).
Cimetidine.	Demekarium.
Cisplatin.	Diasoksied.
Clofazimine.	Diëtielkarbamasien.

Clonidine, except preparations and mixtures intended for the treatment of migraine.

Corticosteroids (natural or synthetic).

Cyclofenil.

\*Cyclophosphamide and its derivatives, unless listed in another Schedule.

Cytarabine.

Dacarbazine.

Dactinomycin (actinomycin D).

Dantrolene sodium.

\*Dapsone and its derivatives, unless listed in another Schedule, except preparations intended specifically for malaria prophylaxis.

Daunomycin (daunorubicin.)

Demecarium.

Diazoxide.

Diethylcarbamazine.

Dihydralazine.

Dihydrotachysterol.

Di-isopropyl fluorophosphate.

Dilazep.

Diloxaniede Furoate.

Dimethyl sulfoxide.

Dinitrophenol.

Diphemethoxidine.

Diphenidol.

Diprenorphine.

Disopyramide.

Distigmine.

Disulfiram.

Ditazol.

Dobutamine.

Difemetoksiden.

Difenidol.

Dihidralasien.

Dihidrotagisterol.

Di-isopropielfluorfosfaat.

Dilasep.

Diloksaniedfuroaat.

Dimetielsulfoksied.

Dinitrofenol.

Diprenorfien.

Disopiramied.

Distigmien.

Disulfiram.

Ditasol.

Dobutamien.

Doksapram.

Domperidoon.

Dopa.

Dopamien

Edrofonium.

Ekonasool, uitgesonderd preparate en mengsels vir aanwending aan die vel bedoel.

Emetien, uitgesonderd stowwe, preparate en mengsels wat minder as 0,2 persent alkaloïede, bereken as emetien, bevat.

Erogatalkaloïede (natuurlik of sinteties), uitgesonderd preparate en mengsels daarvan wanneer vir die behandeling van migraine bedoel.

Estramustien.

*Etofamied.*

*Etoklusied.*

*Etoposied.*

Fasadinium.



- Domperidone.
- Dopa.
- Dopamine.
- Doxapram.
- Econazole, except preparations and mixtures when intended for application to the skin.
- Edrophonium.
- Emetine, except substances, preparations and mixtures containing less than 0,2 per cent of alkaloids, calculated as emetine.
- Ergot alkaloids (natural or synthetic), except preparations and mixtures thereof when intended for the treatment of migraine.
- Estramustine.
- Ethoglucid.*
- Etofamide.*
- Etoposide.*
- Fazadinium.
- Fenchlorphos, except preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).
- Fenoterol when intended for the prevention or delay of labour and preparations thereof intended for injection.
- Flucytosine, except preparations and mixtures intended for application to the skin.
- Flunisolide.
- 5-Fluorouracil.
- Flutamide.*
- Furazolidone when intended for addition to animal feeds.
- Gailamine.
- Halofenate.
- Halogenated hydroxyquinolines.*
- Heptaminol.
- \*Fenasetien, uitgesonderd preparate en mengsels vir uitwendige gebruik bedoel en wat nie meer as 0,1 persent fenasetien as stabiliseerder bevat nie.
- Fenchloorfos, uitgesonderd preparate en mengsels wat ingevolge die bepalinge van die Wet op Misstawwe, Veevoedsel, Landboumiddels en Vee-middels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.
- \*Feniëlbutasoon en sy derivate, tensy in 'n ander Bylae gelys, uitgesonderd preparate vir aanwending aan die vel bedoel.
- Fenoksibensamien.
- Fenopirasoon.
- Fenoterol wanneer vir die voorkoming of vertraging van baring bedoel en preparate daarvan vir inspuiting bedoel.
- Fentolamien.
- Fisostigmien, uitgesonderd oogpreparate vir gloukoom bedoel.
- Flunisolied.
- 5-Fluorourasiel.
- Flusitosien, uitgesonderd preparate en mengsels vir aanwending aan die vel bedoel.
- Flutamied.*
- Furasolidoon wanneer as toevoeging tot dierevoedsels bedoel.
- Gallamien.
- Gehalogeneerde hidroksikinoliene.*
- Halofenaat.
- Heksoprenalien wanneer vir die voorkoming of vertraging van baring bedoel en preparate daarvan vir inspuiting bedoel.
- Heotaminol.
- Hialuroonsuur-B.
- Hidralasien.
- Hidroksi-ureum.
- Hikantoon.*

Hexoprenaline when intended for the prevention or delay of labour and preparations thereof intended for injection.

Hormones (natural or synthetic), except those preparations and mixtures intended for application to the skin, and except preparations for human vaginal use, and except substances registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947), and except insulin and epinephrine (adrenaline).

Hyaluronic acid-B.

*Hycanthone.*

Hydralazine.

Hydroxyurea.

Idoxuridine.

Indoramin.

*Isoconazole, except when intended for application to the skin.*

Isopirin.

Isoprenaline (isoproterenol) when intended for injection.

*Ketoconazole.*

*Lactobacillus acidophilus and L. bifidus when intended for therapeutic purposes.*

Levallorphan.

Levamisole, except substances, preparations and mixtures thereof registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

\*Local anaesthetics when intended for ophthalmic and parenteral use, except when registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Lomustine.

Lysozyme, except preparations and mixtures intended for application to the skin.

Mecamylamine.

Hormone (natuurlik of sinteties), uitgesonderd preparate en mengsels vir aanwending aan die vel bedoel en uitgesonderd preparate vir menslike vaginale gebruik bedoel en uitgesonderd stowwe wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word, en uitgesonderd insulien en epinefrien (adrenalien).

Idoksuridien

Indoramien.

*Isokonasool, uitgesonderd wanneer vir aanwending aan die vel bedoel*

Isopirien.

Isoprenalien (isoproterenol) wanneer vir inspuiting bedoel.

Kalsitriol.

*Kalsiumpolistireensulfonaat wanneer vir terapeutiese gebruik bedoel.*

*Kaptopril.*

Karbachol, uitgesonderd oogpreparate daarvan vir gloukoom bedoel.

Karbidopa.

Karbuterol wanneer vir inspuiting bedoel.

*Ketokonasool.*

*Klofasimien.*

Klonidien, uitgesonderd preparate en mengsels vir die behandeling van migraine bedoel.

Kortikosteroïede (natuurlik of sinteties).

Kwik; preparate en mengsels wat kwikmetaal bevat wat vir medisinale gebruik bedoel is.

*Lactobacillus acidophilus en L. bifidus wanneer vir terapeutiese gebruik bedoel.*

Levallorfan.

Levamisool, uitgesonderd stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

*Melarsoprol when intended for injection.*

\*Melphalan and its derivatives, unless listed in another Schedule.

Mephentermine.

Mepirizole.

2-Mercaptopropionyl glycine.

\*6-Mercaptopurine and its derivatives, unless listed in another Schedule.

Mercury; preparations and mixtures containing mercury metal intended for medicinal use.

Metaproterenol when intended for the prevention or delay of labour and preparations thereof intended for injection.

*Methacholine.*

Methamprone.

Methoxsalen.

Methyldopa and its esters.

Methysergide.

Metoclopramide.

Metronidazole.

Mexiletine.

Miconazole, except preparations and mixtures intended for application to the skin.

*Minoxidil.*

Mofebutazone.

Morazone.

Morphethylbutyne.

Mucopolysaccharide poly-sulphyric acid ester, except preparations and mixtures intended for application to the skin.

*Nalidixic acid.*

Nalorphine.

Naloxone.

Nefopam.

Lisosiem, uitgesonderd preparate en mengsels vir aanwending aan die vel bedoel.

Lokale anestetika, wanneer vir oftalmiese en parenterale gebruik bedoel, uitgesonderd wanneer dit ingevolge die bepaling van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Lomustien.

Mefentermien.

Mekamilamien.

Meksilitien.

*Melarsoprol wanneer vir inspuiting bedoel.*

\*Melfalan en sy derivate, tensy in 'n ander Bylae gelys.

Mepirisool.

2-Merkaptopropionielglisien.

\*6-Merkaptopurien en sy derivate, tensy in 'n ander Bylae gelys.

*Metacholien.*

Metampiroon.

Metaproterenol wanneer vir die voorkoming of vertraging van baring bedoel en preparate daarvan vir inspuiting bedoel.

Metieldopa en sy esters.

Metisergied.

Metoklopramied.

Metoksalen.

Metronidasool.

Mikonasool, uitgesonderd preparate en mengsels vir aanwending aan die vel bedoel.

*Minoksidil.*

Mofebutasoon.

Morasoon.

Morfasienamied.

Morfetielbutyn.

Neostigmine.

Nifuratel.

Nikethamide.

Nimorazole.

Niridazole.

Nitrofurantoin, except preparations thereof intended for application to the skin and except preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Nitrofurazone, except preparations intended for application to the skin and except preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Nitroxoline.

Obidoxime.

Oxamniquine.

Oxolinic acid.

Pancuronium.

Penicillamine.

Pentamidine isethionate.

Perhexiline.

\*Phenacetin, except preparations and mixtures intended for external use and containing not more than 0,1 per cent phenacetin as stabilizer.

Phenopyrazone.

Phenoxybenzamine.

Phentolamine.

\*Phenylbutazone and its derivatives, unless listed in another Schedule, except preparations intended for application to the skin.

Physostigmine, except ophthalmic preparations thereof when intended for glaucoma.

Picrotoxin.

Mukopolisakkaried-poliswaelsuurester, uitgesonderd preparate en mengsels vir aanwending aan die vel bedoel.

*Nalidiksiensuur.*

Naloksoon.

Nalorfien.

Natriumaurotiomalaat.

Natriumdantrolien.

Natriumdihidro-asapentaseenpolisulfonaat.

Natriumnitoprussied.

Nefopam.

Neostigmien.

Nifuratel.

Niketamied.

Nimorasool.

Niridasool.

Nitrofurantoiën, uitgesonderd preparate daarvan vir aanwending aan die vel bedoel en uitgesonderd preparate en mengsels wat ingevolge die bepalings van die Wet op Misstawwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Nitrofurason, uitgesonderd preparate vir aanwending aan die vel bedoel en uitgesonderd preparate en mengsels wat ingevolge die bepalings van die Wet op Misstawwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Nitroksolien.

Obidoksiem.

Oksamnikien.

Oksoliensuur.

Pankuronium.

Penisillamien.

Pentamidiensetionaat.

Perheksilien.

Pilocarpine, except ophthalmic preparations thereof intended for glaucoma.

*Pipemidic acid.*

Piribedil.

Piromidic acid.

*Podophyllum resin; preparations and mixtures containing more than 20 per cent podophyllum resin.*

Polyglycerylene-dextran.

*Praziquantel, except when registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Prazosin.

Procaine amide.

Procarbazine.

Proquazone.

Propylhexedrine; except when used as a vasoconstrictor and decongestant in nose preparations and in inhalants.

Pyridinolcarbamate.

Pyridostigmine.

*\*Rauwolfia serpentina and R. vomitoria.*

*Reserpine (natural and synthetic.)*

Rimiterol when intended for injection.

*Ritodrine.*

Salbutamol when intended for injection.

Salmefamol when intended for injection.

Sodium aurothiomalate.

Sodium dihydroazapentacene polysulfurafte

Sodium nitroprusside.

*\*Solcoseryl, except ophthalmic preparations thereof and except preparations intended for application to the skin.*

Pikrotoksien.

Pilokarpieën, uitgesonderd oogpreparate daarvan vir gloukoom bedoel.

*Pipemidiensuur.*

Piribedil.

Piridinolkarbamaat.

Piridostigmien.

Piromidiensuur.

*Podofillumhars; preparate en mengsels wat meer as 20 persent podofillumhars bevat.*

Poligliserileendekstran.

*Prasikwantel, uitgesonderd wanneer dit geregistreer is en verkoop word ingevolge die bepalings van die Wet op Misstawwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947).*

Prasosien.

Prokaïenamied.

Prokarbasien.

Prokasoon.

Propielheksedrien, uitgesonderd wanneer as 'n bloedvaatvernouer en ontstuer in neuspreparate en inasemmiddels gebruik word.

*\*Rauwolfia serpentina en R. vomitoria.*

*Reserpien (natuurlik of sinteties).*

*Rimiterol wanneer vir inspuiting bedoel.*

*Ritodrien.*

Salbutamol wanneer vir inspuiting bedoel.

Salmefamol wanneer vir inspuiting bedoel.

Siklofeniel.

*\*Siklofosfamied en sy derivate, tensy in 'n ander Bylae gelys.*

Simetidien.

Sitarabien.

*Strychnine, except preparations and mixtures thereof and except preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Styramate.

Sulfonamides, except those substances, preparations and mixtures intended for application to the eyes, nares and vagina, and except those substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Suramin.

Suxamethonium.

Suxethonium.

Tamoxifen.

Teniposide.

Tetramisole, except substances, preparations and mixtures registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

\*Theophylline and its derivatives, unless listed in another Schedule, when intended for injection.

Thiabendazole, except preparations and mixtures which are registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Thioguanine.

Tinidazole.

Tranexamic acid.

Triethylene thiophosphoramidate.

Trifluorothymidine.

Trimethoprim.

Trioxsalen.

Tromantadine.

Tubocurarine.

\*Solkoseriel, uitgesonderd oogpreparate daarvan en uitgesonderd preparate vir aanwending aan die vel bedoel.

Stiramaat.

*Strignien, uitgesonderd preparate en mengsels daarvan en uitgesonderd preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.*

Suksametonium.

Suksetonium.

Sulfoonamiede, uitgesonderd daardie stowwe, preparate en mengsels vir aanwending aan die oë, neusgate en vagina bedoel; en uitgesonderd daardie stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Suramien.

Tamoksifeen.

Teniposied.

\*Teofillien en sy derivate, tensy in 'n ander Bylae gelys, wanneer vir inspuiting bedoel.

Tetramisool, uitgesonderd stowwe, preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Tiabendasool, uitgesonderd preparate en mengsels wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.

Tinidasool.

Tioguanien.

Traneksamiensuur.

Triëtileentiofosforamid.

Trifluorotimidien.

Trimetoprim.

Trioksaleen.

Urethane.

Urokinase.

Vanillic acid diethylamide.

Verapamil (iproveratriel).

Veratrum alkaloids.

*Vaccines for veterinary use, except vaccines registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).*

Vidarabine.

Vinblastine.

Vincamine.

Vincristine.

Vindesine.

Tromantadien.

Tubokurarien.

Uretaan.

Urokinase.

Vanilliensuurdiëtielamied.

Verapamiel (iproveratriel).

Veratrum-alkaloïede.

*Vaksiene vir veterinêre gebruik, uitgesonderd vaksiene wat ingevolge die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.*

Vidarabien.

Vinblastien.

Vindesien.

Vinkamien.

Vinkristien.

## SCHEDULE 5

*All substances referred to in this Schedule include the following:*

- (a) *The salts of such substances, where the existence of such salts is possible; and*
- (b) *all preparations and mixtures of such substances where such preparations and mixtures are not expressly excluded.*

\*Amitriptyline and its derivatives, unless listed in another Schedule.

Amoxapine.

Anaesthetic preparations containing pregnanedione derivatives.

Aponal.

Apronalide.

Azacyclonol.

## BYLAE 5

*Al die stowwe genoem in hierdie Bylae sluit die volgende in:*

- (a) *Die soute van sodanige stowwe waar die bestaan van sodanige soute moontlik is; en*
- (b) *alle preparate en mengsels van sodanige stowwe waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.*

\*Amitriptilien en sy derivate, tensy in 'n ander Bylae gelys.

Amoksapien.

Anestetiese preparate wat pregnaandioonderivate bevat.

Aponal.

Apronalied.

Asasiklonol.

\*Barbituric acid and its derivatives, unless listed in another Schedule, except amobarbital, cyclobarbital, pentobarbital, secobarbital, except preparations and mixtures containing not more than 30 milligrams per minimum recommended or prescribed dose, when intended for continued use in asthma and containing not more than 50 milligrams per minimum recommended or prescribed dose, when intended for continued use in epilepsy.

\*Benactyzine and its derivatives, unless listed in another Schedule.

Benfluramate.

Benzoctamine.

\*Benzodiazepines and their derivatives, unless listed in another Schedule.

Benzquinamide.

\*Beta-aminopropylbenzene and beta-aminoisopropylbenzene, any compound structurally derived from either of these substances by substitution in the side chain or by ring closure therein (or by both such substitution and such ring closure) and any salt or substance falling under the above, except preparations and mixtures of the above when as vasoconstrictors and decongestants in antihistamine nose and eye preparations and except when contained in appliances for inhalation in which the substance is absorbed in solid material and except d-norpseudoephedrine, ephedrine, etafedrine, N-methylephedrine, N-diethylaminoethylephedrine, phenylpropanolamine, prenylamine and preparations and mixtures thereof and except substances listed in Schedule 8 and 9.

\*Bromides; preparations and mixtures thereof containing 80 milligrams or more bromine as bromide per recommended daily dose, except when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.

Bromisovalum.

Butriptyline.

Butyrophenones.

Carbamazepine.

Carbromal.

\*Barbituursuur en sy derivate, tensy in 'n ander Bylae gelys, uitgesonderd amobarbital, siklobarbital, pentobarbital, sekobarbital, uitgesonderd preparate en mengsels wat hoogstens 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat wanneer vir aanhoudende gebruik by asma bedoel, en hoogstens 50 milligram per minimum aanbevole of voorgeskrewe dosis bevat wanneer vir aanhoudende gebruik by epilepsie bedoel.

\*Benaktisien en sy derivate, tensy in 'n ander Bylae gelys.

Benfluramaat.

Benskinamied.

\*Bensodiasepiene en hul derivate, tensy in 'n ander Bylae gelys.

Bensoktamien.

\*Beta-aminopropielbenseen en beta-aminoisopropielbenseen, enige verbinding struktureel afkomstig van enigeen van hierdie twee stowwe deur substitusie in die syketting of deur ringsluiting daarin (of deur sodanige substitusie sowel as ringsluiting) en enige sout of stof wat hieronder val, uitgesonderd preparate of mengsels van bostaande wanneer dit gebruik word as bloedvaatvernouers en ontstuwings in antihistamienneus- en -oogpreparate, en uitgesonderd wanneer dit voorkom in inasemtoestelle waarin die stof in soliede materiaal geabsorbeer is, en uitgesonderd d-norpseudoefedrien, N-diëtielaminoëtieliefedrien, efedrien, etafedrien, fenielpropanolamien, N-metieiefedrien, prenilamien, en preparate en mengsels daarvan en uitgesonderd stowwe gelys in Bylaes 8 en 9.

Bromisovalum.

\*Bromiede; preparate en mengsels daarvan wat 80 milligram of meer broom as bromied per aanbevole daaglikse dosis bevat, uitgesonderd wanneer spesifiek vir industriële en nie-medisinale laboratoriumdoelindes verpak, geëtiketteer en gebruik word.

Butirofenone.

Butriptilien.



\*Chloral derivatives, unless listed in another Schedule.

Chlormezanone, except mixtures thereof where the maximum recommended or prescribed dose does not exceed 100 milligrams chlormezanone.

Chlorprothixene.

Clomacran.

Clomethiazole.

Clopenthixol.

Clothiapine.

Clozapine.

Cyclobenzaprine.

\*Deanol and its derivatives, unless listed in another Schedule, except when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.

\*Dextropropoxyphene; preparations and mixtures for oral use containing not more than 135 milligrams of dextropropoxyphene, calculated as the base, per dosage unit or with a concentration of not more than 2,5 per cent in undivided preparations.

Dithiepin.

Doxepin.

Drostanolone.

Echothiopate.

Emylcamate.

Enflurane.

Ethchlorvynol.

\*Ethinamate and its derivatives, unless listed in another Schedule.

Etodroxizine, except preparations and mixtures thereof when used solely as an antihistaminic.

Etomidate.

Fencamfamine.

Fenfluramine.

Flupenthixol.

Chloormesanoon, uitgesonderd mengsels daarvan waar die maksimum aanbevole of voorgeskrewe dosis nie 100 milligram chloormesanoon oorskry nie.

Chloorprotikseen.

\*Chloraalderivate, tensy in 'n ander Bylae gelys.

\*Deanol en sy derivate, tensy in 'n ander Bylae gelys, uitgesonderd wanneer spesifiek vir industriële en nie-medisinale laboratoriumdoeleindes verpak, geëtiketteer en gebruik word.

\*Dekstropoksifeen; preparate en mengsels vir orale gebruik wat hoogstens 135 milligram dekstropoksifeen, as basis bereken, per doseringseenheid of met 'n konsentrasie van hoogstens 2,5 persent in onverdeelde preparate bevat.

Doksepien.

Dotiëpien.

Drostanoloon.

Echotiopaat.

Emilkamaat.

Enfluraan.

Etchloorvinol.

\*Etinamaat en sy derivate, tensy in 'n ander Bylae gelys.

Etodroksisien, uitgesonderd preparate en mengsels daarvan wanneer uitsluitlik as 'n antihistamien gebruik word.

Etomidaat.

Fenetiëhidrasien.

Fenfluramien.

Fenkamfamien.

\*Fenotiasien en sy derivate, tensy in 'n ander Bylae gelys, uitgesonderd preparate en mengsels wat prometasiën of dimetotiasien of hulle soute bevat wanneer dit uitsluitlik as 'n antihistamien gebruik word, en

Fluspirilene.	uitgesonderd preparate wat prometasiën of sy soute bevat, wanneer dit spesiaal vir die behandeling van reissiekte of vir aanwending aan die vel bedoel is, en uitgesonderd fenotiasien wat ingevolge die bepalings van die Wet op Misstawwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer is en verkoop word.
Halothane.	Fentermien.
*Hedonal and its esters, except when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.	Flupentiksol.
Heminevrin.	Fluspirileen.
Hydroxyzine.	Halotaan.
*Imipramine and its derivatives, unless listed in another Schedule.	*Hedonal en sy esters, uitgesonderd wanneer spesifiek vir industriële en nie-medisinale laboratoriumdoeleindes verpak, geëtiketteer en gebruik word.
Iproniazid.	Heminevrin.
Isoflurane.	Hidroksisien.
Ketamine.	*Imipramien en sy derivate, tensy in 'n ander Bylae gelys.
Lithium salts when intended for medicinal use.	Iproniasied.
Lofepamine, 404,	Isofluraan.
Loxapine.	Karbamasepien.
Maprotiline.	Karbromaal.
Mazindol	Ketamien.
*Meclorethamine and its derivatives, unless listed in another Schedule.	Klomakran.
Meclofenoxate.	Klometiasool.
Melitracene.	Klopentiksol.
Mephenoxalone.	Klosapien.
Meprobamate.	Klotiapien.
Methoxyflurane.	Litiumsoute wanneer vir medisinale gebruik bedoel.
Methoxyflurane.	<i>Lofepramien.</i>
Methyprylone.	Loksapien.
Mianserin.	Maprotilien.
Molindone.	Masindool.
Nomifensine.	
Oxypertine.	
Paraldehyde.	
Pargyline.	

Pemoline and its Complexes

Phenethylhydrazine.

\*Phenothiazine and its derivatives, unless listed in another Schedule, except preparations and mixtures containing promethazine or dimethothiazine or their salts when used solely as an antihistaminic, and except preparations containing promethazine or its salts when specially intended for the treatment of travel sickness or application to the skin, and except phenothiazine registered and sold under the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

Phentermine.

Pimethixene, except preparations and mixtures thereof when used solely as an antihistaminic.

Pimozide.

Pipradol.

\*Pizotifen, except preparations and mixtures thereof when used solely as an antihistaminic or when intended for the prophylaxis of migraine.

Prolintane.

Propanidid.

Sulfonmethane.

Sulpyride.

Tiapride.

Thiuanosine.

Thiothixene.

Tranlycypromine.

Trazodone.

Trihexyphenidyl.

\*Mechlooretamien en sy derivate, tensy in 'n ander Bylae gelys.

Mefenoksaloon.

Meklofenoksaat.

Melitraseen.

Meprobamaat.

Metipriloon.

Metoksifluraan.

Mianserien.

Molindoon.

Nomifensien.

Oksipertien.

Paraldehyd.

Pargilien.

Pemolien en sy komplekse.

Pimetikseen, uitgesonderd preparate en mengsels daarvan wanneer uitsluitlik as 'n antihistamien gebruik word.

Pimosied.

Pipradol.

\*Pisotifen, uitgesonderd preparate en mengsels daarvan wanneer uitsluitlik as 'n antihistamien gebruik word of wanneer vir die voorkoming van migraine bedoel.

Prolintaan.

Propanidied.

Siklobensaprien.

Sulfonmetaan.

Sulpiried.

Tiapried.

Tioguanosien.

Tiotikseen.

Tranielsipromien.

\*L-Tryptophan when intended for medicinal use, except when used for nutritional purposes in injections.

Viloxazine.

*Xylazine.*

Trasodoon.

Triheksifenidiel.

\*L-Triptofaan wanneer vir medisinale gebruik bedoel, uitgesonderd wanneer as voedingsmiddel in inspuitings gebruik word.

Viloksasien.

*Xilasien.*

#### SCHEDULE 6

*All substances referred to in this Schedule include the following:*

- (a) *The salts of such substances where the existence of such salts is possible; and*
- (b) *all preparations and mixtures of such substances where such preparations and mixtures are not expressly excluded.*

Amobarbital, cyclobarbital, pentobarbital, secobarbital; except preparations and mixtures containing not more than 30 milligrams per minimum recommended or prescribed dose when intended for continued use in asthma and epilepsy.

Chlorphentermine.

Diethylpropion (amfepramone).

Glutethimide.

Pentazocine.

#### SCHEDULE 7

*All substances referred to in this Schedule include the following:*

- (a) *The isomers of such substances where the existence of such isomers is possible in the specific chemical compound;*
- (b) *the esters and ethers of such substances and of the isomers thereof where the existence of such esters and ethers is possible;*

#### BYLAE 6

*Al die stowwe genoem in hierdie Bylae sluit die volgende in:*

- (a) *Die soute van sodanige stowwe waar die bestaan van sodanige soute moontlik is; en*
- (b) *alle preparate en mengsels van sodanige stowwe waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.*

Amobarbital, pentobarbital, sekobarbital, siklobarbital; uitgesonderd preparate en mengsels wat nie meer as 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat nie, wanneer vir aanhoudende gebruik by asma en epilepsie bedoel.

Chloorfentermien.

Diëtielpropioon (amfepramoon).

Glutetimied.

Pentasosien.

#### BYLAE 7

*Al die stowwe genoem in hierdie Bylae sluit die volgende in:*

- (a) *Die isomere van sodanige stowwe waar die bestaan van sodanige isomere in die bepaalde chemiese verbinding moontlik is;*
- (b) *die esters en eters van sodanige stowwe en van die isomere daarvan waar die bestaan van sodanige esters en eters moontlik is;*

(c) the salts of such substances and of the isomers thereof, and the esters and ethers of such substances and of the isomers thereof, where the existence of such salts is possible; and

(d) all preparations and mixtures of such substances where such preparations and mixtures are not expressly excluded.

Acetorphine.

Acetyldihydrocodeïne; except mixtures containing not more than 2,5 per cent of acetyldihydrocodeïne.

Acetylmethadol.

Allyprodine.

Alphacetylmethadol.

Alphameprodine.

Alphamethadol.

Alphaprodine.

Anileridine.

Benzethidine.

Benzphetamine.

Benzylmorphine.

Betacetylmethadol.

Betameprodine.

Betamethadol.

Betaprodine.

Bezitramide.

Chlorodyne (Tincture of Chloroform and Morphine BP 1980) or any preparation of mixture thereof described as chlorodyne and containing morphine in any proportion, except mixtures containing not more than 5,0 per cent Chlorodyne in combination with other medicines in such a manner that it cannot be recovered by readily applicable means or in a yield that would constitute a risk to public health.

(c) die soute van sodanige stowwe en van die isomere daarvan en die esters en eters van sodanige stowwe en van die isomere daarvan waar die bestaan van sodanige soute moontlik is; en

(d) alle preparate en mengsels van sodanige stowwe waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.

Alfameprodien.

Alfametadol.

Alfaprodien.

Alfasetielmetadol.

Allielprodien.

Anileridien.

Asetieldihidrokodeïen; uitgesonderd mengsels wat hoogstens 2,5 persent asetieldihidrokodeïen bevat.

Asetielmetadol.

Asetorfien.

Bensetidien.

Bensfetamien.

Bensielmorfien.

Besitramied.

Betameprodien.

Betametadol.

Betaprodien.

Betasetielmetadol.

Chlorodien (Tinktuur van Chloroform en Morfien BP 1980) of enige preparaat of mengsel daarvan beskryf as chlorodien en wat morfien in enige verhouding bevat, uitgesonderd mengsels wat hoogstens 5,0 persent chlorodien in samestelling met ander medisinale bestanddele op so 'n wyse bevat dat dit nie maklik of in sodanige mate herwin kan word dat dit 'n gevaar vir die openbare gesondheid inhou nie.

- Clonitazene.
- Cocaine: except mixtures containing not more than 0,1 per cent of cocaine, calculated as cocaine alkaloid.
- Codeine (methymorphine); except mixtures containing not more than 2,5 per cent of codeine.
- Codoxime.
- Concentrate of poppy straw.
- Desomorphine.
- Dextromoramide.
- Dextropropoxyphene; except preparations and mixtures for oral use containing not more than 135 milligrams of dextropropoxyphene, calculated as base, per dosage unit or with a concentration of not more than 2,5 per cent in undivided preparations.*
- Diampromide.
- Diethylthiambutene.
- Difenoxin (or diphenoxylate); except mixtures containing, per dosage unit 0,5 milligram or less of difenoxin, calculated as the base, and a quantity of atropine sulphate equal to at least 5,0 per cent of such quantity of difenoxin, calculated as the base, in the mixture.
- Dihydrocodeine; except mixtures containing not more than 2,5 per cent of dihydrocodeine.
- Dihydromorphine.
- Dimenoxadol.
- Dimepheptanol.
- Dimethylthiambutene.
- Dioxaphethyl butyrate.
- Diphenoxylate; except preparations containing not more than 2,5 milligrams of diphenoxylate, calculated as the base, and not less than 25 micrograms of atropine sulphate per dosage unit.
- Dipipanone.
- Drotebanol.*
- Dekstromoramied.
- Dekstropropoksifeen; uitgesonderd preparate en mengsels vir orale gebruik wat hoogstens 135 milligram dekstropropoksifeen, as basis bereken, per doseringseenheid bevat of met 'n konsentrasie van hoogstens 2,5 persent in onverdeelde preparate.*
- Desomorfen.
- Diampromied.
- Diëtieltiambuteen.
- Difenoksien (of difenoksiensuur); uitgesonderd mengsels wat per doseringseenheid 0,5 milligram of minder difenoksien, as basis bereken, bevat, en met 'n hoeveelheid atropiensulfaat, gelyk aan minstens 5,0 persent van bedoelde hoeveelheid difenoksien, as basis bereken, in die mengsel.
- Defenoksilaat; uitgesonderd preparate wat hoogstens 2,5 milligram difenoksilaat, as basis bereken, en minstens 25 mikrogram atropiensulfaat per doseringseenheid bevat.
- Dihidrokodeïen; uitgesonderd mengsels wat hoogstens 2,5 persent dihidrokodeïen bevat.
- Dihidromorfen.
- Dimefeptanol.
- Dimenoksadol.
- Dimetieltiambuteen.
- Dioksafetielbutiraat.
- Dipipanoon.
- Drotebanol.*
- Ekgonien, en die esters en derivate daarvan wat veranderbaar is in ekgonien en kokaïen.
- Etielmetieltiambuteen.
- Etielmorfen; uitgesonderd mengsels wat hoogstens 2,5 persent etielmorfen bevat.
- Etokseridien.
- Etonitaseen.
- Etorfen.

Ecgonine, and the esters and derivatives thereof that are convertible to ecgonine and cocaine.

Ethylmethylthiambutene.

Ethylmorphine; except mixtures containing not more than 2,5 per cent of ethylmorphine.

Etonitazene.

Etorphine.

Etoxeridine.

Fenproporex.

Fentanyl.

Furethidine.

Hydrocodone (dihydrocodeinone).

Hydromorfinol (14-hydroxydihydromorphine).

Hydromorphone (dihydromorphinone).

Hydroxypethidine.

Isomethadone.

Ketobemidone.

Levomoramide.

Levophenacymorphan.

Levorphanol.

Mecloqualone.

Mefenorex.

Metazocine.

Methadone.

Methadone-intermediate.

Methorphan, including levomethorphan and racemethorphan, but excluding dextromethorphan.

Methyldesorphine.

Methyldihydromorphine.

\*Methylphenidate and its derivatives, unless listed in another Schedule.

Fenadoksoon.

Fenampromied.

Fenasosien.

Fendimetrasien.

Fenomorfaan.

Fenoperidien.

Fenproporeks.

Fentaniel.

Folkdien; uitgesonderd mengsels wat hoogstens 2,5 persent folkodien bevat.

Furetidien.

Hidrokodeon (dihidrokodeïnoon).

Hidroksipetidien.

Hidromorfinol (14-hidroksidhidromorfien).

Hidromorfoon (dihidromorfinoon).

Isometadoon.

Ketobemidoon.

Klonitaseen.

Kodeïen (metiëlmorfien); uitgesonderd mengsels wat hoogstens 2,5 persent kodeïen bevat.

Kodoksiem,

Kokaïen; uitgesonderd mengsels wat hoogstens 0,1 persent kokaïen, bereken as kokaïenalkaloïed, bevat.

Levofenasiëlmorfaan.

Levomoramied.

Levorfanol.

Mefenoreks.

Meklokaloon.

Metadoon.

Metadoon-intermediër.

- Metopon.
- Moramide-intermediate.
- Morpheridine.
- Morphine; except preparations and mixtures of morphine containing not more than 0,2 per cent of morphine, calculated as anhydrous morphine, and except mixtures from which morphine cannot be recovered by readily applicable means or in a yield that would constitute a risk to public health (see also Chlorodyne).
- Morphine Methobromide and other pentavalent nitrogen morphine derivatives.
- Morphine-N-oxide and its derivatives.
- Myrophine (myristylbenzylmorphine).
- Nicocodine.
- Nicodicodine.
- Nicomirphine.
- Noracymethadol.
- Norcodeine; except mixtures containing not more than 2,5 per cent of norcodeine.
- Norlevorphanol.
- Normethadone.
- Normorphine (demethylmorphine or N-demethylated morphine).
- Norpipanone.
- Opium; except mixtures containing not more than 0,2 per cent of morphine calculated as anhydrous morphine (see also Chlorodyne).
- Oxycodone (14-hydroxydihydrocodeinone or dihydrohydroxycodeinone).
- Oxymorphone (14-hydroxydihydromorphinone of dihydrohydroxymorphinone).
- Pethidine, Pethidine-intermediate A, Pethidine-intermediate B and Pethidine-intermediate C.
- Phenadoxone.
- Phenampramide.
- Phenazocine.
- Metasosien.
- Metieldesorfien.
- Metieldihidromorfien.
- Metielfenidaat en sy derivate, tensy in 'n ander Bylae gelys.
- Metopoon.
- Metorfaan, insluitende levometorfaan en rasemetorfaan, maar uitgesonderd dekstrometorfaan.
- Mirofien (miristielbensielmorfien).
- Moramied-intermediër.
- Morferidien.
- Morfien; uitgesonderd preparate en mengsels van morfien wat hoogstens 0,2 persent morfien, bereken as anhidriese morfien, bevat en uitgesonderd mengsels waaruit morfien nie maklik of in sodanige mate herwin kan word dat dit 'n gevaar vir die openbare gesondheid inhou nie (sien ook chlorodien).
- Morfienmetobromied en ander pentavalente stikstofmorfiederivate.
- Morfien-N-oksied en sy derivate.
- Nikodikodien.
- Nikokodien.
- Nikomorfien.
- Norasimetadol.
- Nokodeien; uitgesonderd mengsels wat hoogstens 2,5 persent norkodeien bevat.
- Norlevorfanol.
- Normetadoon.
- Normorfien (demetielmorfien of N-gedemetileerde morfien).
- Norpipanoon.
- Oksikodoon (14-hidroksidihidrokodeïnoon of dihidrohidroksikodeïnoon).
- Oksimorfoon (14-hidroksidihidromorfinoon of dihidrohidroksimorfinoon).



Phendimetrazine.	Opium; uitgesonderd mengsels wat hoogstens 0,2 persent morfiën, bereken as anhidriese morfiën, bevat (sien ook chlorodien).
Phenomorphän.	Papawerstrooikonsentraat.
Phenoperidine.	Petidien, Petidien-intermediër A, Petidien-intermediër B en Petidien-intermediër C.
Pholcodine; except mixtures containing not more than 2,5 per cent of pholcodine.	Piminodien.
Piminodine.	Piritramied.
Piritramide.	Proheptasien.
Proheptazine.	Properidien.
Properidine.	Propiram.
Propiram.	Rasemoramied.
Racemoramide.	Rasemorfaan.
Racemorphan.	Sufentaniel.
Sufentaniil.	Tabaïen.
Thebacon.	Tebakon.
Thebaine.	Tilidien.
Tilidine.	Trimeperidien.
Trimeperidine.	

## SCHEDULE 8

All substances referred to in this Schedule include the following:

- (a) The isomers of such substances where the existence of such isomers is possible in the specific chemical compound;
- (b) the esters and ethers of such substances and the isomers thereof where the existence of such esters and ethers is possible;
- (c) the salts of such substances and of the isomers thereof, and the esters and ethers of such substances and of the isomers thereof, where the existence of such salts is possible; and
- (d) all preparations and mixtures of such substances where such preparations and mixtures are not expressly excluded.

## BYLAE 8

Alle stowwe genoem in hierdie Bylae sluit die volgende in:

- (a) Die isomere van sodanige stowwe waar die bestaan van sodanige isomere in die bepaalde chemiese verbinding moontlik is;
- (b) die esters en eters van sodanige stowwe en die isomere daarvan waar die bestaan van sodanige esters en eters moontlik is;
- (c) die soute van sodanige stowwe en van die isomere daarvan en die esters en eters van sodanige stowwe en van die isomere daarvan waar die bestaan van sodanige soute moontlik is; en
- (d) alle preparate en mengsels van sodanige stowwe waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.

Amphetamine.	Amfetamien.
Bufotenine (N,N-dimethylserotonin).	Bereide opium.
Cannabis (dagga), the whole plant or any portion or product thereof.	Bufotenien (N2N-dimetielseotoninien.)
Coca Leaf.	Cannabis (dagga), die hele plant of enige gedeelte of produk daarvan.
Dexamphetamine.	Deksamfetamien.
Diethyltryptamine [3-(2-(diethylamino)-ethyl)-indole].	Diëtieltriptamein [3-(2-diëtielamino)-etiel]-indool].
Dimethyltryptamine [3-(2-(dimethylamino)-ethyl)-indole].	Dimetieltriptamien [3-(2-dimetielaamino)-etiel]-indool].
Harmaline (3,4-dihydroharmine).	Fenmetrasien.
Harmine [7-methoxy-1-methyl-9H-pyrido (3,4-b)-indole].	Fensiklidien en sy soortgenote N-etiel-1-fenielsikloheksilamien (PCE), 1-(1-fenielsikloheksiel) pirrolidien (PHP of PCPY) en 1-[1(2-tiëniel) sikloheksiel] piperidien (TCP).
Heroin (diacetylmorphine).	Harmalien (3,4-dihydroharmien).
Lysergide (Lysergic acid diethylamide).	Harmien [7-metoksi-1-metiel-9H-pirido(3,4-b) indool].
Mescaline (3, 4, 5-trimethoxyphenethylamine).	Heroïen (diasetielformien).
Methamphetamine.	Kokablaar.
*Methaqualone, including Mandrax, Isonox, Quaalude, or any other preparation containing methaqualone and known by any other trade name.	Lisergied (lisergiensuurdiëtielamied).
4-methyl-2,5-dimethoxyamphetamine (DOM) and its derivatives.	Meskalien (3,4,5-trimetoksifenetielaamien).
Phenmetrazine.	*Metakaloon, ingesluit Mandrax, Isonox, Quaalude of enige ander preparaat wat metakaloon bevat en onder enige ander handelsnaam bekend staan.
Prepared opium.	Metamfetamien.
Phencyclidine and its congeners N-ethyl-1-phenylcyclohexylamine (PCE), 1-(1-phenylcyclohexyl) pyrrolidine (PHP or PCPY) and 1-[1-(2-thienyl) cyclohexyl] piperidine (TCP).	4-metiel-2,5-demetoksiamfetamien (DOM) en sy derivate.
Psilicon (4-hydroxydimethyltryptamine).	Psilosibien (4-fosforieloksi-N,N-dimetieltriptamien).
Psilocybin (4-phosphoryloxy-N, N-dimethyltryptamine).	Psilosien (4-hidroksidimetieltriptamien).
Tetrahydrocannabinol.	Tetrahidrokannabinol.

## SCHEDULE 9

\*Amphetamine and its salts; preparations thereof.

\*Dexamphetamine and its salts; preparations thereof.

## Note:

- (a) An \* in the Schedules indicates an amendment.
- (b) Entries printed in italics indicate additions to the Schedules.

## BYLAE 9

\*Amfetamien en sy soute; preparete daarvan.

\*Deksamfetamien en sy soute; preparete daarvan.

## Let wel:

- (a) Die \* in die Bylaes dui aan dat 'n wysiging aangebring is.
- (b) Die kursiefgedrukte gedeeltes dui toevoegings aan die Bylaes aan.