



GOVERNMENT GAZETTE

OF THE

REPUBLIC OF NAMIBIA

N\$35.40

WINDHOEK - 29 May 2020

No. 7221

CONTENTS

Page

GOVERNMENT NOTICE

| | | |
|---------|---|---|
| No. 122 | Amendment of Schedule 3: Appendices to Convention: Controlled Wildlife Products and Trade Act, 2008 | 1 |
|---------|---|---|

Government Notice

MINISTRY OF ENVIRONMENT, FORESTRY AND TOURISM

No. 122

2020

AMENDMENT OF SCHEDULE 3: APPENDICES TO CONVENTION: CONTROLLED WILDLIFE PRODUCTS AND TRADE ACT, 2008

In terms of section 11 of the Controlled Wildlife Products and Trade Act, 2008 (Act No. 9 of 2008), I amend Schedule 3 as set out in the Schedule.

P. SHIFETA
MINISTER OF ENVIRONMENT,
FORESTRY AND TOURISM

Windhoek, 13 May 2020

SCHEDULE

Amendment of Schedule 3 of Act

Schedule 3 of the Act is amended by the substitution for Schedule 3 of the following Schedule:

“SCHEDULE 3**Appendices to Convention****Interpretations**

1. Species included in these Appendices are referred to:
 - a) by the name of the species; or
 - b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation “spp.” is used to denote all species of a higher taxon.
3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in the Appendices. In most cases this is not all of the species within the family.
4. The following abbreviations are used for plant taxa below the level of species:
 - a) “ssp.” is used to denote subspecies; and
 - b) “var(s).” is used to denote variety (varieties).
5. As none of the species or higher taxa of FLORA included in Appendix I is annotated to the effect that its hybrids shall be treated in accordance with the provisions of Article III of the Convention, this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including pollinia), cut flowers, seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers of these hybrids are not subject to the provisions of the Convention.
6. The names of the countries in parentheses placed against the names of species in Appendix III are those of the Parties submitting these species for inclusion in this Appendix.
7. When a species is included in one of the Appendices, all parts and derivatives of the species are also included in the same Appendix unless the species is annotated to indicate that only specific parts and derivatives are included. The symbol # followed by a number placed against the name of a species or higher taxon included in Appendix II or III refers to a footnote that indicates the parts or derivatives of plants that are designated as ‘specimens’ subject to the provisions of the Convention in accordance with Article I, paragraph (b), subparagraph (iii).
8. The terms and expressions below, used in annotations in these Appendices, are defined as follows:

Extract

Any substance obtained directly from plant material by physical or chemical means regardless of the manufacturing process. An extract may be solid (e.g. crystals, resin, fine or coarse particles), semi-solid (e.g. gums, waxes) or liquid (e.g. solutions, tinctures, oil and essential oils).

Finished products packaged and ready for retail trade

Products, shipped singly or in bulk, requiring no further processing, packaged, labelled for final use or the retail trade in a state fit for being sold to or used by the general public.

Powder

A dry, solid substance in the form of fine or coarse particles.

Woodchips

Wood that has been reduced to small pieces.

| | I | Appendices II | III |
|---|---|---------------------------|---|
| FAUNA (ANIMALS) PHYLUM CHORDATA CLASS MAMMALIA (MAMMALS) | | | |
| ARTIODACTYLA | | | |
| Antilocapridae Pronghorns | | | |
| | <i>Antilocapra americana</i> (Only the population of Mexico; no other population is included in the Appendices) | | |
| Bovidae Antelopes, cattle, duikers, gazelles, goats, sheep, etc. | | | |
| | <i>Addax nasomaculatus</i> | | |
| | | <i>Ammotragus lervia</i> | |
| | | | <i>Antilope cervicapra</i> (Nepal, Pakistan) |
| | <i>Bos gaurus</i> (Excludes the domesticated form, which is referenced as <i>Bos frontalis</i> , and is not subject to the provisions of the Convention) | | |
| | <i>Bos mutus</i> (Excludes the domesticated form, which is referenced as <i>Bos grunniens</i> , and is not subject to the provisions of the Convention) | | |
| | <i>Bos sauveli</i> | | |
| | | | <i>Boselaphus tragocamelus</i> (Pakistan) |
| | | | <i>Bubalus arnee</i> (Excludes the domesticated form, which is referenced as <i>Bubalus bubalis</i> and is not subject to the provisions of the Convention) (Nepal) |
| | <i>Bubalus depressicornis</i> | | |
| | <i>Bubalus mindorensis</i> | | |
| | <i>Bubalus quarlesi</i> | | |
| | | <i>Budorcas taxicolor</i> | |
| | | <i>Capra caucasica</i> | |
| | <i>Capra falconeri</i> | | |
| | | | <i>Capra hircus aegagrus</i> (Specimens of the domesticated form are not subject to the provisions of the Convention) (Pakistan) |
| | | | <i>Capra sibirica</i> (Pakistan) |
| | <i>Capricornis milneedwardsii</i> | | |

| | | | |
|--|--|---|---|
| | <i>Capricornis rubidus</i> | | |
| | <i>Capricornis sumatraensis</i> | | |
| | <i>Capricornis thar</i> | | |
| | | <i>Cephalophus brookei</i> | |
| | | <i>Cephalophus dorsalis</i> | |
| | <i>Cephalophus jentinki</i> | | |
| | | <i>Cephalophus ogilbyi</i> | |
| | | <i>Cephalophus silvicultor</i> | |
| | | <i>Cephalophus zebra</i> | |
| | | <i>Damaliscus pygargus</i> <i>pygargus</i> | |
| | | | <i>Gazella bennettii</i> (Pakistan) |
| | <i>Gazella cuvieri</i> | | |
| | | | <i>Gazella dorcas</i> (Algeria, Tunisia) |
| | <i>Gazella leptoceros</i> | | |
| | <i>Hippotragus niger variani</i> | | |
| | | <i>Kobus leche</i> | |
| | <i>Naemorhedus baileyi</i> | | |
| | <i>Naemorhedus caudatus</i> | | |
| | <i>Naemorhedus goral</i> | | |
| | <i>Naemorhedus griseus</i> | | |
| | <i>Nanger dama</i> | | |
| | <i>Oryx dammah</i> | | |
| | <i>Oryx leucoryx</i> | | |
| | | <i>Ovis ammon</i> | |
| | | <i>Ovis arabica</i> | |
| | | <i>Ovis bochariensis</i> | |
| | | <i>Ovis canadensis</i> (Only the population of Mexico; no other population is included in the Appendices) | |
| | | <i>Ovis collium</i> | |
| | | <i>Ovis cycloceros</i> | |
| | | <i>Ovis darwini</i> | |
| | <i>Ovis gmelini</i> (Only the population of Cyprus; no other population is included in the Appendices) | | |
| | <i>Ovis hodgsonii</i> | | |
| | | <i>Ovis jubata</i> | |
| | | <i>Ovis karelini</i> | |
| | <i>Ovis nigrimontana</i> | | |
| | | <i>Ovis polii</i> | |
| | | <i>Ovis punjabiensis</i> | |
| | | <i>Ovis severtzovi</i> | |
| | <i>Ovis vignei</i> | | |
| | <i>Pantholops hodgsonii</i> | | |
| | | <i>Philantomba monticola</i> | |

| | | | |
|-------------------------------------|--|---|---|
| | | | <i>Pseudois nayaur</i> (Pakistan) |
| | <i>Pseudoryx nghetinhensis</i> | | |
| | | <i>Rupicapra pyrenaica ornata</i> | |
| | | <i>Saiga borealis</i> (A zero export quota for wild specimens traded for commercial purposes) | |
| | | <i>Saiga tatarica</i> (A zero export quota for wild specimens traded for commercial purposes) | |
| | | | <i>Tetracerus quadricornis</i> (Nepal) |
| Camelidae Camels, guanacos, vicunas | | | |
| | | <i>Lama guanicoe</i> | |
| | <i>Vicugna vicugna</i> [Except the populations of: Argentina (the populations of the Provinces of Jujuy, Catamarca and Salta, and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan), Chile (populations of the region of Tarapacá and of the region of Arica and Parinacota), Ecuador (the whole population), Peru (the whole population) and the Plurinational State of Bolivia (the whole population), which are included in Appendix II] | | |
| | | <i>Vicugna vicugna</i> [Only the populations of Argentina (the populations of the Provinces of Jujuy, Catamarca and Salta, and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan), Chile (populations of the region of Tarapacá and of the region of Arica and Parinacota), Ecuador (the whole population), Peru (the whole population) and the Plurinational State of Bolivia (the whole | |

| | | | |
|---|----------------------------------|---|--|
| | | population); all other populations are included in Appendix I] ¹ | |
| Cervidae Deer, huemuls, muntjacs, pudus | | | |
| | <i>Axis calamianensis</i> | | |
| | <i>Axis kuhlii</i> | | |
| | | | <i>Axis porcinus</i> (Except the subspecies included in Appendix I) (Pakistan) |
| | <i>Axis porcinus annamiticus</i> | | |
| | <i>Blastocerus dichotomus</i> | | |
| | | <i>Cervus elaphus bactrianus</i> | |
| | | | <i>Cervus elaphus barbarus</i> (Algeria, Tunisia) |
| | <i>Cervus elaphus hanglu</i> | | |
| | <i>Dama dama mesopotamica</i> | | |
| | <i>Hippocamelus spp.</i> | | |

¹ For the exclusive purpose of allowing international trade in fibre from vicuñas (*Vicugna vicugna*) and their derivative products, only if the fibre comes from the shearing of live vicuñas. Trade in products derived from the fibre may only take place in accordance with the following provisions:

- a) Any person or entity processing vicuña fibre to manufacture cloth and garments must request authorization from the relevant authorities of the country of origin (Countries of origin: The countries where the species occurs, that is, Argentina, Bolivia, Chile, Ecuador and Peru) to use the “vicuña country of origin” wording, mark or logo adopted by the range States of the species that are signatories to the Convention for the Conservation and Management of the Vicuña.
- b) Marketed cloth or garments must be marked or identified in accordance with the following provisions:
 - (i) the cloth was produced within or outside of the range States of the species, the wording, mark or logo must be used so that the country of origin can be identified. The VICUÑA [COUNTRY OF ORIGIN] wording, mark or logo has the format as detailed below:



This wording, mark or logo must appear on the reverse side of the cloth. In addition, the selvages of the cloth must bear the words VICUÑA [COUNTRY OF ORIGIN].

- ii) For international trade in garments made from live-sheared vicuña fibre, whether the garments were produced within or outside of the range States of the species, the wording, mark or logo indicated in paragraph b) i) must be used. This wording, mark or logo must appear on a label on the garment itself. If the garments are produced outside of the country of origin, the name of the country where the garment was produced should also be indicated, in addition to the wording, mark or logo referred to in paragraph b) i).
- c) For international trade in handicraft products made from live-sheared vicuña fibre produced within the range States of the species, the VICUÑA [COUNTRY OF ORIGIN] - ARTESANÍA wording, mark or logo must be used as detailed below:



- d) If live-sheared vicuña fibre from various countries of origin is used for the production of cloth and garments, the wording, mark or logo of each of the countries of origin of the fibre must be indicated, as detailed in paragraphs b) i) and ii).
- e) All other specimens shall be deemed to be specimens of species listed in Appendix I and the trade in them shall be regulated accordingly.

| | | | |
|----------------------------------|--|---|--|
| | | | <i>Mazama temama cerasina</i> (Guatemala) |
| | <i>Muntiacus crinifrons</i> | | |
| | <i>Muntiacus vuquangensis</i> | | |
| | | | <i>Odocoileus virginianus mayensis</i> (Guatemala) |
| | <i>Ozotoceros bezoarticus</i> | | |
| | | <i>Pudu mephistophiles</i> | |
| | <i>Pudu puda</i> | | |
| | <i>Rucervus duvaucelii</i> | | |
| | <i>Rucervus eldii</i> | | |
| Giraffidae Giraffes | | | |
| | | <i>Giraffa camelopardalis</i> | |
| Hippopotamidae Hippopotamuses | | | |
| | | <i>Hexaprotodon liberiensis</i> | |
| | | <i>Hippopotamus amphibius</i> | |
| Moschidae Musk deer | | | |
| | <i>Moschus</i> spp. (Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Appendix II) | | |
| | | <i>Moschus</i> spp. (Except the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Appendix I) | |
| Suidae Babirusa, hogs, pigs | | | |
| | <i>Babyrousa babyrussa</i> | | |
| | <i>Babyrousa bolabatuensis</i> | | |
| | <i>Babyrousa celebensis</i> | | |
| | <i>Babyrousa togeanensis</i> | | |
| | <i>Sus salvanius</i> | | |
| Tayassuidae Peccaries | | | |
| | | Tayassuidae spp. (Except the species included in Appendix I and the populations of <i>Pecari tajacu</i> of Mexico and the United States of America, which are not included in the Appendices) | |
| | <i>Catagonus wagneri</i> | | |
| CARNIVORA | | | |
| Ailuridae Red pandas | | | |
| | <i>Ailurus fulgens</i> | | |
| Canidae Dogs, foxes, wolves | | | |
| | | | <i>Canis aureus</i> (India) |

| | | | |
|---|--|---|--|
| | <i>Canis lupus</i> (Only the populations of Bhutan, India, Nepal and Pakistan; all other populations are included in Appendix II. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i> , respectively, which are not subject to the provisions of the Convention) | | |
| | | <i>Canis lupus</i> (Except the populations of Bhutan, India, Nepal and Pakistan, which are included in Appendix I. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i> , respectively, which are not subject to the provisions of the Convention) | |
| | | <i>Cerdocyon thous</i> | |
| | | <i>Chrysocyon brachyurus</i> | |
| | | <i>Cuon alpinus</i> | |
| | | <i>Lycalopex culpaeus</i> | |
| | | <i>Lycalopex fulvipes</i> | |
| | | <i>Lycalopex griseus</i> | |
| | | <i>Lycalopex gymnocercus</i> | |
| | <i>Speothos venaticus</i> | | |
| | | | <i>Vulpes bengalensis</i> (India) |
| | | <i>Vulpes cana</i> | |
| | | | <i>Vulpes vulpes griffithi</i> (India) |
| | | | <i>Vulpes vulpes montana</i> (India) |
| | | | <i>Vulpes vulpes pusilla</i> (India) |
| | | <i>Vulpes zerda</i> | |
| Eupleridae Fossa, falanouc, Malagasy civets | | | |
| | | <i>Cryptoprocta ferox</i> | |
| | | <i>Eupleres goudotii</i> | |
| | | <i>Fossa fossana</i> | |
| Felidae Cats | | | |
| | | Felidae spp. [Except the species included in Appendix I. Excludes specimens of the domesticated form, which are not subject to the provisions of the Convention. For <i>Panthera leo</i> (African populations): a zero annual export quota is established for | |

| | | | |
|--|---|--|--|
| | | specimens of bones, bone pieces, bone products, claws, skeletons, skulls and teeth removed from the wild and traded for commercial purposes. Annual export quotas for trade in bones, bone pieces, bone products, claws, skeletons, skulls and teeth for commercial purposes, derived from captive breeding operations in South Africa, will be established and communicated annually to the CITES Secretariat.] | |
| | <i>Acinonyx jubatus</i> (Annual export quotas for live specimens and hunting trophies are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to the provisions of Article III of the Convention) | | |
| | <i>Caracal caracal</i> (Only the population of Asia; all other populations are included in Appendix II) | | |
| | <i>Catopuma temminckii</i> | | |
| | <i>Felis nigripes</i> | | |
| | <i>Herpailurus yagouaroundi</i> (Only the populations of Central and North America; all other populations are included in Appendix II) | | |
| | <i>Leopardus geoffroyi</i> | | |
| | <i>Leopardus guttulus</i> | | |
| | <i>Leopardus jacobita</i> | | |
| | <i>Leopardus pardalis</i> | | |
| | <i>Leopardus tigrinus</i> | | |
| | <i>Leopardus wiedii</i> | | |
| | <i>Lynx pardinus</i> | | |
| | <i>Neofelis diardi</i> | | |
| | <i>Neofelis nebulosa</i> | | |
| | <i>Panthera leo</i> (Only the populations of India; all other populations are included in Appendix II) | | |
| | <i>Panthera onca</i> | | |
| | <i>Panthera pardus</i> | | |
| | <i>Panthera tigris</i> | | |
| | <i>Panthera uncia</i> | | |
| | <i>Pardofelis marmorata</i> | | |

| | | | |
|--|---|---|--|
| | <i>Prionailurus bengalensis bengalensis</i> (Only the populations of Bangladesh, India and Thailand; all other populations are included in Appendix II) | | |
| | <i>Prionailurus planiceps</i> | | |
| | <i>Prionailurus rubiginosus</i> (Only the population of India; all other populations are included in Appendix II) | | |
| | <i>Puma concolor</i> (Only the populations of Costa Rica and Panama; all other populations are included in Appendix II) | | |
| Herpestidae Mongooses | | | |
| | | | <i>Herpestes edwardsi</i> (India, Pakistan) |
| | | | <i>Herpestes fuscus</i> (India) |
| | | | <i>Herpestes javanicus</i> (Pakistan) |
| | | | <i>Herpestes javanicus auropunctatus</i> (India) |
| | | | <i>Herpestes smithii</i> (India) |
| | | | <i>Herpestes urva</i> (India) |
| | | | <i>Herpestes vitticollis</i> (India) |
| Hyaenidae Aardwolf, hyenas | | | |
| | | | <i>Hyaena hyaena</i> (Pakistan) |
| | | | <i>Proteles cristata</i> (Botswana) |
| Mephitidae Skunks | | | |
| | | <i>Conepatus humboldtii</i> | |
| Mustelidae Badgers, martens, otters, weasels, etc. | | | |
| Lutrinae Otters | | | |
| | | Lutrinae spp. (Except the species included in Appendix I) | |
| | <i>Aonyx capensis microdon</i> (Only the populations of Cameroon and Nigeria; all other populations are included in Appendix II) | | |
| | <i>Aonyx cinerea</i> | | |
| | <i>Enhydra lutris nereis</i> | | |
| | <i>Lontra felina</i> | | |
| | <i>Lontra longicaudis</i> | | |
| | <i>Lontra provocax</i> | | |
| | <i>Lutra lutra</i> | | |
| | <i>Lutra nippon</i> | | |
| | <i>Lutrogale perspicillata</i> | | |

| | | | |
|---|--|---|--|
| | <i>Pteronura brasiliensis</i> | | |
| Mustelinae Grisons, honey badgers, martens, tayra, weasels | | | |
| | | | <i>Eira barbara</i> (Honduras) |
| | | | <i>Martes flavigula</i> (India) |
| | | | <i>Martes foina intermedia</i> (India) |
| | | | <i>Martes gwatkinsii</i> (India) |
| | | | <i>Mellivora capensis</i> (Botswana) |
| | | | <i>Mustela altaica</i> (India) |
| | | | <i>Mustela erminea</i> <i>ferghanae</i> (India) |
| | | | <i>Mustela kathiah</i> (India) |
| | <i>Mustela nigripes</i> | | |
| | | | <i>Mustela sibirica</i> (India) |
| Odobenidae Walruses | | | |
| | | | <i>Odobenus rosmarus</i> (Canada) |
| Otariidae Fur seals, sealions | | | |
| | | <i>Arctocephalus</i> spp. (Except the species included in Appendix I) | |
| | <i>Arctocephalus townsendi</i> | | |
| Phocidae Seals | | | |
| | | <i>Mirounga leonina</i> | |
| | <i>Monachus</i> spp. | | |
| Procyonidae Coatis, kinkajous, olingos | | | |
| | | | <i>Nasua narica</i> (Honduras) |
| | | | <i>Nasua nasua solitaria</i> (Uruguay) |
| | | | <i>Potos flavus</i> (Honduras) |
| Ursidae Bears, giant pandas | | | |
| | | Ursidae spp. (Except the species included in Appendix I) | |
| | <i>Ailuropoda melanoleuca</i> | | |
| | <i>Helarctos malayanus</i> | | |
| | <i>Melursus ursinus</i> | | |
| | <i>Tremarctos ornatus</i> | | |
| | <i>Ursus arctos</i> (Only the populations of Bhutan, China, Mexico and Mongolia; all other populations are included in Appendix II) | | |
| | <i>Ursus arctos isabellinus</i> | | |
| | <i>Ursus thibetanus</i> | | |
| Viverridae Binturong, civets, linsangs, otter- civet, palm civets | | | |

| | | | |
|---|---|--|---|
| | | | <i>Arctictis binturong</i> (India) |
| | | | <i>Civettictis civetta</i> (Botswana) |
| | | <i>Cynogale bennettii</i> | |
| | | <i>Hemigalus derbyanus</i> | |
| | | | <i>Paguma larvata</i> (India) |
| | | | <i>Paradoxurus hermaphroditus</i> (India) |
| | | | <i>Paradoxurus jerdoni</i> (India) |
| | | <i>Prionodon linsang</i> | |
| | <i>Prionodon pardicolor</i> | | |
| | | | <i>Viverra civettina</i> (India) |
| | | | <i>Viverra zibetha</i> (India) |
| | | | <i>Viverricula indica</i> (India) |
| CETACEA Dolphins, porpoises, whales | | | |
| | | CETACEA spp. (Except the species included in Appendix I. A zero annual export quota has been established for live specimens from the Black Sea population of <i>Tursiops truncatus</i> removed from the wild and traded for primarily commercial purposes) | |
| Balaenidae Bowhead whale, right whales | | | |
| | <i>Balaena mysticetus</i> | | |
| | <i>Eubalaena</i> spp. | | |
| Balaenopteridae Fin whales, humpback whales, rorquals | | | |
| | <i>Balaenoptera acutorostrata</i> (Except the population of West Greenland, which is included in Appendix II) | | |
| | <i>Balaenoptera bonaerensis</i> | | |
| | <i>Balaenoptera borealis</i> | | |
| | <i>Balaenoptera edeni</i> | | |
| | <i>Balaenoptera musculus</i> | | |
| | <i>Balaenoptera omurai</i> | | |
| | <i>Balaenoptera physalus</i> | | |
| | <i>Megaptera novaeangliae</i> | | |
| Delphinidae Dolphins | | | |
| | <i>Orcaella brevirostris</i> | | |
| | <i>Orcaella heinsohni</i> | | |
| | <i>Sotalia</i> spp. | | |
| | <i>Sousa</i> spp. | | |
| Eschrichtiidae Grey whale | | | |
| | <i>Eschrichtius robustus</i> | | |
| Iniidae River dolphins | | | |
| | <i>Lipotes vexillifer</i> | | |

| | | | |
|--|------------------------------------|---|--|
| Neobalaenidae Pygmy right whale | | | |
| | <i>Caperea marginata</i> | | |
| Phocoenidae Porpoises | | | |
| | <i>Neophocaena asiaeorientalis</i> | | |
| | <i>Neophocaena phocaenoides</i> | | |
| | <i>Phocoena sinus</i> | | |
| Physeteridae Sperm whales | | | |
| | <i>Physeter macrocephalus</i> | | |
| Platanistidae River dolphins | | | |
| | <i>Platanista</i> spp. | | |
| Ziphiidae Beaked whales, bottle-nosed whales | | | |
| | <i>Berardius</i> spp. | | |
| | <i>Hyperoodon</i> spp. | | |
| CHIROPTERA | | | |
| Phyllostomidae Broad-nosed bats | | | |
| | | | <i>Platyrrhinus lineatus</i> (Uruguay) |
| Pteropodidae Fruit bats, flying foxes | | | |
| | | <i>Acerodon</i> spp. (Except the species included in Appendix I) | |
| | <i>Acerodon jubatus</i> | | |
| | | <i>Pteropus</i> spp. (Except the species included in Appendix I and <i>Pteropus brunneus</i>) | |
| | <i>Pteropus insularis</i> | | |
| | <i>Pteropus loochoensis</i> | | |
| | <i>Pteropus mariannus</i> | | |
| | <i>Pteropus molossinus</i> | | |
| | <i>Pteropus pelewensis</i> | | |
| | <i>Pteropus pilosus</i> | | |
| | <i>Pteropus samoensis</i> | | |
| | <i>Pteropus tonganus</i> | | |
| | <i>Pteropus ualanus</i> | | |
| | <i>Pteropus yapensis</i> | | |
| CINGULATA | | | |
| Dasypodidae Armadillos | | | |
| | | | <i>Cabassous tatouay</i> (Uruguay) |
| | | <i>Chaetophractus nationi</i> (A zero annual export quota has been established. All specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly) | |

| | | | |
|--|---|--|--|
| | <i>Priodontes maximus</i> | | |
| DASYUROMORPHIA | | | |
| Dasyuridae Dunnarts | | | |
| | <i>Sminthopsis longicaudata</i> | | |
| | <i>Sminthopsis psammophila</i> | | |
| DIPROTODONTIA | | | |
| Macropodidae Kangaroos, wallabies | | | |
| | | <i>Dendrolagus inustus</i> | |
| | | <i>Dendrolagus ursinus</i> | |
| | <i>Lagorchestes hirsutus</i> | | |
| | <i>Lagostrophus fasciatus</i> | | |
| | <i>Onychogalea fraenata</i> | | |
| Phalangeridae Cuscuses | | | |
| | | <i>Phalanger intercastellanus</i> | |
| | | <i>Phalanger mimicus</i> | |
| | | <i>Phalanger orientalis</i> | |
| | | <i>Spilocuscus kraemeri</i> | |
| | | <i>Spilocuscus maculatus</i> | |
| | | <i>Spilocuscus papuensis</i> | |
| Potoroidae Rat-kangaroos | | | |
| | <i>Bettongia</i> spp. | | |
| Vombatidae Wombats | | | |
| | <i>Lasiorhinus krefftii</i> | | |
| LAGOMORPHA | | | |
| Leporidae Hares, rabbits | | | |
| | <i>Caprolagus hispidus</i> | | |
| | <i>Romerolagus diazi</i> | | |
| MONOTREMATA | | | |
| Tachyglossidae Echidnas, spiny anteaters | | | |
| | | <i>Zaglossus</i> spp. | |
| PERAMELEMORPHIA | | | |
| Peramelidae Bandicoots, echymiperas | | | |
| | <i>Perameles bougainville</i> | | |
| Thylacomyidae Bilbies | | | |
| | <i>Macrotis lagotis</i> | | |
| PERISSODACTYLA | | | |
| Equidae Horses, wild asses, zebras | | | |
| | <i>Equus africanus</i> (Excludes the domesticated form, which is referenced as <i>Equus asinus</i> , and is not subject to the provisions of the Convention) | | |
| | <i>Equus grevyi</i> | | |
| | | <i>Equus hemionus</i> (Except the subspecies included in Appendix I) | |

| | | | |
|---------------------------------------|---|---|---|
| | <i>Equus hemionus hemionus</i> | | |
| | <i>Equus hemionus khur</i> | | |
| | | <i>Equus kiang</i> | |
| | <i>Equus przewalskii</i> | | |
| | | <i>Equus zebra hartmannae</i> | |
| | | <i>Equus zebra zebra</i> | |
| Rhinocerotidae Rhinoceroses | | | |
| | Rhinocerotidae spp. (Except the subspecies included in Appendix II) | | |
| | | <i>Ceratotherium simum simum</i> (Only the populations of Eswatini and South Africa; all other populations are included in Appendix I. For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and hunting trophies. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly) | |
| Tapiridae Tapirs | | | |
| | Tapiridae spp. (Except the species included in Appendix II) | | |
| | | <i>Tapirus terrestris</i> | |
| PHOLIDOTA | | | |
| Manidae Pangolins | | | |
| | | <i>Manis</i> spp. (Except the species included in Appendix I) | |
| | <i>Manis crassicaudata</i> | | |
| | <i>Manis culionensis</i> | | |
| | <i>Manis gigantea</i> | | |
| | <i>Manis javanica</i> | | |
| | <i>Manis pentadactyla</i> | | |
| | <i>Manis temminckii</i> | | |
| | <i>Manis tetradactyla</i> | | |
| | <i>Manis tricuspis</i> | | |
| PILOSA | | | |
| Bradypodidae Three-toed sloths | | | |
| | | <i>Bradypus pygmaeus</i> | |
| | | <i>Bradypus variegatus</i> | |
| Myrmecophagidae American anteaters | | | |
| | | <i>Myrmecophaga tridactyla</i> | |
| | | | <i>Tamandua mexicana</i> (Guatemala) |

| | | | |
|--|-----------------------------------|---|--|
| PRIMATES Apes, monkeys | | | |
| | | PRIMATES spp. (Except the species included in Appendix I) | |
| Atelidae Howler monkeys, spider monkeys | | | |
| | <i>Alouatta coibensis</i> | | |
| | <i>Alouatta palliata</i> | | |
| | <i>Alouatta pigra</i> | | |
| | <i>Ateles geoffroyi frontatus</i> | | |
| | <i>Ateles geoffroyi ornatus</i> | | |
| | <i>Brachyteles arachnoides</i> | | |
| | <i>Brachyteles hypoxanthus</i> | | |
| | <i>Oreonax flavicauda</i> | | |
| Cebidae Marmosets, tamarins, new-world monkeys | | | |
| | <i>Callimico goeldii</i> | | |
| | <i>Callithrix aurita</i> | | |
| | <i>Callithrix flaviceps</i> | | |
| | <i>Leontopithecus</i> spp. | | |
| | <i>Saguinus bicolor</i> | | |
| | <i>Saguinus geoffroyi</i> | | |
| | <i>Saguinus leucopus</i> | | |
| | <i>Saguinus martinsi</i> | | |
| | <i>Saguinus oedipus</i> | | |
| | <i>Saimiri oerstedii</i> | | |
| Cercopithecoidea Old- world monkeys | | | |
| | <i>Cercocebus galeritus</i> | | |
| | <i>Cercopithecus diana</i> | | |
| | <i>Cercopithecus roloway</i> | | |
| | <i>Macaca silenus</i> | | |
| | <i>Macaca sylvanus</i> | | |
| | <i>Mandrillus leucophaeus</i> | | |
| | <i>Mandrillus sphinx</i> | | |
| | <i>Nasalis larvatus</i> | | |
| | <i>Ptilocolobus kirkii</i> | | |
| | <i>Ptilocolobus rufomitatus</i> | | |
| | <i>Presbytis potenziani</i> | | |
| | <i>Pygathrix</i> spp. | | |
| | <i>Rhinopithecus</i> spp. | | |
| | <i>Semnopithecus ajax</i> | | |
| | <i>Semnopithecus dussumieri</i> | | |
| | <i>Semnopithecus entellus</i> | | |
| | <i>Semnopithecus hector</i> | | |
| | <i>Semnopithecus hypoleucos</i> | | |
| | <i>Semnopithecus priam</i> | | |
| | <i>Semnopithecus schistaceus</i> | | |
| | <i>Simias concolor</i> | | |

| | | | |
|--|--|--|--|
| | <i>Trachypithecus geei</i> | | |
| | <i>Trachypithecus pileatus</i> | | |
| | <i>Trachypithecus shortridgei</i> | | |
| Cheirogaleidae Dwarf lemurs | | | |
| | Cheirogaleidae spp. | | |
| Daubentoniidae Aye-aye | | | |
| | <i>Daubentonia madagascariensis</i> | | |
| Hominidae Apes, chimpanzees, gorillas, orang-utans | | | |
| | <i>Gorilla beringei</i> | | |
| | <i>Gorilla gorilla</i> | | |
| | <i>Pan</i> spp. | | |
| | <i>Pongo abelii</i> | | |
| | <i>Pongo pygmaeus</i> | | |
| Hylobatidae Gibbons | | | |
| | Hylobatidae spp. | | |
| Indriidae Indris, sifakas, woolly lemurs | | | |
| | Indriidae spp. | | |
| Lemuridae Large lemurs | | | |
| | Lemuridae spp. | | |
| Lepilemuridae Sportive lemurs | | | |
| | Lepilemuridae spp. | | |
| Lorisidae Lorises | | | |
| | <i>Nycticebus</i> spp. | | |
| Pitheciidae Sakis, uakaris | | | |
| | <i>Cacajao</i> spp. | | |
| | <i>Chiropotes albinasus</i> | | |
| PROBOSCIDEA | | | |
| Elephantidae Elephants | | | |
| | <i>Elephas maximus</i> | | |
| | <i>Loxodonta africana</i> (Except the populations of Botswana, Namibia, South Africa and Zimbabwe, which are included in Appendix II subject to annotation 2) | | |

| | | | |
|---------------------------|--|--|--|
| | | <i>Loxodonta Africana</i> ² (Only the populations of Botswana, Namibia, South Africa and Zimbabwe; all other populations are included in Appendix I) | |
| RODENTIA | | | |
| Chinchillidae Chinchillas | | | |
| | <i>Chinchilla</i> spp. (Specimens of the domesticated form are not subject to the provisions of the Convention) | | |
| Cuniculidae Pacas | | | |
| | | | <i>Cuniculus paca</i> (Honduras) |
| Dasyproctidae Agoutis | | | |
| | | | <i>Dasyprocta punctata</i> (Honduras) |

² Populations of Botswana, Namibia, South Africa and Zimbabwe (listed in Appendix II):

For the exclusive purpose of allowing:

- a) trade in hunting trophies for non-commercial purposes;
- b) trade in live animals to appropriate and acceptable destinations, as defined in Resolution Conf. 11.20 (Rev. CoP18), for Botswana and Zimbabwe and for in situ conservation programmes for Namibia and South Africa;
- c) trade in hides;
- d) trade in hair;
- e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe;
- f) trade in individually marked and certified ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe;
- g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe, whole tusks and pieces) subject to the following:
 - i) only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin);
 - ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP18) concerning domestic manufacturing and trade;
 - iii) not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks;
 - iv) raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12, which are 20,000 kg (Botswana), 10,000 kg (Namibia) and 30,000 kg (South Africa);
 - v) in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in paragraph g) iv) above, in a single sale per destination under strict supervision of the Secretariat;
 - vi) the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and
 - vii) the additional quantities specified in paragraph g) v) above shall be traded only after the Standing Committee has agreed that the above conditions have been met; and
- h) no further proposals to allow trade in elephant ivory from populations already in Appendix II shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of the single sale of ivory that is to take place in accordance with provisions in paragraphs g) i), g) ii), g) iii), g) vi) and g) vii). In addition such further proposals shall be dealt with in accordance with Decisions 16.55 and 14.78 (Rev. CoP16). On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

| | | | |
|--|--------------------------------------|-----------------------------|---|
| Erethizontidae New-world porcupines | | | |
| | | | <i>Sphiggurus mexicanus</i> (Honduras) |
| | | | <i>Sphiggurus spinosus</i> (Uruguay) |
| Muridae Mice, rats | | | |
| | | <i>Leporillus conditor</i> | |
| | | <i>Pseudomys fieldi</i> | |
| | | <i>Xeromys myoides</i> | |
| | | <i>Zyzomys pedunculatus</i> | |
| Sciuridae Ground squirrels, tree squirrels | | | |
| | <i>Cynomys mexicanus</i> | | |
| | | | <i>Marmota caudata</i> (India) |
| | | | <i>Marmota himalayana</i> (India) |
| | | <i>Ratufa</i> spp. | |
| SCANDENTIA Tree shrews | | | |
| | | SCANDENTIA spp. | |
| SIRENIA | | | |
| Dugongidae Dugong | | | |
| | <i>Dugong dugon</i> | | |
| Trichechidae Manatees | | | |
| | <i>Trichechus inunguis</i> | | |
| | <i>Trichechus manatus</i> | | |
| | <i>Trichechus senegalensis</i> | | |
| CLASS AVES (BIRDS) | | | |
| ANSERIFORMES | | | |
| Anatidae Ducks, geese, swans, etc. | | | |
| | <i>Anas aucklandica</i> | | |
| | | <i>Anas bernieri</i> | |
| | <i>Anas chlorotis</i> | | |
| | | <i>Anas formosa</i> | |
| | <i>Anas laysanensis</i> | | |
| | <i>Anas nesiotis</i> | | |
| | <i>Asarcornis scutulata</i> | | |
| | <i>Branta canadensis leucopareia</i> | | |
| | | <i>Branta ruficollis</i> | |
| | <i>Branta sandvicensis</i> | | |
| | | <i>Coscoroba coscoroba</i> | |
| | | <i>Cygnus melancoryphus</i> | |
| | | <i>Dendrocygna arborea</i> | |
| | | | <i>Dendrocygna autumnalis</i> (Honduras) |
| | | | <i>Dendrocygna bicolor</i> (Honduras) |
| | | <i>Oxyura leucocephala</i> | |
| | <i>Rhodonessa caryophyllacea</i> | | |

| | | | |
|--|------------------------------|--|---|
| | | <i>Sarkidiornis melanotos</i> | |
| APODIFORMES | | | |
| Trochilidae Hummingbirds | | | |
| | | Trochilidae spp. (Except the species included in Appendix I) | |
| | <i>Glaucis dohrnii</i> | | |
| CHARADRIIFORMES | | | |
| Burhinidae Thick-knees | | | |
| | | | <i>Burhinus bistriatus</i> (Guatemala) |
| Laridae Gulls | | | |
| | <i>Larus relictus</i> | | |
| Scolopacidae Curlews, greenshanks | | | |
| | <i>Numenius borealis</i> | | |
| | <i>Numenius tenuirostris</i> | | |
| | <i>Tringa guttifer</i> | | |
| CICONIIFORMES | | | |
| Balaenicipitidae Shoebills, whale-headed storks | | | |
| | | <i>Balaeniceps rex</i> | |
| Ciconiidae Storks | | | |
| | <i>Ciconia boyciana</i> | | |
| | | <i>Ciconia nigra</i> | |
| | <i>Jabiru mycteria</i> | | |
| | <i>Mycteria cinerea</i> | | |
| Phoenicopteridae Flamingos | | | |
| | | Phoenicopteridae spp. | |
| Threskiornithidae Ibises, spoonbills | | | |
| | | <i>Eudocimus ruber</i> | |
| | | <i>Geronticus calvus</i> | |
| | <i>Geronticus eremita</i> | | |
| | <i>Nipponia nippon</i> | | |
| | | <i>Platalea leucorodia</i> | |
| COLUMBIFORMES | | | |
| Columbidae Doves, pigeons | | | |
| | <i>Caloenas nicobarica</i> | | |
| | <i>Ducula mindorensis</i> | | |
| | | <i>Gallicolumba luzonica</i> | |
| | | <i>Goura</i> spp. | |
| | | | <i>Nesoenas mayeri</i> (Mauritius) |
| CORACIIFORMES | | | |
| Bucerotidae Hornbills | | | |
| | | <i>Aceros</i> spp. (Except the species included in Appendix I) | |
| | <i>Aceros nipalensis</i> | | |

| | | | |
|--|--|--|--|
| | | <i>Anorrhinus</i> spp. | |
| | | <i>Anthracoceros</i> spp. | |
| | | <i>Bericornis</i> spp. | |
| | | <i>Buceros</i> spp. (Except the species included in Appendix I) | |
| | <i>Buceros bicornis</i> | | |
| | | <i>Penelopides</i> spp. | |
| | <i>Rhinoplax vigil</i> | | |
| | | <i>Rhyticeros</i> spp. (Except the species included in Appendix I) | |
| | <i>Rhyticeros subruficollis</i> | | |
| CUCULIFORMES | | | |
| Musophagidae Turacos | | | |
| | | <i>Tauraco</i> spp. | |
| FALCONIFORMES Eagles, falcons, hawks, vultures | | | |
| | | FALCONIFORMES spp. (Except <i>Caracara lutosa</i> and the species of the family Cathartidae, which are not included in the Appendices; and the species included in Appendices I and III) | |
| Accipitridae Hawks, eagles | | | |
| | <i>Aquila adalberti</i> | | |
| | <i>Aquila heliaca</i> | | |
| | <i>Chondrohierax uncinatus wilsonii</i> | | |
| | <i>Haliaeetus albicilla</i> | | |
| | <i>Harpia harpyja</i> | | |
| | <i>Pithecophaga jefferyi</i> | | |
| Cathartidae New-world vultures | | | |
| | <i>Gymnogyps californianus</i> | | |
| | | | <i>Sarcoramphus papa</i> (Honduras) |
| | <i>Vultur gryphus</i> | | |
| Falconidae Falcons | | | |
| | <i>Falco araeus</i> | | |
| | <i>Falco jugger</i> | | |
| | <i>Falco newtoni</i> (Only the population of Seychelles) | | |
| | <i>Falco pelegrinoides</i> | | |
| | <i>Falco peregrinus</i> | | |
| | <i>Falco punctatus</i> | | |
| | <i>Falco rusticolus</i> | | |
| GALLIFORMES | | | |
| Cracidae Chachalacas, curassows, guans | | | |
| | | | <i>Crax alberti</i> (Colombia) |

| | | | |
|--|---|---|--|
| | <i>Crax blumenbachii</i> | | |
| | | | <i>Crax daubentoni</i> (Colombia) |
| | | | <i>Crax globulosa</i> (Colombia) |
| | | | <i>Crax rubra</i> (Colombia, Guatemala, Honduras) |
| | <i>Mitu mitu</i> | | |
| | <i>Oreophasis derbianus</i> | | |
| | | | <i>Ortalis vetula</i> (Guatemala, Honduras) |
| | | | <i>Pauxi pauxi</i> (Colombia) |
| | <i>Penelope albipennis</i> | | |
| | | | <i>Penelope purpurascens</i> (Honduras) |
| | | | <i>Penelopina nigra</i> (Guatemala) |
| | <i>Pipile jacutinga</i> | | |
| | <i>Pipile pipile</i> | | |
| Megapodiidae Megapodes, scrubfowl | | | |
| | <i>Macrocephalon maleo</i> | | |
| Phasianidae Grouse, guineafowl, partridges, peafowl, pheasants, tragopans | | | |
| | | <i>Argusianus argus</i> | |
| | <i>Catreus wallichii</i> | | |
| | <i>Colinus virginianus</i> <i>ridgwayi</i> | | |
| | <i>Crossoptilon crossoptilon</i> | | |
| | <i>Crossoptilon</i> <i>mantchuricum</i> | | |
| | | <i>Gallus sonneratii</i> | |
| | | <i>Ithaginis cruentus</i> | |
| | <i>Lophophorus impejanus</i> | | |
| | <i>Lophophorus lhuyssii</i> | | |
| | <i>Lophophorus sclateri</i> | | |
| | <i>Lophura edwardsi</i> | | |
| | | | <i>Lophura leucomelanos</i> (Pakistan) |
| | <i>Lophura swinhoii</i> | | |
| | | | <i>Meleagris ocellata</i> (Guatemala) |
| | | | <i>Pavo cristatus</i> (Pakistan) |
| | | <i>Pavo muticus</i> | |
| | | <i>Polyplectron bicalcaratum</i> | |
| | | <i>Polyplectron germaini</i> | |
| | | <i>Polyplectron malacense</i> | |
| | <i>Polyplectron napoleonis</i> | | |
| | | <i>Polyplectron</i> <i>schleiermacheri</i> | |
| | | | <i>Pucrasia macrolopha</i> (Pakistan) |

| | | | |
|----------------------------------|---------------------------------|---|---|
| | <i>Rheinardia ocellata</i> | | |
| | <i>Syrmaticus ellioti</i> | | |
| | <i>Syrmaticus humiae</i> | | |
| | <i>Syrmaticus mikado</i> | | |
| | | <i>Syrmaticus reevesii</i> | |
| | <i>Tetraogallus caspius</i> | | |
| | <i>Tetraogallus tibetanus</i> | | |
| | <i>Tragopan blythii</i> | | |
| | <i>Tragopan caboti</i> | | |
| | <i>Tragopan melanocephalus</i> | | |
| | | | <i>Tragopan satyra</i> (Nepal) |
| | | <i>Tympanuchus cupido</i> <i>attwateri</i> | |
| GRUIFORMES | | | |
| Gruidae Cranes | | | |
| | | Gruidae spp. (Except the species included in Appendix I) | |
| | <i>Balearica pavonina</i> | | |
| | <i>Grus americana</i> | | |
| | <i>Grus canadensis nesiotes</i> | | |
| | <i>Grus canadensis pulla</i> | | |
| | <i>Grus japonensis</i> | | |
| | <i>Grus leucogeranus</i> | | |
| | <i>Grus monacha</i> | | |
| | <i>Grus nigricollis</i> | | |
| | <i>Grus vipio</i> | | |
| Otididae Bustards | | | |
| | | Otididae spp. (Except the species included in Appendix I) | |
| | <i>Ardeotis nigriceps</i> | | |
| | <i>Chlamydotis macqueenii</i> | | |
| | <i>Chlamydotis undulata</i> | | |
| | <i>Houbaropsis bengalensis</i> | | |
| Rallidae Rails | | | |
| | <i>Gallirallus sylvestris</i> | | |
| Rhynochetidae Kagu | | | |
| | <i>Rhynochetos jubatus</i> | | |
| PASSERIFORMES | | | |
| Atrichornithidae Scrub- birds | | | |
| | <i>Atrichornis clamosus</i> | | |
| Cotingidae Cotingas | | | |
| | | | <i>Cephalopterus ornatus</i> (Colombia) |
| | | | <i>Cephalopterus penduliger</i> (Colombia) |
| | <i>Cotinga maculata</i> | | |
| | | <i>Rupicola</i> spp. | |
| | <i>Xipholena atropurpurea</i> | | |

| | | | |
|------------------------------------|----------------------------------|--|---|
| Emberizidae Cardinals, tanagers | | | |
| | | <i>Gubernatrix cristata</i> | |
| | | <i>Paroaria capitata</i> | |
| | | <i>Paroaria coronata</i> | |
| | | <i>Tangara fastuosa</i> | |
| Estrildidae Mannikins, waxbills | | | |
| | | <i>Amandava formosa</i> | |
| | | <i>Lonchura oryzivora</i> | |
| | | <i>Poephila cincta cincta</i> | |
| Fringillidae Finches | | | |
| | <i>Carduelis cucullata</i> | | |
| | | <i>Carduelis yarrellii</i> | |
| Hirundinidae Martins | | | |
| | <i>Pseudochelidon sirintarae</i> | | |
| Icteridae New-world blackbirds | | | |
| | <i>Xanthopsar flavus</i> | | |
| Meliphagidae Honeyeaters | | | |
| | | <i>Lichenostomus melanops cassidix</i> | |
| Muscicapidae Old-world flycatchers | | | |
| | | | <i>Acrocephalus rodericanus</i> (Mauritius) |
| | | <i>Cyornis ruckii</i> | |
| | | <i>Dasyornis broadbenti litoralis</i> | |
| | | <i>Dasyornis longirostris</i> | |
| | | <i>Garrulax canorus</i> | |
| | | <i>Garrulax taewanus</i> | |
| | | <i>Leiothrix argentauris</i> | |
| | | <i>Leiothrix lutea</i> | |
| | | <i>Liocichla omeiensis</i> | |
| | <i>Picathartes gymnocephalus</i> | | |
| | <i>Picathartes oreas</i> | | |
| | | | <i>Terpsiphone bourbonensis</i> (Mauritius) |
| Paradisaeidae Birds of paradise | | | |
| | | Paradisaeidae spp. | |
| Pittidae Pittas | | | |
| | | <i>Pitta guajana</i> | |
| | <i>Pitta gurneyi</i> | | |
| | <i>Pitta kochi</i> | | |
| | | <i>Pitta nympha</i> | |
| Pycnonotidae Bulbuls | | | |
| | | <i>Pycnonotus zeylanicus</i> | |
| Sturnidae Mynas, starlings | | | |
| | | <i>Gracula religiosa</i> | |

| | | | |
|-------------------------|-------------------------------------|---|--|
| | <i>Leucopsar rothschildi</i> | | |
| Zosteropidae White-eyes | | | |
| | <i>Zosterops albogularis</i> | | |
| PELECANIFORMES | | | |
| Fregatidae Frigatebirds | | | |
| | <i>Fregata andrewsi</i> | | |
| Pelecanidae Pelicans | | | |
| | <i>Pelecanus crispus</i> | | |
| Sulidae Gannets | | | |
| | <i>Papasula abbotti</i> | | |
| PICIFORMES | | | |
| Capitonidae Barbets | | | |
| | | | <i>Semnornis ramphastinus</i> (Colombia) |
| Picidae Woodpeckers | | | |
| | <i>Dryocopus javensis richardsi</i> | | |
| Ramphastidae Toucans | | | |
| | | | <i>Bailloni bailloni</i> (Argentina) |
| | | <i>Pteroglossus aracari</i> | |
| | | | <i>Pteroglossus castanotis</i> (Argentina) |
| | | <i>Pteroglossus viridis</i> | |
| | | | <i>Ramphastos dicolorus</i> (Argentina) |
| | | <i>Ramphastos sulfuratus</i> | |
| | | <i>Ramphastos toco</i> | |
| | | <i>Ramphastos tucanus</i> | |
| | | <i>Ramphastos vitellinus</i> | |
| | | | <i>Selenidera maculirostris</i> (Argentina) |
| PODICIPEDIFORMES | | | |
| Podicipedidae Grebes | | | |
| | <i>Podilymbus gigas</i> | | |
| PROCELLARIIFORMES | | | |
| Diomedidae Albatrosses | | | |
| | <i>Phoebastria albatrus</i> | | |
| PSITTACIFORMES | | | |
| | | PSITTACIFORMES spp. (Except the species included in Appendix I and <i>Agapornis roseicollis</i> , <i>Melopsittacus undulatus</i> , <i>Nymphicus hollandicus</i> and <i>Psittacula krameri</i> , which are not included in the Appendices) | |
| Cacatuidae Cockatoos | | | |
| | <i>Cacatua goffiniana</i> | | |
| | <i>Cacatua haematuropygia</i> | | |
| | <i>Cacatua moluccensis</i> | | |
| | <i>Cacatua sulphurea</i> | | |
| | <i>Probosciger aterrimus</i> | | |

| | | | |
|---|---------------------------------------|--|--|
| Loriidae Lories, lorikeets | | | |
| | <i>Eos histrio</i> | | |
| | <i>Vini ultramarina</i> | | |
| Psittacidae Amazons, macaws, parakeets, parrots | | | |
| | <i>Amazona arausiaca</i> | | |
| | <i>Amazona auropalliata</i> | | |
| | <i>Amazona barbadensis</i> | | |
| | <i>Amazona brasiliensis</i> | | |
| | <i>Amazona finschi</i> | | |
| | <i>Amazona guildingii</i> | | |
| | <i>Amazona imperialis</i> | | |
| | <i>Amazona leucocephala</i> | | |
| | <i>Amazona oratrix</i> | | |
| | <i>Amazona pretrei</i> | | |
| | <i>Amazona rhodocorytha</i> | | |
| | <i>Amazona tucumana</i> | | |
| | <i>Amazona versicolor</i> | | |
| | <i>Amazona vinacea</i> | | |
| | <i>Amazona viridigenalis</i> | | |
| | <i>Amazona vittata</i> | | |
| | <i>Anodorhynchus spp.</i> | | |
| | <i>Ara ambiguus</i> | | |
| | <i>Ara glaucogularis</i> | | |
| | <i>Ara macao</i> | | |
| | <i>Ara militaris</i> | | |
| | <i>Ara rubrogenys</i> | | |
| | <i>Cyanopsitta spixii</i> | | |
| | <i>Cyanoramphus cookii</i> | | |
| | <i>Cyanoramphus forbesi</i> | | |
| | <i>Cyanoramphus novaezelandiae</i> | | |
| | <i>Cyanoramphus sailseti</i> | | |
| | <i>Cyclopsitta diophthalma coxeni</i> | | |
| | <i>Eunymphicus cornutus</i> | | |
| | <i>Guarouba guarouba</i> | | |
| | <i>Neophema chrysogaster</i> | | |
| | <i>Ognorhynchus icterotis</i> | | |
| | <i>Pezoporus occidentalis</i> | | |
| | <i>Pezoporus wallicus</i> | | |
| | <i>Pionopsitta pileata</i> | | |
| | <i>Primolius couloni</i> | | |
| | <i>Primolius maracana</i> | | |
| | <i>Psephotus chrysopterygius</i> | | |
| | <i>Psephotus dissimilis</i> | | |
| | <i>Psephotus pulcherrimus</i> | | |
| | <i>Psittacula echo</i> | | |
| | <i>Psittacus erithacus</i> | | |
| | <i>Pyrrhura cruentata</i> | | |

| | | | |
|--|---|--|--|
| | <i>Rhynchopsitta</i> spp. | | |
| | <i>Strigops habroptilus</i> | | |
| RHEIFORMES | | | |
| Rheidae Rheas | | | |
| | <i>Pterocnemia pennata</i> (Except <i>Pterocnemia pennata pennata</i> which is included in Appendix II) | | |
| | | <i>Pterocnemia pennata pennata</i> | |
| | | <i>Rhea americana</i> | |
| SPHENISCIFORMES | | | |
| Spheniscidae Penguins | | | |
| | | <i>Spheniscus demersus</i> | |
| | <i>Spheniscus humboldti</i> | | |
| STRIGIFORMES Owls | | | |
| | | STRIGIFORMES spp. (Except the species included in Appendix I and <i>Sceloglaux albifacies</i>) | |
| Strigidae Owls | | | |
| | <i>Heteroglaux blewitti</i> | | |
| | <i>Mimizuku gurneyi</i> | | |
| | <i>Ninox natalis</i> | | |
| Tytonidae Barn owls | | | |
| | <i>Tyto soumagnei</i> | | |
| STRUTHIONIFORMES | | | |
| Struthionidae Ostriches | | | |
| | <i>Struthio camelus</i> (Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; all other populations are not included in the Appendices) | | |
| TINAMIFORMES | | | |
| Tinamidae Tinamous | | | |
| | <i>Tinamus solitarius</i> | | |
| TROGONIFORMES | | | |
| Trogonidae Quetzals | | | |
| | <i>Pharomachrus mocinno</i> | | |
| CLASS REPTILIA (REPTILES) | | | |
| CROCODYLIA Alligators, caimans, crocodiles | | | |
| | | CROCODYLIA spp. (Except the species included in Appendix I) | |
| Alligatoridae Alligators, caimans | | | |
| | <i>Alligator sinensis</i> | | |

| | | | |
|-------------------------|--|--|--|
| | <i>Caiman crocodilus apaporiensis</i> | | |
| | <i>Caiman latirostris</i> (Except the population of Argentina, which is included in Appendix II) | | |
| | <i>Melanosuchus niger</i> (Except the population of Brazil, which is included in Appendix II, and the population of Ecuador, which is included in Appendix II and is subject to a zero annual export quota until an annual export quota has been approved by the CITES Secretariat and the IUCN/SSC Crocodile Specialist Group) | | |
| Crocodylidae Crocodiles | | | |
| | <i>Crocodylus acutus</i> (Except the population of the Integrated Management District of Mangroves of the Bay of Cispata, Tinajones, La Balsa and Surrounding Areas, Department of Córdoba, Colombia, and the population of Cuba, which are included in Appendix II; and the population of Mexico, which is included in Appendix II and is subject to a zero-export quota for wild specimens for commercial purposes) | | |
| | <i>Crocodylus cataphractus</i> | | |
| | <i>Crocodylus intermedius</i> | | |
| | <i>Crocodylus mindorensis</i> | | |
| | <i>Crocodylus moreletii</i> (Except the population of Belize, which is included in Appendix II with a zero quota for wild specimens traded for commercial purposes, and the population of Mexico, which is included in Appendix II) | | |
| | <i>Crocodylus niloticus</i> [Except the populations of Botswana, Egypt (subject to a zero quota for wild specimens traded for commercial purposes), Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, Uganda, the United Republic of Tanzania (subject to an annual export quota of | | |

| | | | |
|---------------------------------------|---|---|--|
| | no more than 1,600 wild specimens including hunting trophies, in addition to ranched specimens), Zambia and Zimbabwe, which are included in Appendix II] | | |
| | <i>Crocodylus palustris</i> | | |
| | <i>Crocodylus porosus</i> {Except the populations of Australia, Indonesia, Malaysia [wild harvest restricted to the State of Sarawak and a zero quota for wild specimens for the other States of Malaysia (Sabah and Peninsular Malaysia), with no change in the zero quota unless approved by the Parties] and Papua New Guinea, which are included in Appendix II} | | |
| | <i>Crocodylus rhombifer</i> | | |
| | <i>Crocodylus siamensis</i> | | |
| | <i>Osteolaemus tetraspis</i> | | |
| | <i>Tomistoma schlegelii</i> | | |
| Gavialidae Gavials | | | |
| | <i>Gavialis gangeticus</i> | | |
| RHYNCHOCEPHALIA | | | |
| Sphenodontidae Tuataras | | | |
| | <i>Sphenodon</i> spp. | | |
| SAURIA | | | |
| Agamidae Spiny-tailed lizards, agamas | | | |
| | | <i>Ceratophora aspera</i> (Zero quota for wild specimens for commercial purposes) | |
| | <i>Ceratophora erdeleni</i> | | |
| | <i>Ceratophora karu</i> | | |
| | | <i>Ceratophora stoddartii</i> (Zero quota for wild specimens for commercial purposes) | |
| | <i>Ceratophora tennentii</i> | | |
| | <i>Cophotis ceylanica</i> | | |
| | <i>Cophotis dumbara</i> | | |
| | | <i>Lyriocephalus scutatus</i> (Zero quota for wild specimens for commercial purposes) | |
| | | <i>Saara</i> spp. | |
| | | <i>Uromastyx</i> spp. | |
| Anguidae Alligator lizards | | | |
| | | <i>Abronia</i> spp. [Except the species included in Appendix I (zero export quota for wild specimens for <i>Abronia</i>) | |

| | | | |
|------------------------------------|-------------------------------|---|--|
| | | <i>aurita</i> , <i>A. gaiophantasma</i> , <i>A. montecristoi</i> , <i>A.</i> <i>salvadorensis</i> and <i>A.</i> <i>vasconcelosii</i>] | |
| | <i>Abronia anzueto</i> | | |
| | <i>Abronia campbelli</i> | | |
| | <i>Abronia fimbriata</i> | | |
| | <i>Abronia frosti</i> | | |
| | <i>Abronia meledona</i> | | |
| Chamaeleonidae Chameleons | | | |
| | | <i>Archaius</i> spp. | |
| | | <i>Bradypodion</i> spp. | |
| | | <i>Brookesia</i> spp. (Except the species included in Appendix I) | |
| | <i>Brookesia perarmata</i> | | |
| | | <i>Calumma</i> spp. | |
| | | <i>Chamaeleo</i> spp. | |
| | | <i>Furcifer</i> spp. | |
| | | <i>Kinyongia</i> spp. | |
| | | <i>Nadzikambia</i> spp. | |
| | | <i>Palleon</i> spp. | |
| | | <i>Rhampholeon</i> spp. | |
| | | <i>Rieppeleon</i> spp. | |
| | | <i>Trioceros</i> spp. | |
| Cordylidae Spiny-tailed lizards | | | |
| | | <i>Cordylus</i> spp. | |
| | | <i>Hemicordylus</i> spp. | |
| | | <i>Karusaurus</i> spp. | |
| | | <i>Namazonurus</i> spp. | |
| | | <i>Ninurta</i> spp. | |
| | | <i>Ouroborus</i> spp. | |
| | | <i>Pseudocordylus</i> spp. | |
| | | <i>Smaug</i> spp. | |
| Eublepharidae Eyelid geckos | | | |
| | | <i>Goniurosaurus</i> spp. (Except the species native to Japan) | |
| Gekkonidae Geckos | | | |
| | <i>Cnemaspis psychedelica</i> | | |
| | | | <i>Dactylocnemis</i> spp. (New Zealand) |
| | | <i>Gekko gekko</i> | |
| | <i>Gonatodes daudini</i> | | |
| | | | <i>Hoplodactylus</i> spp. (New Zealand) |
| | <i>Lygodactylus williamsi</i> | | |
| | | | <i>Mokopirirakau</i> spp. (New Zealand) |
| | | <i>Nactus serpensinsula</i> | |

| | | | |
|--|--|--|---|
| | | <i>Naultinus</i> spp. | |
| | | <i>Paroedura androyensis</i> | |
| | | <i>Paroedura masobe</i> | |
| | | <i>Phelsuma</i> spp. | |
| | | <i>Rhoptropella</i> spp. | |
| | | | <i>Sphaerodactylus armasi</i> (Cuba) |
| | | | <i>Sphaerodactylus celicara</i> (Cuba) |
| | | | <i>Sphaerodactylus dimorphicus</i> (Cuba) |
| | | | <i>Sphaerodactylus intermedius</i> (Cuba) |
| | | | <i>Sphaerodactylus nigropunctatus alayoi</i> (Cuba) |
| | | | <i>Sphaerodactylus nigropunctatus granti</i> (Cuba) |
| | | | <i>Sphaerodactylus nigropunctatus lissodesmus</i> (Cuba) |
| | | | <i>Sphaerodactylus nigropunctatus ocujal</i> (Cuba) |
| | | | <i>Sphaerodactylus nigropunctatus strategus</i> (Cuba) |
| | | | <i>Sphaerodactylus notatus atactus</i> (Cuba) |
| | | | <i>Sphaerodactylus oliveri</i> (Cuba) |
| | | | <i>Sphaerodactylus pimienta</i> (Cuba) |
| | | | <i>Sphaerodactylus ruibali</i> (Cuba) |
| | | | <i>Sphaerodactylus siboney</i> (Cuba) |
| | | | <i>Sphaerodactylus torrei</i> (Cuba) |
| | | | <i>Toropuku</i> spp.(New Zealand) |
| | | | <i>Tukutuku</i> spp. (New Zealand) |
| | | <i>Uroplatus</i> spp. | |
| | | | <i>Woodworthia</i> spp. (New Zealand) |
| Helodermatidae Beaded lizards, Gila monsters | | | |
| | | <i>Heloderma</i> spp. (Except the subspecies included in Appendix I) | |
| | <i>Heloderma horridum charlesbogerti</i> | | |
| Iguanidae Iguanas | | | |
| | | <i>Amblyrhynchus cristatus</i> | |
| | <i>Brachylophus</i> spp. | | |

| | | | |
|---------------------------------------|---------------------------------|---|-------------------------------------|
| | | <i>Conolophus</i> spp. | |
| | | <i>Ctenosaura</i> spp. | |
| | <i>Cyclura</i> spp. | | |
| | | <i>Iguana</i> spp. | |
| | | <i>Phrynosoma blainvillii</i> | |
| | | <i>Phrynosoma cerroense</i> | |
| | | <i>Phrynosoma coronatum</i> | |
| | | <i>Phrynosoma wigginsi</i> | |
| | <i>Sauromalus varius</i> | | |
| Lacertidae Lizards | | | |
| | <i>Gallotia simonyi</i> | | |
| | | <i>Podarcis lilfordi</i> | |
| | | <i>Podarcis pityusensis</i> | |
| Lanthanotidae Earless monitor lizards | | | |
| | | Lanthanotidae spp. (Zero export quota for wild specimens for commercial purposes) | |
| Polychrotidae Anoles | | | |
| | | | <i>Anolis agueri</i> (Cuba) |
| | | | <i>Anolis baracoae</i> (Cuba) |
| | | | <i>Anolis barbatus</i> (Cuba) |
| | | | <i>Anolis chamaeleonides</i> (Cuba) |
| | | | <i>Anolis equestris</i> (Cuba) |
| | | | <i>Anolis guamuhaya</i> (Cuba) |
| | | | <i>Anolis luteogularis</i> (Cuba) |
| | | | <i>Anolis pigmaequestris</i> (Cuba) |
| | | | <i>Anolis porcus</i> (Cuba) |
| Scincidae Skinks | | | |
| | | <i>Corucia zebra</i> | |
| Teiidae Caiman lizards, tegu lizards | | | |
| | | <i>Crocodylus amazonicus</i> | |
| | | <i>Dracaena</i> spp. | |
| | | <i>Salvator</i> spp. | |
| | | <i>Tupinambis</i> spp. | |
| Varanidae Monitor lizards | | | |
| | | <i>Varanus</i> spp. (Except the species included in Appendix I) | |
| | <i>Varanus bengalensis</i> | | |
| | <i>Varanus flavescens</i> | | |
| | <i>Varanus griseus</i> | | |
| | <i>Varanus komodoensis</i> | | |
| | <i>Varanus nebulosus</i> | | |
| Xenosauridae Chinese crocodile lizard | | | |
| | <i>Shinisaurus crocodilurus</i> | | |

| | | | |
|---|-------------------------------------|--|--|
| SERPENTES | | | |
| Boidae Boas | | | |
| | | Boidae spp. (Except the species included in Appendix I) | |
| | <i>Acrantophis</i> spp. | | |
| | <i>Boa constrictor occidentalis</i> | | |
| | <i>Epicrates inornatus</i> | | |
| | <i>Epicrates monensis</i> | | |
| | <i>Epicrates subflavus</i> | | |
| | <i>Sanzinia madagascariensis</i> | | |
| Bolyeriidae Round Island boas | | | |
| | | Bolyeriidae spp. (Except the species included in Appendix I) | |
| | <i>Bolyeria multocarinata</i> | | |
| | <i>Casarea dussumieri</i> | | |
| Colubridae Typical snakes, water snakes, whipsnakes | | | |
| | | | <i>Atretium schistosum</i> (India) |
| | | | <i>Cerberus rynchops</i> (India) |
| | | <i>Clelia clelia</i> | |
| | | <i>Cyclagras gigas</i> | |
| | | <i>Elachistodon westermanni</i> | |
| | | <i>Ptyas mucosus</i> | |
| | | | <i>Xenochrophis piscator</i> (India) |
| | | | <i>Xenochrophis schnurrenbergeri</i> (India) |
| | | | <i>Xenochrophis tyleri</i> (India) |
| Elapidae Cobras, coral snakes | | | |
| | | <i>Hoplocephalus bungaroides</i> | |
| | | | <i>Micrurus diastema</i> (Honduras) |
| | | | <i>Micrurus nigrocinctus</i> (Honduras) |
| | | | <i>Micrurus ruatanus</i> (Honduras) |
| | | <i>Naja atra</i> | |
| | | <i>Naja kaouthia</i> | |
| | | <i>Naja mandalayensis</i> | |
| | | <i>Naja naja</i> | |
| | | <i>Naja oxiana</i> | |
| | | <i>Naja philippinensis</i> | |
| | | <i>Naja sagittifera</i> | |
| | | <i>Naja samarensis</i> | |

| | | | |
|---|--|---|---|
| | | <i>Naja siamensis</i> | |
| | | <i>Naja sputatrix</i> | |
| | | <i>Naja sumatrana</i> | |
| | | <i>Ophiophagus hannah</i> | |
| Loxocemidae Mexican dwarf boas | | | |
| | | Loxocemidae spp. | |
| Pythonidae Pythons | | | |
| | | Pythonidae spp. (Except the subspecies included in Appendix I) | |
| | <i>Python molurus molurus</i> | | |
| Tropidophiidae Wood boas | | | |
| | | Tropidophiidae spp. | |
| Viperidae Vipers | | | |
| | | <i>Atheris desaixi</i> | |
| | | <i>Bitis worthingtoni</i> | |
| | | | <i>Crotalus durissus</i> (Honduras) |
| | | | <i>Daboia russelii</i> (India) |
| | | <i>Pseudocerastes urarachnoides</i> | |
| | | <i>Trimeresurus mangshanensis</i> | |
| | <i>Vipera ursinii</i> (Only the population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics; these latter populations are not included in the Appendices) | | |
| | | <i>Vipera wagneri</i> | |
| TESTUDINES | | | |
| Carettochelyidae Pig-nosed turtles | | | |
| | | <i>Carettochelys insculpta</i> | |
| Chelidae Austro-American sideneck turtles | | | |
| | | <i>Chelodina mccordi</i> (Zero export quota for specimens from the wild) | |
| | <i>Pseudemadura umbrina</i> | | |
| Cheloniidae Sea turtles | | | |
| | Cheloniidae spp. | | |
| Chelydridae Snapping turtles | | | |
| | | | <i>Chelydra serpentina</i> (United States of America) |
| | | | <i>Macrochelys temminckii</i> (United States of America) |
| Dermatemydidae Central American river turtles | | | |
| | | <i>Dermatemys mawii</i> | |

| | | | |
|--|-------------------------------|---|--|
| Dermochelyidae Leatherback turtles | | | |
| | <i>Dermochelys coriacea</i> | | |
| Emydidae Box turtles, freshwater turtles | | | |
| | | <i>Clemmys guttata</i> | |
| | | <i>Emydoidea blandingii</i> | |
| | | <i>Glyptemys insculpta</i> | |
| | <i>Glyptemys muhlenbergii</i> | | |
| | | | Graptemys spp. (United States of America) |
| | | <i>Malaclemys terrapin</i> | |
| | | <i>Terrapene</i> spp. (Except the species included in Appendix I) | |
| | <i>Terrapene coahuila</i> | | |
| Geoemydidae Box turtles, freshwater turtles | | | |
| | <i>Batagur affinis</i> | | |
| | <i>Batagur baska</i> | | |
| | | <i>Batagur borneoensis</i> (Zero quota for wild specimens for commercial purposes) | |
| | | <i>Batagur dhongoka</i> | |
| | | <i>Batagur kachuga</i> | |
| | | <i>Batagur trivittata</i> (Zero quota for wild specimens for commercial purposes) | |
| | | <i>Cuora</i> spp. (Except the species included in Appendix I; zero quota for wild specimens for commercial purposes for <i>Cuora aurocapitata</i> , <i>C. flavomarginata</i> , <i>C. galbinifrons</i> , <i>C. mccordi</i> , <i>C. mouhotii</i> , <i>C. pani</i> , <i>C. trifasciata</i> , <i>C. yunnanensis</i> and <i>C. zhoui</i>) | |
| | <i>Cuora bourreti</i> | | |
| | <i>Cuora picturata</i> | | |
| | | <i>Cyclemys</i> spp. | |
| | <i>Geoclemys hamiltonii</i> | | |
| | | <i>Geoemyda japonica</i> | |
| | | <i>Geoemyda spengleri</i> | |
| | | <i>Hardella thurjii</i> | |
| | | <i>Heosemys annandalii</i> (Zero quota for wild specimens for commercial purposes) | |
| | | <i>Heosemys depressa</i> (Zero quota for wild specimens for commercial purposes) | |
| | | <i>Heosemys grandis</i> | |
| | | <i>Heosemys spinosa</i> | |
| | | <i>Leucocephalon yuwonoi</i> | |

| | | | |
|---|---------------------------------|---|---|
| | | <i>Malayemys macrocephala</i> | |
| | | <i>Malayemys subtrijuga</i> | |
| | <i>Mauremys annamensis</i> | | |
| | | | <i>Mauremys iversoni</i> (China) |
| | | <i>Mauremys japonica</i> | |
| | | | <i>Mauremys megalcephala</i> (China) |
| | | <i>Mauremys mutica</i> | |
| | | <i>Mauremys nigricans</i> | |
| | | | <i>Mauremys pritchardi</i> (China) |
| | | | <i>Mauremys reevesii</i> (China) |
| | | | <i>Mauremys sinensis</i> (China) |
| | <i>Melanochelys tricarinata</i> | | |
| | | <i>Melanochelys trijuga</i> | |
| | <i>Morenia ocellata</i> | | |
| | | <i>Morenia petersi</i> | |
| | | <i>Notochelys platynota</i> | |
| | | | <i>Ocadia glyphistoma</i> (China) |
| | | | <i>Ocadia philippeni</i> (China) |
| | | <i>Orlitia borneensis</i> (Zero quota for wild specimens for commercial purposes) | |
| | | <i>Pangshura</i> spp. (Except the species included in Appendix I) | |
| | <i>Pangshura tecta</i> | | |
| | | <i>Sacalia bealei</i> | |
| | | | <i>Sacalia pseudocellata</i> (China) |
| | | <i>Sacalia quadriocellata</i> | |
| | | <i>Siebenrockiella crassicollis</i> | |
| | | <i>Siebenrockiella leytenis</i> | |
| | | <i>Vijayachelys silvatica</i> | |
| Platysternidae Big-headed turtles | | | |
| | Platysternidae spp. | | |
| Podocnemididae Afro-American sideneck turtles | | | |
| | | <i>Erymnochelys madagascariensis</i> | |
| | | <i>Peltocephalus dumerilianus</i> | |
| | | <i>Podocnemis</i> spp. | |
| Testudinidae Tortoises | | | |
| | | Testudinidae spp. (Except the species included in Appendix I. A zero annual export quota has been established for <i>Centrochelys sulcata</i> for | |

| | | | |
|--------------------------------|---------------------------------|---|--|
| | | specimens removed from the wild and traded for primarily commercial purposes) | |
| | <i>Astrochelys radiata</i> | | |
| | <i>Astrochelys yniphora</i> | | |
| | <i>Chelonoidis niger</i> | | |
| | <i>Geochelone elegans</i> | | |
| | <i>Geochelone platynota</i> | | |
| | <i>Gopherus flavomarginatus</i> | | |
| | <i>Malacochersus tornieri</i> | | |
| | <i>Psammobates geometricus</i> | | |
| | <i>Pyxis arachnoides</i> | | |
| | <i>Pyxis planicauda</i> | | |
| | <i>Testudo kleinmanni</i> | | |
| Trionychidae Softshell turtles | | | |
| | | <i>Amyda cartilaginea</i> | |
| | | | <i>Apalone ferox</i> (United States of America) |
| | | | <i>Apalone mutica</i> (United States of America) |
| | | | <i>Apalone spinifera</i> (Except the subspecies included in Appendix I) (United States of America) |
| | <i>Apalone spinifera atra</i> | | |
| | | <i>Chitra</i> spp. (Except the species included in Appendix I) | |
| | <i>Chitra chitra</i> | | |
| | <i>Chitra vandijki</i> | | |
| | | <i>Cyclanorbis elegans</i> | |
| | | <i>Cyclanorbis senegalensis</i> | |
| | | <i>Cycloderma aubryi</i> | |
| | | <i>Cycloderma frenatum</i> | |
| | | <i>Dogania subplana</i> | |
| | | <i>Lissemys ceylonensis</i> | |
| | | <i>Lissemys punctata</i> | |
| | | <i>Lissemys scutata</i> | |
| | | <i>Nilssonina formosa</i> | |
| | <i>Nilssonina gangetica</i> | | |
| | <i>Nilssonina hurum</i> | | |
| | | <i>Nilssonina leithii</i> | |
| | <i>Nilssonina nigricans</i> | | |
| | | <i>Palea steindachneri</i> | |
| | | <i>Pelochelys</i> spp. | |
| | | <i>Pelodiscus axenaria</i> | |
| | | <i>Pelodiscus maackii</i> | |
| | | <i>Pelodiscus parviformis</i> | |
| | | <i>Rafetus euphraticus</i> | |
| | | <i>Rafetus swinhoi</i> | |
| | | <i>Trionyx triunguis</i> | |

| CLASS AMPHIBIA (AMPHIBIANS) | | | |
|--|------------------------------------|---------------------------------|---------------------------------------|
| ANURA | | | |
| Aromobatidae Cryptic forest frogs | | | |
| | | <i>Allobates femoralis</i> | |
| | | <i>Allobates hodli</i> | |
| | | <i>Allobates myersi</i> | |
| | | <i>Allobates zaparo</i> | |
| | | <i>Anomaloglossus rufulus</i> | |
| Bufonidae Toads | | | |
| | <i>Amietophrynus channingi</i> | | |
| | <i>Amietophrynus superciliaris</i> | | |
| | <i>Altiphrynoides</i> spp. | | |
| | <i>Atelopus zeteki</i> | | |
| | <i>Incilius periglenes</i> | | |
| | <i>Nectophrynoides</i> spp. | | |
| | <i>Nimbaphrynoides</i> spp. | | |
| Calyptocephalellidae Chilean toads | | | |
| | | | <i>Calyptocephalella gayi</i> (Chile) |
| Dendrobatidae Poison frogs | | | |
| | | <i>Adelphobates</i> spp. | |
| | | <i>Ameerega</i> spp. | |
| | | <i>Andinobates</i> spp. | |
| | | <i>Dendrobates</i> spp. | |
| | | <i>Epipedobates</i> spp. | |
| | | <i>Excidobates</i> spp. | |
| | | <i>Hyloxalus azureiventris</i> | |
| | | <i>Minyobates</i> spp. | |
| | | <i>Oophaga</i> spp. | |
| | | <i>Phyllobates</i> spp. | |
| | | <i>Ranitomeya</i> spp. | |
| Dicroglossidae Frogs | | | |
| | | <i>Euphlyctis hexadactylus</i> | |
| | | <i>Hoplobatrachus tigerinus</i> | |
| Hylidae Tree frogs | | | |
| | | <i>Agalychnis</i> spp. | |
| Mantellidae Mantella frogs | | | |
| | | <i>Mantella</i> spp. | |
| Microhylidae Tomato frogs | | | |
| | | <i>Dyscophus antongilii</i> | |
| | | <i>Dyscophus guineti</i> | |
| | | <i>Dyscophus insularis</i> | |
| | | <i>Scaphiophryne boribory</i> | |
| | | <i>Scaphiophryne gottlebei</i> | |
| | | <i>Scaphiophryne marmorata</i> | |

| | | | |
|---|---------------------------|---|--|
| | | <i>Scaphiophryne spinosa</i> | |
| Myobatrachidae Gastric-brooding frogs | | | |
| | | <i>Rheobatrachus</i> spp. (Except <i>Rheobatrachus silus</i> and <i>Rheobatrachus vitellinus</i> which are not included in the Appendices) | |
| Telmatobiidae Andean water frogs | | | |
| | <i>Telmatobius culeus</i> | | |
| CAUDATA | | | |
| Ambystomatidae Axolotls, mole salamanders | | | |
| | | <i>Ambystoma dumerilii</i> | |
| | | <i>Ambystoma mexicanum</i> | |
| Cryptobranchidae Giant salamanders | | | |
| | <i>Andrias</i> spp. | | |
| | | | <i>Cryptobranchus alleganiensis</i> (United States of America) |
| Hynobiidae Asiatic salamanders | | | |
| | | | <i>Hynobius amjiensis</i> (China) |
| Salamandridae Newts and salamanders | | | |
| | | <i>Echinotriton chinhaiensis</i> | |
| | | <i>Echinotriton maxiquadratus</i> | |
| | <i>Neurergus kaiseri</i> | | |
| | | <i>Paramesotriton</i> spp. | |
| | | | <i>Salamandra algira</i> (Algeria) |
| | | <i>Tylototriton</i> spp. | |
| CLASS ELASMOBRANCHII (SHARKS) | | | |
| CARCHARHINI-FORMES | | | |
| Carcharhinidae Requiem sharks | | | |
| | | <i>Carcharhinus falciformis</i> | |
| | | <i>Carcharhinus longimanus</i> | |
| Sphyrnidae Hammerhead sharks | | | |
| | | <i>Sphyrna lewini</i> | |
| | | <i>Sphyrna mokarran</i> | |
| | | <i>Sphyrna zygaena</i> | |
| LAMNIFORMES | | | |
| Alopiidae Thresher sharks | | | |
| | | <i>Alopias</i> spp. | |
| Cetorhinidae Basking sharks | | | |

| | | | |
|---------------------------------------|-------------------------------|---|--|
| | | <i>Cetorhinus maximus</i> | |
| Lamnidae Mackerel sharks | | | |
| | | <i>Carcharodon carcharias</i> | |
| | | <i>Isurus oxyrinchus</i> | |
| | | <i>Isurus paucus</i> | |
| | | <i>Lamna nasus</i> | |
| MYLIOBATIFORMES | | | |
| Myliobatidae Eagle and mobulid rays | | | |
| | | <i>Manta</i> spp. | |
| | | <i>Mobula</i> spp. | |
| Potamotrygonidae Freshwater stingrays | | | |
| | | | <i>Paratrygon aiereba</i> (Colombia) |
| | | | <i>Potamotrygon</i> spp. (population of Brazil) (Brazil) |
| | | | <i>Potamotrygon constellata</i> (Colombia) |
| | | | <i>Potamotrygon magdalenae</i> (Colombia) |
| | | | <i>Potamotrygon motoro</i> (Colombia) |
| | | | <i>Potamotrygon orbignyi</i> (Colombia) |
| | | | <i>Potamotrygon schroederi</i> (Colombia) |
| | | | <i>Potamotrygon scobina</i> (Colombia) |
| | | | <i>Potamotrygon yepezi</i> (Colombia) |
| ORECTOLOBIFORMES | | | |
| Rhincodontidae Whale sharks | | | |
| | | <i>Rhincodon typus</i> | |
| PRISTIFORMES | | | |
| Pristidae Sawfishes | | | |
| | Pristidae spp. | | |
| RHINOPRISTIFORMES | | | |
| Glaucostegidae Guitarfishes | | | |
| | | <i>Glaucostegus</i> spp. | |
| Rhinidae Wedgefishes | | | |
| | | Rhinidae spp. | |
| CLASS ACTINOPTERI (FISHES) | | | |
| ACIPENSERIFORMES | | | |
| | | ACIPENSERIFORMES spp. (Except the species included in Appendix I) | |
| Acipenseridae Sturgeons | | | |
| | <i>Acipenser brevirostrum</i> | | |

| | | | |
|---|-------------------------------|---------------------------------|---------------------------------------|
| | <i>Acipenser sturio</i> | | |
| ANGUILLIFORMES | | | |
| Anguillidae Freshwater eels | | | |
| | | <i>Anguilla anguilla</i> | |
| CYPRINIFORMES | | | |
| Catostomidae Cui-ui | | | |
| | <i>Chasmistes cujus</i> | | |
| Cyprinidae Carps | | | |
| | | <i>Caecobarbus geertsii</i> | |
| | <i>Probarbus jullieni</i> | | |
| OSTEOGLOSSIFORMES | | | |
| Arapaimidae Arapaimas | | | |
| | | <i>Arapaima gigas</i> | |
| Osteoglossidae Bonytongue | | | |
| | <i>Scleropages formosus</i> | | |
| | <i>Scleropages inscriptus</i> | | |
| PERCIFORMES | | | |
| Labridae Wrasses | | | |
| | | <i>Cheilinus undulatus</i> | |
| Pomacanthidae Angelfishes | | | |
| | | <i>Holacanthus clarionensis</i> | |
| Sciaenidae Totoaba | | | |
| | <i>Totoaba macdonaldi</i> | | |
| SILURIFORMES | | | |
| Loricariidae Armoured catfishes | | | |
| | | | <i>Hypancistrus zebra</i> (Brazil) |
| Pangasiidae Pangasid catfish | | | |
| | <i>Pangasianodon gigas</i> | | |
| SYNGNATHIFORMES | | | |
| Syngnathidae Pipefishes, seahorses | | | |
| | | <i>Hippocampus spp.</i> | |
| CLASS DIPNEUSTI (LUNGFISHES) | | | |
| CERATODONTIFORMES | | | |
| Neoceratodontidae Australian lungfishes | | | |
| | | <i>Neoceratodus forsteri</i> | |
| CLASS COELACANTHI (COELACANTHS) | | | |
| COELACANTHIFORMES | | | |
| Latimeriidae Coelacanth | | | |
| | <i>Latimeria spp.</i> | | |

| | | | |
|--|--|---|---|
| PHYLUM ECHINODERMATA CLASS HOLOTHUROIDEA (SEA CUCUMBERS) | | | |
| ASPIDOCHIROTIDA | | | |
| Stichopodidae Sea cucumbers | | | |
| | | | <i>Isostichopus fuscus</i> (Ecuador) |
| HOLOTHURIIDA | | | |
| Holothuriidae Teatfishes, Sea cucumbers | | | |
| | | <i>Holothuria fuscogilva</i> (Entry into effect delayed by 12 months, i.e. until 28 August 2020) | |
| | | <i>Holothuria nobilis</i> (Entry into effect delayed by 12 months, i.e. until 28 August 2020) | |
| | | <i>Holothuria whitmaei</i> (Entry into effect delayed by 12 months, i.e. until 28 August 2020) | |
| PHYLUM ARTHROPODA CLASS ARACHNIDA (SCORPIONS AND SPIDERS) | | | |
| ARANEAE | | | |
| Theraphosidae Red-kneed tarantulas, tarantulas | | | |
| | | <i>Aphonopelma albiceps</i> | |
| | | <i>Aphonopelma pallidum</i> | |
| | | <i>Brachypelma</i> spp. | |
| | | <i>Poecilotheria</i> spp. | |
| SCORPIONES | | | |
| Scorpionidae Scorpions | | | |
| | | <i>Pandinus camerounensis</i> | |
| | | <i>Pandinus dictator</i> | |
| | | <i>Pandinus gambiensis</i> | |
| | | <i>Pandinus imperator</i> | |
| | | <i>Pandinus roeseli</i> | |
| CLASS INSECTA (INSECTS) | | | |
| COLEOPTERA | | | |
| Lucanidae Stag beetles | | | |
| | | | <i>Colophon</i> spp. (South Africa) |
| Scarabaeidae Scarab beetles | | | |
| | | <i>Dynastes satanas</i> | |
| LEPIDOPTERA | | | |
| Nymphalidae Brush- footed butterflies | | | |

| | | | |
|---|--------------------------------------|--|--|
| | | | <i>Agrias amydon boliviensis</i> (Plurinational State of Bolivia) |
| | | | <i>Morpho godartii lachaumei</i> (Plurinational State of Bolivia) |
| | | | <i>Prepona praeneste buckleyana</i> (Plurinational State of Bolivia) |
| Papilionidae Birdwing butterflies, swallowtail butterflies | | | |
| | <i>Achillides chikae chikae</i> | | |
| | <i>Achillides chikae hermeli</i> | | |
| | | <i>Atrophaneura jophon</i> | |
| | | <i>Atrophaneura pandiyana</i> | |
| | | <i>Bhutanitis</i> spp. | |
| | | <i>Ornithoptera</i> spp. (Except the species included in Appendix I) | |
| | <i>Ornithoptera alexandrae</i> | | |
| | <i>Papilio homerus</i> | | |
| | | <i>Papilio hospiton</i> | |
| | <i>Parides burchellanus</i> | | |
| | | <i>Parnassius apollo</i> | |
| | | <i>Teinopalpus</i> spp. | |
| | | <i>Trogonoptera</i> spp. | |
| | | <i>Troides</i> spp. | |
| PHYLUM ANNELIDA CLASS HIRUDINOIDEA (LEECHES) | | | |
| ARHYNCHOBDELLIDA | | | |
| Hirudinidae Medicinal leeches | | | |
| | | <i>Hirudo medicinalis</i> | |
| | | <i>Hirudo verbana</i> | |
| PHYLUM MOLLUSCA CLASS BIVALVIA (CLAMS AND MUSSELS) | | | |
| MYTILOIDA | | | |
| Mytilidae Marine mussels | | | |
| | | <i>Lithophaga lithophaga</i> | |
| UNIONOIDA | | | |
| Unionidae Freshwater mussels, pearly mussels | | | |
| | <i>Conradilla caelata</i> | | |
| | | <i>Cyprogenia aberti</i> | |
| | <i>Dromus dromas</i> | | |
| | <i>Epioblasma curtisi</i> | | |
| | <i>Epioblasma florentina</i> | | |
| | <i>Epioblasma sampsonii</i> | | |
| | <i>Epioblasma sulcata perobliqua</i> | | |

| | | | |
|--|---|-------------------------------------|--|
| | <i>Epioblasma torulosa gubernaculum</i> | | |
| | | <i>Epioblasma torulosa rangiana</i> | |
| | <i>Epioblasma torulosa torulosa</i> | | |
| | <i>Epioblasma turgidula</i> | | |
| | <i>Epioblasma walkeri</i> | | |
| | <i>Fusconaia cuneolus</i> | | |
| | <i>Fusconaia edgariana</i> | | |
| | <i>Lampsilis higginsii</i> | | |
| | <i>Lampsilis orbiculata orbiculata</i> | | |
| | <i>Lampsilis satur</i> | | |
| | <i>Lampsilis virescens</i> | | |
| | <i>Plethobasus cicatricosus</i> | | |
| | <i>Plethobasus cooperianus</i> | | |
| | | <i>Pleurobema clava</i> | |
| | <i>Pleurobema plenum</i> | | |
| | <i>Potamilus capax</i> | | |
| | <i>Quadrula intermedia</i> | | |
| | <i>Quadrula sparsa</i> | | |
| | <i>Toxolasma cylindrella</i> | | |
| | <i>Unio nickliniana</i> | | |
| | <i>Unio tampicoensis tecomatensis</i> | | |
| | <i>Villosa trabalis</i> | | |
| VENEROIDA | | | |
| Tridacnidae Giant clams | | | |
| | | Tridacnidae spp. | |
| CLASS CEPHALOPODA (SQUIDS, OCTOPUSES, CUTTLEFISH) | | | |
| NAUTILIDA | | | |
| Nautilidae Chambered nautilus | | | |
| | | Nautilidae spp. | |
| CLASS GASTROPODA (SNAILS AND CONCHES) | | | |
| MESOGASTROPODA | | | |
| Strombidae True conchs | | | |
| | | <i>Strombus gigas</i> | |
| STYLOMMATOPHORA | | | |
| Achatinellidae Agate snails, oahu tree snails | | | |
| | <i>Achatinella</i> spp. | | |
| Camaenidae Green tree snails | | | |
| | | <i>Papustyla pulcherrima</i> | |
| Cepolidae Helicoid terrestrial snails | | | |

| | | | |
|---|-------------------------|---|------------------------------------|
| | <i>Polymita</i> spp. | | |
| PHYLUM CNIDARIA CLASS ANTHOZOA (CORALS AND SEA ANEMONES) | | | |
| ANTIPATHARIA Black corals | | | |
| | | ANTIPATHARIA spp. | |
| GORGONACEAE | | | |
| Coralliidae Red and pink corals | | | |
| | | | <i>Corallium elatius</i> (China) |
| | | | <i>Corallium japonicum</i> (China) |
| | | | <i>Corallium konjoi</i> (China) |
| | | | <i>Corallium secundum</i> (China) |
| HELIOPORACEA | | | |
| Helioporidae Blue corals | | | |
| | | Helioporidae spp. (Includes only the species <i>Heliopora coerulea</i> . Fossils are not subject to the provisions of the Convention) | |
| SCLERACTINIA Stony corals | | | |
| | | SCLERACTINIA spp. (Fossils are not subject to the provisions of the Convention) | |
| STOLONIFERA | | | |
| Tubiporidae Organ-pipe corals | | | |
| | | Tubiporidae spp. (Fossils are not subject to the provisions of the Convention) | |
| CLASS HYDROZOA (SEA FERNS, FIRE CORALS AND STINGING MEDUSAE) | | | |
| MILLEPORINA | | | |
| Milleporidae Fire corals | | | |
| | | Milleporidae spp. (Fossils are not subject to the provisions of the Convention) | |
| STYLASTERINA | | | |
| Stylasteridae Lace corals | | | |
| | | Stylasteridae spp. (Fossils are not subject to the provisions of the Convention) | |
| FLORA (PLANTS) | | | |
| AGAVACEAE Agaves | | | |
| | <i>Agave parviflora</i> | | |

| | | | |
|---|--|---|--|
| | | <i>Agave victoriae-reginae</i> #4 | |
| | | <i>Nolina interrata</i> | |
| | | <i>Yucca queretaroensis</i> | |
| AMARYLLIDACEAE Snowdrops, sternbergias | | | |
| | | <i>Galanthus</i> spp. #4 | |
| | | <i>Sternbergia</i> spp. #4 | |
| ANACARDIACEAE Cashews | | | |
| | | <i>Operculicarya decaryi</i> | |
| | | <i>Operculicarya hyphaenoides</i> | |
| | | <i>Operculicarya pachypus</i> | |
| APOCYNACEAE Elephant trunks, hoodias | | | |
| | | <i>Hoodia</i> spp. #9 | |
| | | <i>Pachypodium</i> spp. #4 (Except the species included in Appendix I) | |
| | | <i>Pachypodium ambongense</i> | |
| | | <i>Pachypodium baronii</i> | |
| | | <i>Pachypodium decaryi</i> | |
| | | <i>Rauvolfia serpentina</i> #2 | |
| ARALIACEAE Ginseng | | | |
| | | <i>Panax ginseng</i> #3 (Only the population of the Russian Federation; no other population is included in the Appendices) | |
| | | <i>Panax quinquefolius</i> #3 | |
| ARAUCARIACEAE Monkey-puzzle trees | | | |

#4 All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

#9 All parts and derivatives except those bearing a label:

“Produced from *Hoodia* spp. material obtained through controlled harvesting and production under the terms of an agreement with the relevant CITES Management Authority of [Botswana under agreement No. BW/xxxxxx] [Namibia under agreement No. NA/xxxxxx] [South Africa under agreement No. ZA/xxxxxx]”.

#2 All parts and derivatives except:

- a) seeds and pollen; and
- b) finished products packaged and ready for retail trade.

#3 Whole and sliced roots and parts of roots, excluding manufactured parts or derivatives, such as powders, pills, extracts, tonics, teas and confectionery.

| | | | |
|---|---|--|--|
| | <i>Araucaria araucana</i> | | |
| ASPARAGACEAE Includes ponytail palms | | | |
| | | <i>Beaucarnea</i> spp. | |
| BERBERIDACEAE May-apple | | | |
| | | <i>Podophyllum hexandrum</i> #2 | |
| BROMELIACEAE Air plants, bromelias | | | |
| | | <i>Tillandsia harrisii</i> #4 | |
| | | <i>Tillandsia kammii</i> #4 | |
| | | <i>Tillandsia xerographica</i> #4 | |
| CACTACEAE Cacti | | | |
| | | CACTACEAE spp. ^{9#4} (Except the species included in Appendix I and except <i>Pereskia</i> spp., <i>Pereskopsis</i> spp. and <i>Quiabentia</i> spp.) | |
| | <i>Ariocarpus</i> spp. | | |
| | <i>Astrophytum asterias</i> | | |
| | <i>Aztekium ritteri</i> | | |
| | <i>Coryphantha werdermannii</i> | | |
| | <i>Discocactus</i> spp. | | |
| | <i>Echinocereus ferreiranus</i> ssp. <i>lindsayorum</i> | | |
| | <i>Echinocereus schmollii</i> | | |
| | <i>Escobaria minima</i> | | |
| | <i>Escobaria sneedii</i> | | |
| | <i>Mammillaria pectinifera</i> (includes ssp. <i>solisioides</i>) | | |

#4 All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

⁹Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of the Convention:

- *Hatiora x graeseri*
- *Schlumbergera x buckleyi*
- *Schlumbergera russelliana x Schlumbergera truncata*
- *Schlumbergera orssichiana x Schlumbergera truncata*
- *Schlumbergera opuntioides x Schlumbergera truncata*
- *Schlumbergera truncata* (cultivars)
- *Cactaceae* spp. colour mutants grafted on the following grafting stocks: *Harrisia 'Jusbertii'*, *Hylocereus trigonus* or *Hylocereus undatus*
- *Opuntia microdasys* (cultivars).

| | | | |
|--|---|---------------------------------|--|
| | <i>Melocactus conoideus</i> | | |
| | <i>Melocactus deinacanthus</i> | | |
| | <i>Melocactus glaucescens</i> | | |
| | <i>Melocactus paucispinus</i> | | |
| | <i>Obregonia denegrii</i> | | |
| | <i>Pachycereus militaris</i> | | |
| | <i>Pediocactus bradyi</i> | | |
| | <i>Pediocactus knowltonii</i> | | |
| | <i>Pediocactus paradinei</i> | | |
| | <i>Pediocactus peeblesianus</i> | | |
| | <i>Pediocactus sileri</i> | | |
| | <i>Pelecyphora</i> spp. | | |
| | <i>Sclerocactus blainei</i> | | |
| | <i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i> | | |
| | <i>Sclerocactus brevispinus</i> | | |
| | <i>Sclerocactus cloverae</i> | | |
| | <i>Sclerocactus erectocentrus</i> | | |
| | <i>Sclerocactus glaucus</i> | | |
| | <i>Sclerocactus mariposensis</i> | | |
| | <i>Sclerocactus mesae-verdae</i> | | |
| | <i>Sclerocactus nyensis</i> | | |
| | <i>Sclerocactus papyracanthus</i> | | |
| | <i>Sclerocactus pubispinus</i> | | |
| | <i>Sclerocactus sileri</i> | | |
| | <i>Sclerocactus wetlandicus</i> | | |
| | <i>Sclerocactus wrightiae</i> | | |
| | <i>Strombocactus</i> spp. | | |
| | <i>Turbinicarpus</i> spp. | | |
| | <i>Uebelmannia</i> spp. | | |
| CARYOCARACEAE Ajo | | | |
| | | <i>Caryocar costaricense</i> #4 | |
| COMPOSITAE (Asteraceae) Kuth | | | |
| | <i>Saussurea costus</i> | | |
| CUCURBITACEAE Melons, gourds, cucurbits | | | |
| | | <i>Zygosityos pubescens</i> | |
| | | <i>Zygosityos tripartitus</i> | |

#4 All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

| | | | |
|---|--------------------------------|--|--|
| CUPRESSACEAE Alerce, cypresses | | | |
| | <i>Fitzroya cupressoides</i> | | |
| | <i>Pilgerodendron uviferum</i> | | |
| | | <i>Widdringtonia whytei</i> | |
| CYATHEACEAE Tree-ferns | | | |
| | | <i>Cyathea</i> spp. #4 | |
| CYCADACEAE Cycads | | | |
| | | CYCADACEAE spp. #4 (Except the species included in Appendix I) | |
| | <i>Cycas beddomei</i> | | |
| DICKSONIACEAE Tree- ferns | | | |
| | | <i>Cibotium barometz</i> #4 | |
| | | <i>Dicksonia</i> spp. #4 (Only the populations of the Americas; no other population is included in the Appendices) | |
| DIDIEREACEAE Alluaudias, didiereas | | | |
| | | DIDIEREACEAE spp. #4 | |
| DIOSCOREACEAE Elephant's foot, kniss | | | |
| | | <i>Dioscorea deltoidea</i> #4 | |
| DROSERACEAE Venus' flytrap | | | |
| | | <i>Dionaea muscipula</i> #4 | |
| EBENACEAE Ebonies | | | |
| | | <i>Diospyros</i> spp. #5 (Populations of Madagascar) | |
| EUPHORBIACEAE Spurges | | | |

#4 All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

#5 Logs, sawn wood and veneer sheets.

| | | | |
|--|--|---|--|
| | | <i>Euphorbia</i> spp. ^{#4} (Succulent species only except <i>Euphorbia misera</i> and the species included in Appendix I. Artificially propagated specimens of cultivars of <i>Euphorbia trigona</i> , artificially propagated specimens of crested, fan-shaped or colour mutants of <i>Euphorbia lactea</i> , when grafted on artificially propagated root stock of <i>Euphorbia nerifolia</i> , and artificially propagated specimens of cultivars of <i>Euphorbia 'Mili'</i> when they are traded in shipments of 100 or more plants and readily recognizable as artificially propagated specimens, are not subject to the provisions of the Convention) | |
| | <i>Euphorbia ambovombensis</i> | | |
| | <i>Euphorbia capsaintemariensis</i> | | |
| | <i>Euphorbia cremersii</i> (Includes the <i>forma viridifolia</i> and the var. <i>rakotozafyi</i>) | | |
| | <i>Euphorbia cylindrifolia</i> (Includes the ssp. <i>tuberifera</i>) | | |
| | <i>Euphorbia decaryi</i> (Includes the vars. <i>ampanihyensis</i> , <i>robinsonii</i> and <i>spirosticha</i>) | | |
| | <i>Euphorbia francoisii</i> | | |
| | <i>Euphorbia moratii</i> (Includes the vars. <i>antsingiensis</i> , <i>bemarahensis</i> and <i>multiflora</i>) | | |
| | <i>Euphorbia parvicyathophora</i> | | |

^{#4}All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dyopsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

| | | | |
|---|--------------------------------|--|--|
| | <i>Euphorbia quartziticola</i> | | |
| | <i>Euphorbia tulearensis</i> | | |
| FAGACEAE Beeches | | | |
| | | | <i>Quercus mongolica</i> ^{#5} (Russian Federation) |
| FOUQUIERIACEAE Ocotillos | | | |
| | | <i>Fouquieria columnaris</i> ^{#4} | |
| | <i>Fouquieria fasciculata</i> | | |
| | <i>Fouquieria purpusii</i> | | |
| GNETACEAE Gnetums | | | |
| | | | <i>Gnetum montanum</i> ^{#1} (Nepal) |
| JUGLANDACEAE Gavilan | | | |
| | | <i>Oreomunnea pterocarpa</i> ^{#4} | |
| LAURACEAE Laurels | | | |
| | | <i>Aniba rosaeodora</i> ^{#12} | |
| LEGUMINOSAE (Fabaceae) Afrormosia, cristobal, palisander, rosewood, sandalwood | | | |
| | | <i>Dalbergia</i> spp. ^{#15} (except for the species listed in Appendix I) | |
| | <i>Dalbergia nigra</i> | | |

^{#5}Logs, sawn wood and veneer sheets.

^{#4}All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dyopsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia subgenus Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

^{#1}All parts and derivatives, except:

- a) seeds, spores and pollen (including pollinia);
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants; and
- d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

^{#12}Logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

^{#15}All parts and derivatives, except:

- a) Leaves, flowers, pollen, fruits, and seeds;
- b) Finished products to a maximum weight of wood of the listed species of up to 10 kg per shipment;
- c) Finished musical instruments, finished musical instrument parts and finished musical instrument accessories;
- d) Parts and derivatives of *Dalbergia cochinchinensis*, which are covered by Annotation # 4; and
- e) Parts and derivatives of *Dalbergia* spp. originating and exported from Mexico, which are covered by Annotation # 6.

| | | | |
|-----------------|---------------------------|--|---|
| | | | <i>Dipteryx panamensis</i> (Costa Rica, Nicaragua) |
| | | <i>Guibourtia demeusei</i> #15 | |
| | | <i>Guibourtia pellegriniana</i> #15 | |
| | | <i>Guibourtia tessmannii</i> #15 | |
| | | <i>Paubrasilia echinata</i> #10 | |
| | | <i>Pericopsis elata</i> #17 | |
| | | <i>Platymiscium parviflorum</i> #4 | |
| | | <i>Pterocarpus erinaceus</i> | |
| | | <i>Pterocarpus santalinus</i> #7 | |
| | | <i>Pterocarpus tinctorius</i> #6 | |
| | | <i>Senna meridionalis</i> | |
| LILIACEAE Aloes | | | |
| | | <i>Aloe</i> spp. #4 (Except the species included in Appendix I. Also excludes <i>Aloe vera</i> , also referenced as <i>Aloe barbadensis</i> which is not included in the Appendices) | |
| | <i>Aloe albida</i> | | |
| | <i>Aloe albiflora</i> | | |
| | <i>Aloe alfredii</i> | | |
| | <i>Aloe bakeri</i> | | |
| | <i>Aloe bellatula</i> | | |
| | <i>Aloe calcairophila</i> | | |

#15 All parts and derivatives, except:

- a) Leaves, flowers, pollen, fruits, and seeds;
- b) Finished products to a maximum weight of wood of the listed species of up to 10 kg per shipment;
- c) Finished musical instruments, finished musical instrument parts and finished musical instrument accessories;
- d) Parts and derivatives of *Dalbergia cochinchinensis*, which are covered by Annotation # 4; and
- e) Parts and derivatives of *Dalbergia* spp. originating and exported from Mexico, which are covered by Annotation # 6.

#10 Logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.

#17 Logs, sawn wood, veneer sheets, plywood and transformed wood.

#4 All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

#7 Logs, woodchips, powder and extracts.

#6 Logs, sawn wood, veneer sheets and plywood.

| | | | |
|---|---|---|--|
| | <i>Aloe compressa</i> (Includes the vars. <i>paucituberculata</i> , <i>rugosquamosa</i> and <i>schistophila</i>) | | |
| | <i>Aloe delphinensis</i> | | |
| | <i>Aloe descoingsii</i> | | |
| | <i>Aloe fragilis</i> | | |
| | <i>Aloe haworthioides</i> (Includes the var. <i>aurantiaca</i>) | | |
| | <i>Aloe helenae</i> | | |
| | <i>Aloe laeta</i> (Includes the var. <i>maniaensis</i>) | | |
| | <i>Aloe parallelifolia</i> | | |
| | <i>Aloe parvula</i> | | |
| | <i>Aloe pillansii</i> | | |
| | <i>Aloe polyphylla</i> | | |
| | <i>Aloe rauhii</i> | | |
| | <i>Aloe suzannae</i> | | |
| | <i>Aloe versicolor</i> | | |
| | <i>Aloe vossii</i> | | |
| MAGNOLIACEAE Magnolias | | | |
| | | | <i>Magnolia liliifera</i> var. <i>obovata</i> #1 (Nepal) |
| MALVACEAE Includes baobabs | | | |
| | | <i>Adansonia grandidieri</i> #16 | |
| MELIACEAE Mahoganies, West Indian cedar | | | |
| | | <i>Cedrela</i> spp. #6 (Populations of the Neotropics) (Entry into effect delayed by 12 months, i.e. until 28 August 2020) | |
| | | | <i>Cedrela fissilis</i> #5 (Plurinational State of Bolivia, Brazil) (To be deleted on 28 August 2020) |

#1 All parts and derivatives, except:

- a) seeds, spores and pollen (including pollinia);
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants; and
- d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

#16 Seeds, fruits and oils.

#6 Logs, sawn wood, veneer sheets and plywood.

#5 Logs, sawn wood and veneer sheets.

| | | | |
|--|--|---|---|
| | | | <i>Cedrela lilloi</i> ^{#5} (Plurinational State of Bolivia, Brazil) (To be deleted on 28 August 2020) |
| | | | <i>Cedrela odorata</i> ^{#5} (Brazil and the Plurinational State of Bolivia. In addition, the following countries have listed their national populations: Colombia, Guatemala and Peru) (To be deleted on 28 August 2020) |
| | | <i>Swietenia humilis</i> ^{#4} | |
| | | <i>Swietenia macrophylla</i> ^{#6} (Populations of the Neotropics) | |
| | | <i>Swietenia mahagoni</i> ^{#5} | |
| NEPENTHACEAE Pitcher-plants (Old World) | | | |
| | | <i>Nepenthes</i> spp. ^{#4} (Except the species included in Appendix I) | |
| | <i>Nepenthes khasiana</i> | | |
| | <i>Nepenthes rajah</i> | | |
| OLEACEAE Ashes, etc. | | | |
| | | | <i>Fraxinus mandshurica</i> ^{#5} (Russian Federation) |
| ORCHIDACEAE Orchids | | | |
| | | ORCHIDACEAE spp. ^{#4} (Except the species included in Appendix I) | |
| | (For all of the following Appendix-I species, seedling or tissue cultures obtained <i>in vitro</i> , in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties) | | |

^{#5}Logs, sawn wood and veneer sheets.

^{#4}All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dyopsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

| | | | |
|-----------------------------------|--------------------------------|---|--|
| | <i>Aerangis ellisii</i> | | |
| | <i>Cattleya jongheana</i> | | |
| | <i>Cattleya lobata</i> | | |
| | <i>Dendrobium cruentum</i> | | |
| | <i>Mexipedium xerophyticum</i> | | |
| | <i>Paphiopedilum</i> spp. | | |
| | <i>Peristeria elata</i> | | |
| | <i>Phragmipedium</i> spp. | | |
| | <i>Renanthera imschootiana</i> | | |
| OROBANCHACEAE Broomrapes | | | |
| | | <i>Cistanche deserticola</i> ^{#4} | |
| PALMAE (Arecaceae) Palms | | | |
| | | <i>Beccariophoenix madagascariensis</i> ^{#4} | |
| | | <i>Dypsis decaryi</i> ^{#4} | |
| | <i>Dypsis decipiens</i> | | |
| | | <i>Lemurophoenix halleuxii</i> | |
| | | | <i>Lodoicea maldivica</i> ^{#13} (Seychelles) |
| | | <i>Marojejya darianii</i> | |
| | | <i>Ravenea louvelii</i> | |
| | | <i>Ravenea rivularis</i> | |
| | | <i>Satranala decussilvae</i> | |
| | | <i>Voanioala gerardii</i> | |
| PAPAVERACEAE Poppy | | | |
| | | | <i>Meconopsis regia</i> ^{#1} (Nepal) |
| PASSIFLORACEAE Passion-flowers | | | |
| | | <i>Adenia fringalavensis</i> | |
| | | <i>Adenia olaboensis</i> | |

^{#4}All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

^{#13}The kernel (also known as 'endosperm', 'pulp' or 'copra') and any derivative thereof.

^{#1}All parts and derivatives, except:

- a) seeds, spores and pollen (including pollinia);
- b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants; and
- d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

| | | | |
|--|-------------------------------|---|---|
| | | <i>Adenia subsessilifolia</i> | |
| PEDALIACEAE Sesames | | | |
| | | <i>Uncarina grandidieri</i> | |
| | | <i>Uncarina stellulifera</i> | |
| PINACEAE Firs and pines | | | |
| | <i>Abies guatemalensis</i> | | |
| | | | <i>Pinus koraiensis</i> ^{#5} (Russian Federation) |
| PODOCARPACEAE Podocarps | | | |
| | | | <i>Podocarpus nerifolius</i> ^{#1} (Nepal) |
| | <i>Podocarpus parlatoresi</i> | | |
| PORTULACACEAE Lewisias, portulacas, purslanes | | | |
| | | <i>Anacampseros</i> spp. ^{#4} | |
| | | <i>Avonia</i> spp. ^{#4} | |
| | | <i>Lewisia serrata</i> ^{#4} | |
| PRIMULACEAE Cyclamens | | | |
| | | <i>Cyclamen</i> spp. ^{#4} | |
| RANUNCULACEAE Golden seals, yellow adonis, yellow root | | | |
| | | <i>Adonis vernalis</i> ^{#2} | |
| | | <i>Hydrastis canadensis</i> ^{#8} | |

^{#5}Logs, sawn wood and veneer sheets.

^{#1}All parts and derivatives, except:

- a) seeds, spores and pollen (including pollinia);
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants; and
- d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

^{#4}All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisiphilitica* packaged and ready for retail trade.

^{#2}All parts and derivatives except:

- a) seeds and pollen; and
- b) finished products packaged and ready for retail trade.

^{#8}Underground parts (i.e. roots, rhizomes): whole, parts and powdered.

| | | | |
|---|---|---|--|
| ROSACEAE African cherry, stinkwood | | | |
| | | <i>Prunus africana</i> ^{#4} | |
| RUBIACEAE Ayugue | | | |
| | <i>Balmea stormiae</i> | | |
| SANTALACEAE Sandalwoods | | | |
| | | <i>Osyris lanceolata</i> ^{#2} (Populations of Burundi, Ethiopia, Kenya, Rwanda, Uganda and the United Republic of Tanzania) | |
| SARRACENIACEAE Pitcher-plants (New World) | | | |
| | | <i>Sarracenia</i> spp. ^{#4} (Except the species included in Appendix I) | |
| | <i>Sarracenia oreophila</i> | | |
| | <i>Sarracenia rubra</i> ssp. <i>alabamensis</i> | | |
| | <i>Sarracenia rubra</i> ssp. <i>jonesii</i> | | |
| SCROPHULARIACEAE Kutki | | | |
| | | <i>Picrorhiza kurroa</i> ^{#2} (Excludes <i>Picrorhiza scrophulariiflora</i>) | |
| STANGERIACEAE Stangerias | | | |
| | | <i>Bowenia</i> spp. ^{#4} | |
| | <i>Stangeria eriopus</i> | | |
| TAXACEAE Himalayan yew | | | |
| | | <i>Taxus chinensis</i> and infraspecific taxa of this species ^{#2} | |
| | | <i>Taxus cuspidata</i> and infraspecific taxa of this species ^{#2} | |

^{#4}All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dyopsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

^{#2}All parts and derivatives except:

- a) seeds and pollen; and
- b) finished products packaged and ready for retail trade.

^{#8}Underground parts (i.e. roots, rhizomes): whole, parts and powdered.

| | | | |
|---|--|--|---|
| | | <i>Taxus fuana</i> and infraspecific taxa of this species #2 | |
| | | <i>Taxus sumatrana</i> and infraspecific taxa of this species #2 | |
| | | <i>Taxus wallichiana</i> #2 | |
| THYMELAEACEAE (Aquilariaceae) Agarwood, ramin | | | |
| | | <i>Aquilaria</i> spp. #14 | |
| | | <i>Gonystylus</i> spp. #4 | |
| | | <i>Gyrinops</i> spp. #14 | |
| TROCHODENDRA- CEAE (Tetracentraceae) Tetracentron | | | |
| | | | <i>Tetracentron sinense</i> #1 (Nepal) |
| VALERIANACEAE Himalayan spikenard | | | |
| | | <i>Nardostachys grandiflora</i> #2 | |
| VITACEAE Grapes | | | |
| | | <i>Cyphostemma elephantopus</i> | |
| | | <i>Cyphostemma laza</i> | |
| | | <i>Cyphostemma montagnacii</i> | |

#2 All parts and derivatives except:

- a) seeds and pollen; and
- b) finished products packaged and ready for retail trade.

#14 All parts and derivatives except:

- a) seeds and pollen;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) fruits;
- d) leaves;
- e) exhausted agarwood powder, including compressed powder in all shapes; and
- f) finished products packaged and ready for retail trade, this exemption does not apply to wood chips, beads, prayer beads and carvings.

#4 All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

#1 All parts and derivatives, except:

- a) seeds, spores and pollen (including pollinia);
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants; and
- d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*

| | | | |
|--|----------------------------|--|--|
| WELWITSCHIACEAE Welwitschia | | | |
| | | <i>Welwitschia mirabilis</i> ^{#4} | |
| ZAMIACEAE Cycads | | | |
| | | ZAMIACEAE spp. ^{#4} (Except the species included in Appendix I) | |
| | <i>Ceratozamia</i> spp. | | |
| | <i>Encephalartos</i> spp. | | |
| | <i>Microcycas calocoma</i> | | |
| | <i>Zamia restrepoi</i> | | |
| ZINGIBERACEAE Ginger lily, Natal ginger | | | |
| | | <i>Hedychium philippinense</i> ^{#4} | |
| | | <i>Siphonochilus aethiopicus</i> (Populations of Mozambique, South Africa, Swaziland and Zimbabwe) | |
| ZYGOPHYLLACEAE Lignum-vitae | | | |
| | | <i>Bulnesia sarmientoi</i> ^{48#11} | |
| | | <i>Guaiaacum</i> spp. ^{9#2} | |

^{#4}All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Aloe ferox* and *Euphorbia antisiphilitica* packaged and ready for retail trade.

¹¹ Artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of the Convention. However, the exemption does not apply to such specimens traded as dormant tubers.

^{#2}All parts and derivatives except:

- a) seeds and pollen; and
- b) finished products packaged and ready for retail trade.