

GOVERNMENT GAZETTE

OF THE REPUBLIC OF NAMIBIA

General Notices

COMMUNICATIONS REGULATORY AUTHORITY OF NAMIBIA

No. 191

2013

REGULATIONS SETTING OUT THE FREQUENCY BAND PLAN FOR NAMIBIA

The Communications Regulatory Authority of Namibia in terms of section 100(6) of the Communications Act and the Regulations Regarding Rule-Making Procedures: Communications Act, 2009 published as General Notice 334, in Government Gazette 4630 dated 17 December 2010, hereby publishes these Regulations Setting Out the Frequency Band Plan for Namibia, effective from date of publication in the Gazette.

Definitions

1. In these regulations, any word or expression to which a meaning is assigned in the Act, shall have the same meaning and –

"Act" means the Communications Act, 2009 (Act No. 8 of 2009).

Purpose

2. These regulations set out the frequency band plan in terms of section 100 of the Act.

Table of Frequency Allocations

3. The table of frequency allocations sets out planned allocations for the radio frequency spectrum in Namibia in bands ranging from 9 kHz and 105 GHz. The table is similar to the table set out the ITU in its Radio Regulations and the SADC Frequency Allocation Plan dated May 2010.

Applicability

4. These Regulations are applicable in the assignment of spectrum use licences issued in terms of section 101 of the Act and Regulation 6 of the Regulations Regarding Licencing Procedures for Telecommunications and Broadcasting Service Licences and Spectrum Use Licences, published as General Notice No 272 in Government Gazette 4785 dated 29 August 2011, as may be amended from time to time.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub- allocations / utilisation	Additional information	Namibian Allocations and Footnotes
Below 8.3 kHz	Below 8.3 kHz			Below 8.3 kHz
(Not allocated)	(Not allocated)			(Not allocated)
5.53 5.54	5.53 5.54			5.53 5.54
8.3 – 9 kHz	8.3 – 9 kHz			8.3 – 9 kHz
METEOROLOGICAL AIDS 5.54A 5.54B 5.54C	METEOROLOGICAL AIDS 5.54A 5.54B 5.54C			METEOROLOGICAL AIDS 5.54A 5.54B 5.54C
9 – 11.3 kHz	9 – 11.3 kHz			9 – 11.3 kHz
METEOROLOGICAL AIDS 5.54A	METEOROLOGICAL AIDS 5.54A			METEOROLOGICAL AIDS 5.54A
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
11.3-14 kHz	11.3-14 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)	SRDs - see ITU-R Rec.	11.3-14 kHz
RADIONAVIGATION	RADIONAVIGATION	Navigational Aids	SM.[SRD][1]	RADIONAVIGATION
14-19.95 kHz	14-19.95 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)		14-19.95 kHz
FIXED	FIXED	Maritime mobile communications	SRDs - see ITU-R Rec. SM.[SRD]	FIXED
MARITIME MOBILE 5.57	MARITIME MOBILE 5.57			MARITIME MOBILE 5.57
5.55 5.56	5.56			5.56
19.95-20.05 kHz	19.95-20.05 kHz			19.95-20.05 kHz
STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)	SRDs - see ITU-R Rec. SM.[SRD]	STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)
20.05-70 kHz	20.05-70 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)		20.05-70 kHz
FIXED	FIXED	Maritime mobile communications	SRDs - see ITU-R Rec. SM.[SRD]	FIXED
MARITIME MOBILE 5.57	MARITIME MOBILE 5.57			MARITIME MOBILE 5.57
5.565.58	5.56			5.56 5.58
70-72 kHz	70-72 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)	SRDs - see ITU-R Rec. SM.[SRD]	70-72 kHz
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Navigational Aids	O.M.[OKD]	RADIONAVIGATION 5.60

		ann i i i i i		
72-84 kHz	72-84 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)		72-84 kHz
FIXED	FIXED	Maritime mobile communications	SRDs - see ITU-R Rec.	FIXED
MARITIME MOBILE 5.57	MARITIME MOBILE 5.57	Navigational Aids	SM.[SRD]	MARITIME MOBILE 5.57
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60			RADIONAVIGATION 5.60
5.56	5.56	CDD : 1 .: 1 .		5.56
84-86 kHz	84-86 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)	SRDs - see ITU-R Rec.	84-86 kHz
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Navigational Aids	SM.[SRD]	RADIONAVIGATION 5.60
86-90 kHz	86-90 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)		86-90 kHz
FIXED	FIXED	Maritime mobile communications	SRDs - see ITU-R Rec.	FIXED
MARITIME MOBILE 5.57	MARITIME MOBILE 5.57	Navigational Aids	SM.[SRD]	MARITIME MOBILE 5.57
RADIONAVIGATION 5.56	RADIONAVIGATION 5.56			RADIONAVIGATION 5.56
90-110 kHz	90-110 kHz	SRDs – inductive short-range radiocommunications(9 kHz-135		90-110 kHz
RADIONAVIGATION 5.62 Fixed	RADIONAVIGATION 5.62 Fixed	kHz) Navigational Aids	SRDs - see ITU-R Rec. SM.[SRD]	RADIONAVIGATION 5.62 Fixed
5.64	5.64			5.64
110-112 kHz	110-112 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)		110-112 kHz
FIXED	FIXED	Maritime mobile communications	SRDs - see ITU-R Rec. SM.[SRD]	FIXED
MARITIME MOBILE RADIONAVIGATION 5.64	MARITIME MOBILE RADIONAVIGATION 5.64	Navigational Aids		MARITIME MOBILE RADIONAVIGATION 5.64
112-115 kHz	112-115 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)	SRDs - see ITU-R Rec.	112-115 kHz
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Navigational Aids	SM.[SRD]	RADIONAVIGATION 5.60
115-117.6 kHz	115-117.6 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)		115-117.6 kHz
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Navigational Aids	SRDs - see ITU-R Rec. SM.[SRD]	RADIONAVIGATION 5.60
Fixed	Fixed	Maritime mobile communications	OMOJ.IMOJ	Fixed
Maritime mobile 5.645.66	Maritime mobile 5.64			Maritime mobile 5.64
117.6-126 kHz	117.6-126 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)		117.6-126 kHz
FIXED	FIXED	Navigational Aids	SRDs - see ITU-R Rec.	FIXED
MARITIME MOBILE	MARITIME MOBILE	Maritime mobile communications	SM.[SRD]	MARITIME MOBILE
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60			RADIONAVIGATION 5.60
5.64	5.64			5.64
126-129 kHz	126-129 kHz	SRDs – inductive short-range radiocommunications (9 kHz- 135 kHz)	SRDs - see ITU-R Rec.	126-129 kHz
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Navigational Aids	SM.[SRD]	RADIONAVIGATION 5.60

129-130 kHz	129-130 kHz	SRDs – inductive short-range radiocommunications (9 kHz-135 kHz)		129-130 kHz
FIXED	FIXED	Navigational Aids		FIXED
MARITIME MOBILE	MARITIME MOBILE	Maritime mobile	SRDs - see ITU-R Rec. SM.[SRD]	MARITIME MOBILE
		communications	SWI.[SKD]	
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60			RADIONAVIGATION 5.60
5.64	5.64			5.64
		SRDs – inductive short-range		
130-135.7 kHz	130-135.7 kHz	radiocommunications (9 kHz- 135 kHz)	SRDs - see ITU-R Rec.	130-135.7 kHz
FIXED	FIXED	Maritime mobile communications	SM.[SRD]	FIXED
MARITIME MOBILE	MARITIME MOBILE			MARITIME MOBILE
5.64 5.67 135.7-137.8 kHz	5.64 135.7-137.8 kHz			5.64 135.7-137.8 kHz
135.7-137.8 KHZ	135.7-137.6 KHZ		Amateur (135.7-137.8	135.7-137.6 KHZ
FIXED	FIXED	Maritime mobile communications	kHz) services are limited to maximum radiated power of 1 W (e.i.r.p).	FIXED
MARITIME MOBILE	MARITIME MOBILE	Amateur		MARITIME MOBILE
Amateur 5.67A	Amateur 5.67A			Amateur 5.67A
5.64 5.67 5.67B	5.64			5.64
137.8-148.5 kHz	137.8-148.5 kHz	Maritime mobile		137.8-148.5 kHz
FIXED	FIXED	communications		FIXED
MARITIME MOBILE	MARITIME MOBILE			MARITIME MOBILE
5.64 5.67	5.64			5.64 5.67
148.5-255 kHz	148.5-200 kHz			148.5-255 kHz
BROADCASTING	BROADCASTING	Broadcasting	Frequency assignment Plan (GE75) applies	BROADCASTING
5.68 5.69 5.70	5.68			5.68 5.69 5.70
	200-255 kHz AERONAUTICAL RADIONAVIGATION SERVICE 5.7			
255-283.5 kHz	255-283.5 kHz			255-283.5 kHz
BROADCASTING	AERONAUTICAL			BROADCASTING
AERONAUTICAL	RADIONAVIGATION			AERONAUTICAL
RADIONAVIGATION 5.70 5.71	5.7			RADIONAVIGATION 5.70 5.71
283.5-315 kHz	283.5-315 kHz			283.5-315 kHz
AERONAUTICAL	AERONAUTICAL			AERONAUTICAL
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
MARITIME	MARITIME			MARITIME
RADIONAVIGATION (radiobeacons) 5.73	RADIONAVIGATION (radiobeacons) 5.73			RADIONAVIGATION (radiobeacons) 5.73
5.74	5.74			5.74
315-325 kHz	315-325 kHz			315-325 kHz
AERONAUTICAL	AERONAUTICAL			AERONAUTICAL
RADIONAVIGATION	1		I	RADIONAVIGATION
	RADIONAVIGATION			
Maritime radionavigation	Maritime			Maritime
Maritime radionavigation (radiobeacons) 5.73	1			
radionavigation	Maritime radionavigation			Maritime radionavigation
radionavigation (radiobeacons) 5.73	Maritime radionavigation			Maritime radionavigation
radionavigation (radiobeacons) 5.73 5.75 325-405 kHz AERONAUTICAL	Maritime radionavigation (radiobeacons) 5.73 325-405 kHz AERONAUTICAL			Maritime radionavigation (radiobeacons) 5.73 325-405 kHz AERONAUTICAL
radionavigation (radiobeacons) 5.73 5.75 325-405 kHz	Maritime radionavigation (radiobeacons) 5.73			Maritime radionavigation (radiobeacons) 5.73
radionavigation (radiobeacons) 5.73 5.75 325-405 kHz AERONAUTICAL	Maritime radionavigation (radiobeacons) 5.73 325-405 kHz AERONAUTICAL			Maritime radionavigation (radiobeacons) 5.73 325-405 kHz AERONAUTICAL
radionavigation (radiobeacons) 5.73 5.75 325-405 kHz AERONAUTICAL RADIONAVIGATION	Maritime radionavigation (radiobeacons) 5.73 325-405 kHz AERONAUTICAL RADIONAVIGATION	Navigational Aids		Maritime radionavigation (radiobeacons) 5.73 325-405 kHz AERONAUTICAL RADIONAVIGATION

415-435 kHz	415-435 kHz	Maritime mobile	415-435 kHz
110 100 1111		communications	120 100 1111
MARITIME MOBILE 5.79	MARITIME MOBILE 5.79	Under the MMS the use of the band 415-495 kHz is limited to radiotelegraphy.	MARITIME MOBILE 5.79
AERONAUTICAL	AERONAUTICAL		AERONAUTICAL
RADIONAVIGATION	RADIONAVIGATION		RADIONAVIGATION
435-472 kHz	435-472 kHz	Maritime mobile communications	435-472 kHz
MARITIME MOBILE 5.79	MARITIME MOBILE 5.79	Coast Stations in the NAVTEX service on 490 kHz; Res.339 applies. Transmission of navigational and meteorological warnings and urgent info for ships (NBDP telegraphy). Articles 31 and 52 apply.	MARITIME MOBILE 5.79
Aeronautical	Aeronautical		Aeronautical
radionavigation	radionavigation		radionavigation
5.77	5.77		5.77
5.82	5.82		5.82
472-479 kHz	472-479 kHz		472-479 kHz
MARITIME MOBILE 5.79	MARITIME MOBILE 5.79		MARITIME MOBILE 5.79
Amateur 5.80A	Amateur 5.80A		Amateur 5.80A
Aeronautical radionavigation 5.77 5.80	Aeronautical radionavigation 5.77 5.80		Aeronautical radionavigation 5.77 5.80
5.82 5.80B	5.82 5.80B		5.82 5.80B
479-495 kHz	479-495 kHz		479-495 kHz
MARITIME MOBILE 5.79 5.79A	MARITIME MOBILE 5.79 5.79A		MARITIME MOBILE 5.79 5.79A
Aeronautical	Aeronautical		Aeronautical
radionavigation	radionavigation		radionavigation
5.77	5.77		5.77
5.82	5.82		5.82
495-505 kHz	495-505 kHz		495-505 kHz
MARITIME MOBILE	MARITIME MOBILE	Limited to radiotelegraphy; Articles 31 and 52 apply.	MARITIME MOBILE
505-526.5 kHz	505-526.5 kHz	Maritime mobile communications	505-526.5 kHz
MARITIME MOBILE 5.79	MARITIME MOBILE 5.79	Coast Stations in the NAVTEX service on 518 kHz; Res.339 applies. Articles 31 and 52 apply.	MARITIME MOBILE 5.79
5.79A 5.84	5.79A 5.84	Under the MMS the use of the band 505-526.5 kHz is limited to radiotelegraphy.	5.79A 5.84
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION		AERONAUTICAL RADIONAVIGATION
526.5-1 606.5 kHz	526.5-535 kHz		526.5-535 kHz
BROADCASTING	BROADCASTING	Land and/or maritime mobile communications	BROADCASTING
5.87 5.87A	Mobile 5.87		Mobile 5.87
	535-1 606.5 kHz		535-1 606.5 kHz
	BROADCASTING 5.87	MW Sound broadcasting (535.5-1606.5 kHz); GE75 applies	BROADCASTING 5.87
1 606.5-1 625 kHz	1 606.5-1 625 kHz		1 606.5-1 625 kHz
FIXED	FIXED	Maritime mobile communications	FIXED
	MARITIME MOBILE		MARITIME MOBILE
MARITIME MOBILE 5.90		Land mobile communications	
5.90 LAND MOBILE	5.90 LAND MOBILE	Land mobile communications	5.90 LAND MOBILE

1 625-1 635 kHz	1 625-1 635 kHz			1 625-1 635 kHz
RADIOLOCATION	RADIOLOCATION	Navigational Aids		RADIOLOCATION
5.93	5.93	The vigational rates		5.93
1 635-1 800 kHz	1 635-1 800 kHz			1 635-1 800 kHz
FIXED	FIXED	Maritime mobile		FIXED
MARITIME MOBILE 5.90	MARITIME MOBILE	Land mobile communications		MARITIME MOBILE 5.90
LAND MOBILE	LAND MOBILE			LAND MOBILE
5.92 5.96	5.92			5.92
1 800-1 810 kHz	1 800-1 810 kHz			1 800-1 810 kHz
RADIOLOCATION	RADIOLOCATION	Navigational Aids		RADIOLOCATION
5.93	5.93			<u>5.93</u>
1 810-1 850 kHz	1 810-1 850 kHz			1 810-1 850 kHz
AMATEUR	AMATEUR	Amateur communications		AMATEUR
5.98 5.99 5.100 5.101	<u>5.98</u> 5.100 <u>5.101</u>			<u>5.98</u> 5.100 <u>5.101</u>
1 850-2 000 kHz	1 850-2 000 kHz			1 850-2 000 kHz
FIXED	FIXED	Maritime and/or land mobile communications		FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical mobile	aeronautical mobile			aeronautical mobile
5.925.965.103	5.92 5.103			5.92 5.103
2 000-2 025 kHz	2 000-2 025 kHz			2 000-2 025 kHz
FIXED	FIXED	Maritime and/or land mobile communications		FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical	aeronautical			aeronautical
mobile (R)	mobile (R)			mobile (R)
5.92 5.103	5.92 5.103			5.92 5.103
2 025-2 045 kHz	2 025-2 045 kHz			2 025-2 045 kHz
FIXED	FIXED	Maritime and/or land mobile communications		FIXED
MOBILE except aeronautical	MOBILE except aeronautical			MOBILE except aeronautical
mobile (R)	mobile (R)			mobile (R)
Meteorological aids 5.104	Meteorological aids 5.104			Meteorological aids 5.104
5.92 5.103	5.92 5.103			5.92 5.103
2 045-2 160 kHz	2 045-2 160 kHz			2 045-2 160 kHz
FIXED	FIXED	Maritime and/or land mobile communications		FIXED
MARITIME MOBILE	MARITIME MOBILE	İ		MARITIME MOBILE
LAND MOBILE	LAND MOBILE	İ		LAND MOBILE
5.92	5.92	İ		5.92
2 160-2 170 kHz	2 160-2 170 kHz			2 160-2 170 kHz
RADIOLOCATION	RADIOLOCATION	Navigational aids		RADIOLOCATION
5.93 5.107	<u>5.93 5.107</u>	_		<u>5.93 5.107</u>
2 170-2 173.5 kHz	2 170-2 173.5 kHz			2 170-2 173.5 kHz
MARITIME MOBILE	MARITIME MOBILE	Maritime mobile communications		MARITIME MOBILE
2 173.5-2 190.5 kHz	2 173.5-2 190.5 kHz	2 182 kHz is an international distress and calling frequency for radiotelephony.		2 173.5-2 190.5 kHz
MOBILE (distress and	MOBILE (distress and	2 187.5 kHz – DSC for distress	Articles 31 and 52 applies	MOBILE (distress and calling)
calling)	calling)	and calling; Article 31 applies.	Tappines	
calling) 5.108 5.109 5.110 5.111		2 174.5 kHz – international distress frequency for NBDP	app.ido	5.108 5.109 5.110 5.111
		2 174.5 kHz – international		

2 194-2 300 kHz	2 194-2 300 kHz			2 194-2 300 kHz
FIXED	FIXED	Maritime and/or land mobile communications		FIXED
MOBILE except	MOBILE except	communications 		MOBILE except
aeronautical	aeronautical			aeronautical
mobile (R)	mobile (R)			mobile (R)
5.92 5.103 5.112	5.92 5.103			5.92 5.103
2 300-2 498 kHz	2 300-2 498 kHz			2 300-2 498 kHz
FIXED	FIXED	Maritime and/or land mobile communications		FIXED
MOBILE except	MOBILE except aeronautical			MOBILE except aeronautical
mobile (R)	mobile (R)			mobile (R)
BROADCASTING	BROADCASTING			BROADCASTING
5.113	5.113			5.113
5.103	5.103			5.103
2 498-2 501 kHz	2 498-2 501 kHz			2 498-2 501 kHz
STANDARD	STANDARD			STANDARD
FREQUENCY	FREQUENCY			FREQUENCY
AND TIME SIGNAL (2 500 kHz)	AND TIME SIGNAL (2 500 kHz)			AND TIME SIGNAL (2 500 kHz)
2 501-2 502 kHz	2 501-2 502 kHz			2 501-2 502 kHz
STANDARD	STANDARD			STANDARD
FREQUENCY AND	FREQUENCY AND			FREQUENCY AND
TIME SIGNAL	TIME SIGNAL			TIME SIGNAL
Space Research	Space Research			Space Research
2 502-2 625 kHz	2 502-2 625 kHz	Maritime and/or land mobile		2 502-2 625 kHz
FIXED	FIXED	communications		FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical	aeronautical			aeronautical
mobile (R)	mobile (R)			mobile (R)
5.92 5.103 5.114 2 625-2 650 kHz	5.92 5.103 2 625-2 650 kHz			5.92 5.103 2 625-2 650 kHz
MARITIME MOBILE	MARITIME MOBILE	Maritime mobile		MARITIME MOBILE
MARITIME	 MARITIME	communications		MARITIME
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
5.92	5.92			5.92
2 650-2 850 kHz	2 650-2 850 kHz			2 650-2 850 kHz
FIXED	FIXED	Maritime and/or land mobile communications		FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical	aeronautical			aeronautical
mobile (R)	mobile (R)			mobile (R)
5.925.103	5.925.103			5.925.103
2 850-3 025 kHz	2 850-3 025 kHz			2 850-3 025 kHz
AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)	Appendix 27 Allotment Plan applies	AERONAUTICAL MOBILE (R)
5.111 5.115	5.111 5.115	3 023 kHz may be used under the MMS for search and rescue operations (see Article 31)		5.111 5.115
3 025-3 155 kHz	3 025-3 155 kHz			3 025-3 155 kHz
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical mobile (OR)	Appendix 26 Allotment Plan applies	AERONAUTICAL MOBILE (OR)
3 155-3 200 kHz	3 155-3 200 kHz		Worldwide channel	3 155-3 200 kHz
FIXED	FIXED	Maritime and/or land mobile communications	for low power hearing aids (3155-3195 kHz).	FIXED
MOBILE except aeronautical mobile (R)	MOBILE except aeronautical mobile (R)	SRDs: Wireless hearing Aides	Additional channels may be assigned in the band 3155-3400 kHz;	MOBILE except aeronautical mobile (R)
5.116 5.117	5.116		see also ITU-R Rec.	5.116
	1	l	1	

3 200-3 230 kHz	3 200-3 230 kHz			3 200-3 230 kHz
FIXED	FIXED	Maritime and/or land mobile communications	Worldwide channel	FIXED
MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.116	MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.116	Communications	for low power hearing aids (3155-3195 kHz). Additional channels may be assigned in the band 3155-3400 kHz.	MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.116
3 230-3 400 kHz	3 230-3 400 kHz			3 230-3 400 kHz
FIXED	FIXED	Maritime and/or land mobile communications	Worldwide channel for low power hearing	FIXED
MOBILE except aeronautical mobile BROADCASTING 5.113 5.116 5.118	MOBILE except aeronautical mobile BROADCASTING 5.113 5.116		aids (3155-3195 kHz). Additional channels may be assigned in the band 3155-3400 kHz.	MOBILE except aeronautical mobile BROADCASTING 5.113 5.116
3 400-3 500 kHz	3 400-3 500 kHz			3 400-3 500 kHz
AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)	Appendix 27 Allotment Plan applies	AERONAUTICAL MOBILE (R)
3 500-3 800 kHz	3 500-3 800 kHz			3 500-3 800 kHz
AMATEUR	AMATEUR	Amateur communications Maritime and/or land mobile		AMATEUR FIXED
FIXED MOBILE except	MOBILE except	communications		MOBILE except
aeronautical mobile	aeronautical mobile			aeronautical mobile
5.92	5.92			5.92
3 800-3 900 kHz	3 800-3 900 kHz			3 800-3 900 kHz
FIXED AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical mobile (OR)	Appendix 26 Allotment Plan applies	FIXED AERONAUTICAL MOBILE (OR)
LAND MOBILE	LAND MOBILE			LAND MOBILE
3 900-3 950 kHz	3 900-3 950 kHz			3 900-3 950 kHz
AERONAUTICAL MOBILE (OR) 5.123	AERONAUTICAL MOBILE (OR) BROADCASTING	Aeronautical mobile (OR)	Appendix 26 Allotment Plan applies	AERONAUTICAL MOBILE (OR) BROADCASTING
	5.123			5.123
3 950-4 000 kHz FIXED	3 950-4 000 kHz FIXED			-
BROADCASTING	BROADCASTING			FIXED BROADCASTING
4 000-4 063 kHz	4 000-4 063 kHz			4 000-4 063 kHz
FIXED	FIXED	Maritime mobile communications		FIXED
MARITIME MOBILE 5.127	MARITIME MOBILE 5.127	Use of the band 4000-4063 kHz by the MMS is limited to ship stations using radiotelephony		MARITIME MOBILE 5.127
5.126				
4 063-4 438 kHz	4 063-4 438 kHz	Maritime mobile communications		4 063-4 438 kHz
MARITIME MOBILE 5.79A 5.109 5.110 5.130 5.131 5.132	MARITIME MOBILE 5.79A 5.109 5.110 5.130 5.131 5.132	4209.5 kHz - Coast Stations in the NAVTEX service; Res.339 applies. Articles 31 and 52 apply.	ITU RR Appendix 17 Channelling Plan applies	MARITIME MOBILE 5.79A 5.109 5.110 5.130 5.131 5.132
5.128	5.128	4207.5 kHz – DSC for distress and calling; Article 31 applies. 4177.5 kHz – international	ITU RR Appendix 25 Allotment Plan applies	5.128
		distress frequency for NBDP telegraphy; Article 31 applies. 4125 kHz – use of this frequency prescribed in Article 31. 4209.5 kHz – exclusive for		
		transmission by coast stations of meteorological and navigational warnings and urgent information to ships (NBDP).		
		4210 kHz – maritime safety information (MSI); App.17 applies.		

4 438-4 488 kHz	4 438-4 488 kHz			4 438-4 488 kHz
FIXED	FIXED	Maritime and/or land mobile		FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical mobile (R)	aeronautical mobile (R)			aeronautical mobile (R)
Radiolocation	Radiolocation			Radiolocation
5.132A 5.132B	5.132A 5.132B			5.132A 5.132B
4 488 -4 650 kHz	4 488 -4 650 kHz			4 488 -4 650 kHz
FIXED MOBILE except aeronautical	FIXED MOBILE except aeronautical	Aeronautical mobile	Appendix 27 Allotment Plan applies	FIXED MOBILE except aeronautical
mobile (R)	mobile (R)	Actonautical modific	Tian applies	mobile (R)
4 700-4 750 kHz	4 700-4 750 kHz			4 700-4 750 kHz
AERONAUTICAL	AERONAUTICAL	Aeronautical mobile	Appendix 26 Allotment Plan applies	AERONAUTICAL
MOBILE (OR)	MOBILE (OR)		тып аррисз	MOBILE (OR)
4 750-4 850 kHz	4 750-4 850 kHz			4 750-4 850 kHz
FIXED	FIXED	Aeronautical and/or land mobile		FIXED
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Sound broadcasting		AERONAUTICAL MOBILE (OR)
LAND MOBILE	LAND MOBILE			LAND MOBILE
BROADCASTING 5.113	BROADCASTING 5.113			BROADCASTING 5.113
4 850-4 995 kHz	4 850-4 995 kHz			4 850-4 995 kHz
FIXED	FIXED	Land mobile		FIXED
LAND MOBILE	LAND MOBILE	Sound broadcasting		LAND MOBILE
BROADCASTING 5.113	BROADCASTING 5.113			BROADCASTING 5.113
4 995-5 003 kHz	4 995-5 003 kHz			4 995-5 003 kHz
STANDARD FREQUENCY AND TIME SIGNAL (5 000	STANDARD FREQUENCY AND TIME SIGNAL (5 000			STANDARD FREQUENCY AND TIME SIGNAL (5 000
kHz)	kHz)			kHz)
5 003-5 005 kHz	5 003-5 005 kHz			5 003-5 005 kHz
STANDARD FREQUENCY AND TIME SIGNAL	STANDARD FREQUENCY AND TIME SIGNAL			STANDARD FREQUENCY AND TIME SIGNAL
Space research	Space research			Space research
5 005-5 060 kHz	5 005-5 060 kHz			5 005-5 060 kHz
FIXED	FIXED	Sound broadcasting		FIXED
BROADCASTING 5.113	BROADCASTING 5.113			BROADCASTING 5.113
5 060-5 250 kHz	5 060-5 250 kHz	GADGI : IME		5 060-5 250 kHz
FIXED	FIXED	SADC harmonised HF frequencies for cross-border		FIXED
Mobile except	Mobile except	mobile communications; see		Mobile except
aeronautical mobile 5.133	aeronautical mobile	Annex G.		aeronautical mobile
5 250-5 275 kHz	5 250-5275 kHz			5 250-5275 kHz
FIXED	FIXED	SADC harmonised HF		FIXED
MOBILE except	MOBILE except	frequencies for cross-border		MOBILE except
aeronautical mobile	aeronautical mobile	mobile communications; see		aeronautical mobile
Radiolocation 5.132A	Radiolocation 5.132A	Annex G.		Radiolocation 5.132A
5.133A	5.133A			5.133A
5 275 -5 450 kHz	5 275 -5 450 kHz			5 275 -5 450 kHz
FIXED	FIXED	Aeronautical mobile		FIXED
MOBIL Eexceptaeronautical mobile	MOBILE except aeronautical mobile			MOBILE except aeronautical mobile
5 450-5 480 kHz	5 450-5 480 kHz			5 450-5 480 kHz
FIXED	FIXED			FIXED
AERONAUTICAL	AERONAUTICAL			AERONAUTICAL
MOBILE(OR)	MOBILE(OR)			MOBILE(OR)
LAND MOBILE	LAND MOBILE			LAND MOBILE

5 480-5 680 kHz	5 480-5 680 kHz			5 480-5 680 kHz
AERONAUTICAL	AERONAUTICAL	Aeronautical mobile	Appendix 27 Allotment	AERONAUTICAL
MOBILE (R)	MOBILE (R)	Actonautical modific	Plan applies	MOBILE (R)
5.111 5.115	5.111 5.115			5.111 5.115
5 680-5 730 kHz	5 680-5 730 kHz			5 680-5 730 kHz
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	5 680 kHz may be used under the MMS for search and rescue operations (see Article 31).	Appendix 26 Allotment Plan applies	AERONAUTICAL MOBILE (OR)
5.111 5.115	5.111 5.115	6215 kHz – use of this frequency prescribed in Article 31. SRD applications (6 765- 6 795 kHz)		5.111 5.115
			Common international SRD band; see ITU-R Rec.SM.[SRD]	
5 730-5 900 kHz	5 730-5 900 kHz			5 730-5 900 kHz
FIXED	FIXED	Land mobile		FIXED
LAND MOBILE	LAND MOBILE			LAND MOBILE
5 900-5 950 kHz	5 900-5 950 kHz			5 900-5 950 kHz
BROADCASTING 5.134	BROADCASTING 5.134	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.	BROADCASTING 5.134
5.136	5.136		11.7	5.136
5 950-6 200 kHz	5 950-6 200 kHz			5 950-6 200 kHz
BROADCASTING	BROADCASTING	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies	BROADCASTING
6 200-6 525 kHz	6 200-6 525 kHz	Maritime mobile communications		6 200-6 525 kHz
MARITIME MOBILE 5.109 5.110 5.130 5.132	MARITIME MOBILE 5.109 5.110 5.130 5.132	6312 kHz and 6215 kHz – DSC for distress and calling; Article 31 applies	ITU RR Appendix 17 Channelling Plan applies	MARITIME MOBILE 5.109 5.110 5.130 5.132
5.137	5.137	6268 kHz – international distress frequency for NBDP telegraphy; Article 31 applies. 6314 kHz – maritime safety	ITU RR Appendix 25 Allotment Plan applies	5.137
		information (MSI); App.17 applies		
6 525-6 685 kHz	6 525-6 685 kHz	Aeronautical mobile	Appendix 27 Allotment	6 525-6 685 kHz
AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	communications	Plan applies	AERONAUTICAL MOBILE (R)
6 685-6 765 kHz	6 685-6 765 kHz	Aeronautical mobile communications	Appendix 26 Allotment Plan applies	6 685-6 765 kHz
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)			AERONAUTICAL MOBILE (OR)
6 765-7 000 kHz	6 765-7 000 kHz			6 765-7 000 kHz
FIXED	FIXED	Maritime and/or land mobile communications		FIXED
MOBILE except aeronautical mobile (R)	MOBILE except aeronautical mobile (R)	The band 6765-6795 kHz is designated for ISM applications (5.138).		MOBILE except aeronautical mobile (R)
5.138 5.138A 5.139	5.138 5.138A			5.138 5.138A
7 000-7 100 kHz	7 000-7 100 kHz			7 000-7 100 kHz
AMATEUR	AMATEUR	Amateur communications		AMATEUR
AMATEUR- SATELLITE	AMATEUR- SATELLITE	Amateur-satellite communications		AMATEUR- SATELLITE
5.140 5.141 5.141A	5.140 5.141			5.140 5.141
7 100-7 200 kHz AMATEUR	7 100-7 200 kHz AMATEUR	Amateur communications		7 100-7 200 kHz AMATEUR
5.141A 5.141B 5.141C 5.142	<u>5.141B</u> 5.141C 5.142			<u>5.141B</u> 5.141C 5.142
7 200-7 300 kHz	7 200-7 300 kHz			7 200-7 300 kHz
BROADCASTING	BROADCASTING	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies	BROADCASTING

7 300-7 400 kHz	7 300-7 400 kHz			7 300-7 400 kHz
BROADCASTING	BROADCASTING		Article 12 Planning	BROADCASTING
5.134	5.134	HF Sound Broadcasting	Procedures and Res.517 apply.	5.134
5 1 42 5 1 42 4 5 1 42 D				FIXED Land Mobile
5.143 5.143A 5.143B 5.143C 5.143D	5.143 5.143B			5.143 5.143B
7 400-7 450 kHz	7 400-7 450 kHz			7 400-7 450 kHz
BROADCASTING	BROADCASTING			BROADCASTING
5.143B5.143C	5.143B	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies	FIXED
				Land Mobile 5.143B
7 450-8 100 kHz	7 450-8 100 kHz	GADGI : INF		7 450-8 100 kHz
FIXED	FIXED	SADC harmonised HF frequencies for cross-border		FIXED
MOBILE except	MOBILE except	mobile communications; see		MOBILE except
aeronautical mobile (R)	aeronautical mobile (R)	Annex G.		aeronautical mobile (R)
5.143E 5.144	5.143E			5.143E
8 100-8 195 kHz	8 100-8 195 kHz			8 100-8 195 kHz
FIXED	FIXED	Maritime mobile communications		FIXED
MARITIME MOBILE	MARITIME MOBILE			MARITIME MOBILE
8 195-8 815 kHz	8 195-8 815 kHz	Maritime mobile communications		8 195-8 815 kHz
MARITIME MOBILE 5.109 5.110 5.132 5.145	MARITIME MOBILE 5.109 5.110 5.132 5.145	8414.5 kHz – DSC for distress and calling; Article 31 applies	ITU RR Appendix 17 Channelling Plan	MARITIME MOBILE 5.109 5.110 5.132 5.145
3.109 3.110 3.132 3.143	3.109 3.110 3.132 3.143		applies	5.109 5.110 5.132 5.145
5.111	5.111	8 376.5 kHz – international distress frequency for NBDP	ITU RR Appendix 25 Allotment Plan applies	5.111
	 	telegraphy; Article 31 applies. 8416.5 kHz – maritime safety		
		information (MSI); App.17		
		applies.		
8 815-8 965 kHz	8 815-8 965 kHz			8 815-8 965 kHz
AERONAUTICAL	AERONAUTICAL	Aeronautical mobile	Appendix 27 Allotment	AERONAUTICAL
MOBILE (R)	MOBILE (R)	communications	Plan applies	MOBILE (R)
8 965-9 040 kHz	8 965-9 040 kHz	Aeronautical mobile	Appendix 26 Allotment	8 965-9 040 kHz
AERONAUTICAL	AERONAUTICAL	communications	Plan applies	AERONAUTICAL
MOBILE (OR)	MOBILE (OR)		Timi applies	MOBILE (OR)
9 040-9 305 kHz	9 040-9 305 kHz			9 040-9 305 kHz
FIXED	FIXED	Fixed		FIXED
9 305 -9 355 kHz	9 305 -9 355 kHz			9 305 -9 355 kHz
FIXED	FIXED	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.	FIXED
Radiolocation	Radiolocation			Radiolocation
5.145A	5.145A			5.145A
5.145B	5.145B			5.145B
9355-9400KHz	9355-9400KHz			9355-9400 KHz
FIXED	FIXED			FIXED
BROADCASTING	9 400-9 500 kHz			9 400-9 500 kHz
5.134 5.146	BROADCASTING 5.134	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517	BROADCASTING
	5.146		apply.	5.134 5.146
9 500-9 900 kHz	9 500-9 900 kHz			9 500-9 900 kHz
BROADCASTING	BROADCASTING	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures	BROADCASTING
5 147	5 147		applies	5 147
5.147	5.147		+	5.147
9 900-9 995 kHz	9 900-9 995 kHz	 Eirod		9 900-9 995 kHz
FIXED	FIXED	Fixed		FIXED

9 995-10 003 kHz	9 995-10 003 kHz			9 995-10 003 kHz
STANDARD	STANDARD			STANDARD
FREQUENCY AND	FREQUENCY AND			FREQUENCY AND
TIME SIGNAL (10 000	TIME SIGNAL (10 000			TIME SIGNAL (10 000
kHz)	kHz)			kHz)
5.111	5.111			5.111
10 003-10 005 kHz	10 003-10 005 kHz			10 003-10 005 kHz
STANDARD	STANDARD			STANDARD
FREQUENCY AND	FREQUENCY AND			FREQUENCY AND
TIME SIGNAL	TIME SIGNAL			TIME SIGNAL
Space research	Space research			Space research
5.111	5.111			5.111
10 005-10 100 kHz	10 005-10 100 kHz			10 005-10 100 kHz
AERONAUTICAL	AERONAUTICAL	Aeronautical mobile	Appendix 27 Allotment	AERONAUTICAL
MOBILE (R)	MOBILE (R)	communications	Plan applies	MOBILE (R)
5.111	5.111			5.111
10 100-10 150 kHz	10 100-10 150 kHz			10 100-10 150 kHz
FIXED	FIXED	Fixed		FIXED
Amateur	Amateur	Amateur communications		Amateur
10 150-11 175 kHz	10 150-11 175 kHz	SADC harmonised HF		10 150-11 175 kHz
FIXED	FIXED	frequencies for cross-border		FIXED
Mobile except	Mobile except	mobile communications; see		Mobile except
aeronautical mobile (R)	aeronautical mobile (R)	Annex G.		aeronautical mobile (R)
11 175-11 275 kHz	11 175-11 275 kHz			11 175-11 275 kHz
AERONAUTICAL	AERONAUTICAL	Aeronautical mobile	Appendix 26 Allotment	AERONAUTICAL
MOBILE (OR)	MOBILE (OR)	communications	Plan applies	MOBILE (OR)
11 275-11 400 kHz	11 275-11 400 kHz		тип притов	11 275-11 400 kHz
AERONAUTICAL	AERONAUTICAL	Aeronautical mobile	Appendix 27 Allotment	AERONAUTICAL
MOBILE (R)	MOBILE (R)	communications	Plan applies	MOBILE (R)
11 400-11 600 kHz	11 400-11 600 kHz	F		11 400-11 600 kHz
FIXED	FIXED	Fixed		FIXED
11 600-11 650 kHz	11 600-11 650 kHz			11 600-11 650 kHz
			Article 12 Planning	
BROADCASTING	BROADCASTING	HF Sound Broadcasting	Procedures and Res.517	BROADCASTING
5.134	5.134		apply.	5.134
5.146	5.146			5.146
11 650-12 050 kHz	11 650-12 050 kHz			11 650-12 050 kHz
			ITU RR Article 12	
BROADCASTING	BROADCASTING	HF Sound Broadcasting	Planning Procedures	BROADCASTING
			applies	
5.147	5.147			5.147
12 050-12 100 kHz	12 050-12 100 kHz			12 050-12 100 kHz
BROADCASTING	BROADCASTING		Article 12 Planning	DDOADCACTNG
5.134	5.134	HF Sound Broadcasting	Procedures and Res.517	BROADCASTING 5.134
J.13T			apply.	J.137
5.146	5.146			5.146
	3.1 10		+	
12 100-12 230 kHz	12 100-12 230 kHz			12 100-12 230 kHz
12 100-12 230 kHz FIXED	1	Fixed		12 100-12 230 kHz FIXED
	12 100-12 230 kHz	Maritime mobile		
FIXED	12 100-12 230 kHz FIXED 12 230-13 200 kHz		TITLI DD	FIXED
FIXED	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE	Maritime mobile	ITU RR Appendix	FIXED
FIXED 12 230-13 200 kHz	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132	Maritime mobile communications	17 Channelling Plan	FIXED 12 230-13 200 kHz
FIXED 12 230-13 200 kHz MARITIME MOBILE	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies	17 Channelling Plan applies	FIXED 12 230-13 200 kHz MARITIME MOBILE
FIXED 12 230-13 200 kHz MARITIME MOBILE	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12 520 kHz – international	17 Channelling Plan applies ITU RR Appendix 25	FIXED 12 230-13 200 kHz MARITIME MOBILE
FIXED 12 230-13 200 kHz MARITIME MOBILE	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies	17 Channelling Plan applies	FIXED 12 230-13 200 kHz MARITIME MOBILE
FIXED 12 230-13 200 kHz MARITIME MOBILE	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12 520 kHz – international distress frequency for NBDP telegraphy; Article 31 applies.	17 Channelling Plan applies ITU RR Appendix 25	FIXED 12 230-13 200 kHz MARITIME MOBILE
FIXED 12 230-13 200 kHz MARITIME MOBILE	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12 520 kHz – international distress frequency for NBDP	17 Channelling Plan applies ITU RR Appendix 25	FIXED 12 230-13 200 kHz MARITIME MOBILE
FIXED 12 230-13 200 kHz MARITIME MOBILE	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12 520 kHz – international distress frequency for NBDP telegraphy; Article 31 applies. 12 579 kHz – maritime safety	17 Channelling Plan applies ITU RR Appendix 25	FIXED 12 230-13 200 kHz MARITIME MOBILE
FIXED 12 230-13 200 kHz MARITIME MOBILE	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12 520 kHz – international distress frequency for NBDP telegraphy; Article 31 applies. 12 579 kHz – maritime safety information (MSI); App.17 applies.	17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies	FIXED 12 230-13 200 kHz MARITIME MOBILE
FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.1105.132 5.145 13 200-13 260 kHz AERONAUTICAL	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145 13 200-13 260 kHz AERONAUTICAL	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12 520 kHz – international distress frequency for NBDP telegraphy; Article 31 applies. 12 579 kHz – maritime safety information (MSI); App.17 applies. Aeronautical mobile	17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Appendix 26 Allotment	FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145 13 200-13 260 kHz AERONAUTICAL
FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.1105.132 5.145	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12 520 kHz – international distress frequency for NBDP telegraphy; Article 31 applies. 12 579 kHz – maritime safety information (MSI); App.17 applies.	17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies	FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145
FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.1105.132 5.145 13 200-13 260 kHz AERONAUTICAL	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145 13 200-13 260 kHz AERONAUTICAL	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12 520 kHz – international distress frequency for NBDP telegraphy; Article 31 applies. 12 579 kHz – maritime safety information (MSI); App.17 applies. Aeronautical mobile communications	17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Appendix 26 Allotment Plan applies	FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145 13 200-13 260 kHz AERONAUTICAL
FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.1105.132 5.145 13 200-13 260 kHz AERONAUTICAL MOBILE (OR)	12 100-12 230 kHz FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145 13 200-13 260 kHz AERONAUTICAL MOBILE (OR)	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12 520 kHz – international distress frequency for NBDP telegraphy; Article 31 applies. 12 579 kHz – maritime safety information (MSI); App.17 applies. Aeronautical mobile	17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Appendix 26 Allotment	FIXED 12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145 13 200-13 260 kHz AERONAUTICAL MOBILE (OR)

13 360-13 410 kHz	13 360-13 410 kHz			13 360-13 410 kHz
FIXED	FIXED	Radio astronomy		FIXED
RADIO ASTRONOMY	}			RADIO ASTRONOMY
5.149	5.149			5.149
13 410-13 450 kHz	13 410-13 450 kHz			13 410-13 450 kHz
FIXED	FIXED	Maritime and/or land mobile		FIXED
Mobile except aeronautical mobile (R)	Mobile except aeronautical mobile (R)	communications The band 13 553-13 567 kHz is designated for ISM applications (5.150). SRD applications (13 553-13 567kHz)		Mobile except aeronautical mobile (R)
			Common international SRD band; see ITU-R Rec.SM.[SRD]	
13 450-13 550 KHz	13 450-13 550 KHz			13 450-13 550 KHz
FIXED	FIXED			FIXED
Mobile except aeronautical	Mobile except aeronautical			Mobile except
mobile (R)	mobile (R)			mobile (R)
Radiolocation 5.132A	Radiolocation 5.132A			Radiolocation 5.132A
5.149A	5.149A			5.149A
13 550-13 570 KHz	13 550-13 570 KHz			13 550-13 570 KHz
FIXED	FIXED			FIXED
Mobile except	Mobile except			Mobile except
aeronautical mobile (R)	aeronautical mobile (R)			aeronautical mobile (R)
5.15	5.15			5.15
13 570-13 600 kHz	13 570-13 600 kHz			13 570-13 600 kHz
BROADCASTING 5.134	BROADCASTING 5.134	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.	BROADCASTING 5.134
5.151	5.151			5.151
13 600-13 800 kHz	13 600-13 800 kHz			13 600-13 800 kHz
BROADCASTING	BROADCASTING	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies	BROADCASTING
13 800-13 870 kHz	13 800-13 870 kHz			13 800-13 870 kHz
BROADCASTING 5.134	BROADCASTING 5.134	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.	BROADCASTING 5.134
5.151	5.151			5.151
13 870-14 000 kHz	13 870-14 000 kHz			13 870-14 000 kHz
FIXED	FIXED	Maritime and/or land mobile communications		FIXED
Mobile except aeronautical mobile (R)	Mobile except aeronautical mobile (R)			Mobile except aeronautical mobile (R)
14 000-14 250 kHz	14 000-14 250 kHz		+	14 000-14 250 kHz
AMATEUR	AMATEUR	Amateur communications		AMATEUR
AMATEUR-	AMATEUR-	Amateur-satellite		AMATEUR-
SATELLITE	SATELLITE	communications		SATELLITE
14 250-14 350 kHz	14 250-14 350 kHz			14 250-14 350 kHz
AMATEUR	AMATELID	A 4 · · · ·		AMATEUR
5.152	AMATEUR	Amateur communications		THAT BOX
5.152 14 350-14 990 kHz	AMATEUR	Amateur communications SADC harmonised HF		14 350-14 990 kHz
		SADC harmonised HF frequencies for cross-border		
14 350-14 990 kHz FIXED Mobile except	14 350-14 990 kHz FIXED Mobile except	SADC harmonised HF frequencies for cross-border mobile communications; see		14 350-14 990 kHz FIXED Mobile except
14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R)	14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R)	SADC harmonised HF frequencies for cross-border		14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R)
14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz	14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz	SADC harmonised HF frequencies for cross-border mobile communications; see		14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz
14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz STANDARD	14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz STANDARD	SADC harmonised HF frequencies for cross-border mobile communications; see		14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz STANDARD
14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz STANDARD FREQUENCY AND	14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz STANDARD FREQUENCY AND	SADC harmonised HF frequencies for cross-border mobile communications; see		14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz STANDARD FREQUENCY AND
14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz STANDARD	14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz STANDARD	SADC harmonised HF frequencies for cross-border mobile communications; see		14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R) 14 990-15 005 kHz STANDARD

15 005-15 010 kHz			15 005-15 010 kHz
STANDARD			STANDARD
FREQUENCY AND TIME SIGNAL			FREQUENCY AND TIME SIGNAL
Space research			Space research
15 010-15 100 kHz			15 010-15 100 kHz
AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	Appendix 26 Allotment Plan applies	AERONAUTICAL MOBILE (OR)
			15 100-15 600 kHz
		ITU RR Article 12	
BROADCASTING	HF Sound Broadcasting	Planning Procedures applies	BROADCASTING
15 600-15 800 kHz			15 600-15 800 kHz
BROADCASTING 5.134	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.	BROADCASTING 5.134
5.146			5.146
15 800-16 100 kHz			15 800-16 100 kHz
FIXED	Fixed		FIXED
5.153			5.153
16 100-16 200 KHz			16 100-16 200 KHz
FIXED			FIXED
Radiolocation 5.145A			Radiolocation 5.145A
5.145B			5.145B
16 200-16 360 KHz FIXED			16 200-16 360 KHz FIXED
16 360-17 410 kHz	Maritime mobile communications		16 360-17 410 kHz
MARITIME MOBILE 5.109 5.110 5.132 5.145	16 804.5kHz – DSC for distress and calling; Article 31 applies.	ITU RR Appendix 17 Channelling Plan applies	MARITIME MOBILE 5.109 5.1105.132 5.145
	16 695 kHz – international distress frequency for NBDP telegraphy; Article 31 applies.	ITU RR Appendix 25 Allotment Plan applies	
	16 806.5 kHz – maritime safety information (MSI); App.17 applies		
17 410-17 480 kHz			17 410-17 480 kHz
FIXED	Fixed		FIXED
17 480-17 550 kHz			17 480-17 550 kHz
BROADCASTING 5.134	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.	BROADCASTING 5.134
5.146			5.146
17 550-17 900 kHz			17 550-17 900 kHz
BROADCASTING	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies	BROADCASTING
17 900-17 970 kHz	Agranautical makila	Annondia 27 All-to	17 900-17 970 kHz
AERONAUTICAL MOBILE (R)	communications	Appendix 27 Allotment Plan applies	AERONAUTICAL MOBILE (R)
17 970-18 030 kHz	Agronautical mobile	Annandiy 26 Allatmant	17 970-18 030 kHz
AERONAUTICAL MOBILE (OR)	communications	Plan applies	AERONAUTICAL MOBILE (OR)
18 030-18 052 kHz			18 030-18 052 kHz
FIXED	Fixed		FIXED
18 052-18 068 kHz			18 052-18 068 kHz
i			FIXED
FIXED	Fixed		
Space research	Fixed		Space research
Space research 18 068-18 168 kHz			18 068-18 168 kHz
Space research	Fixed Amateur communications Amateur-satellite		<u> </u>
	STANDARD FREQUENCY AND TIME SIGNAL Space research 15 010-15 100 kHz AERONAUTICAL MOBILE (OR) 15 100-15 600 kHz BROADCASTING 15 600-15 800 kHz BROADCASTING 5.134 5.146 15 800-16 100 kHz FIXED 5.153 16 100-16 200 KHz FIXED Radiolocation 5.145A 5.145B 16 200-16 360 KHz FIXED 16 360-17 410 kHz MARITIME MOBILE 5.109 5.110 5.132 5.145 17 480-17 550 kHz BROADCASTING 5.134 5.146 17 550-17 900 kHz BROADCASTING 5.134 5.146 17 970-18 030 kHz AERONAUTICAL MOBILE (R) 17 970-18 030 kHz AERONAUTICAL MOBILE (OR) 18 030-18 052 kHz	STANDARD FREQUENCY AND TIME SIGNAL Space research 15 010-15 100 kHz AERONAUTICAL MOBILE (OR) 15 100-15 600 kHz BROADCASTING HF Sound Broadcasting 15 600-15 800 kHz BROADCASTING 5.134 S.146 HF Sound Broadcasting HF Sound Broadcasting Fixed 5.153 16 100-16 200 KHz FIXED Radiolocation 5.145A 5.145B 16 200-16 360 KHz FIXED MARITIME MOBILE 5.109 5.110 5.132 5.145 MARITIME MOBILE 5.109 5.110 5.132 5.145 MARITIME MOBILE 5.109 5.110 5.132 5.145 HF Sound Broadcasting Maritime mobile communications Maritime mobile communications 16 804.5kHz – DSC for distress and calling; Article 31 applies. 16 695 kHz – international distress frequency for NBDP telegraphy; Article 31 applies. 16 806.5 kHz – maritime safety information (MSI); App.17 applies 17 410-17 480 kHz FIXED Fixed HF Sound Broadcasting 17 480-17 550 kHz BROADCASTING HF Sound Broadcasting 17 900-17 970 kHz AERONAUTICAL MOBILE (R) Aeronautical mobile communications Aeronautical mobile communications	STANDARD FREQUENCY AND TIME SIGNAL Space research 15 010-15 100 kHz AERONAUTICAL MOBILE (OR) 15 100-15 600 kHz BROADCASTING 15 100-15 600 kHz BROADCASTING HF Sound Broadcasting 16 000-15 800 kHz BROADCASTING 5.134 BROADCASTING 5.134 HF Sound Broadcasting Article 12 Planning Procedures applies Procedures and Res.517 apply. Article 12 Planning Procedures applies Article 12 Planning Procedures and Res.517 apply. ITU RR Article 12 Planning Procedures and Res.517 apply. Article 12 Planning Procedures and Res.517 apply. ITU RR Appendix 17 Article 31 applies. If 804.5kHz – international distress frequency for NBDP telegraphy; Article 31 applies. If 806.5 kHz – maritime safety information (MSI); App.17 applies ITU RR Appendix 17 Applies ITU RR Appendix 17 Allotment Plan applies ITU RR Appendix 17 Allotment Plan applies ITU RR Appendix 17 Allotment Plan applies ITU RR Appendix 17 Allotment Plan applies ITU RR Appendix 25 Allotment Plan applies ITU RR Appendix 25 Allotment Plan applies ITU RR Appendix 25 Allotment Plan applies ITU RR Appendix 25 Allotment Plan applies ITU RR Appendix 25 Allotment Plan applies ITU RR Appendix 25 Allotment Plan applies ITU RR Appendix 27 Allotment Plan applies ITU RR Appendix 27 Allotment Plan applies ITU RR Appendix 27 Allotment Plan applies Appendix 27 Allotment Plan applies Appendix 27 Allotment Plan applies Appendix 27 Allotment Plan applies Appendix 26 Allotment Plan applies

18 168-18 780 kHz	18 168-18 780 kHz			18 168-18 780 kHz
FIXED	FIXED	Maritime and/or land mobile		FIXED
Mobile except	Mobile except	communications		Mobile except
aeronautical mobile	aeronautical mobile			aeronautical mobile
18 780-18 900 kHz	18 780-18 900 kHz			18 780-18 900 kHz
MARITIME MOBILE	MARITIME MOBILE	Maritime mobile communications	ITU RR Appendix 17 Channelling Plan applies	MARITIME MOBILE
18 900-19 020 kHz	18 900-19 020 kHz			18 900-19 020 kHz
BROADCASTING 5.134	BROADCASTING 5.134	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.	BROADCASTING 5.134
5.146	5.146			5.146
19 020-19 680 kHz	19 020-19 680 kHz			19 020-19 680 kHz
FIXED	FIXED	Fixed		FIXED
19 680-19 800 kHz	19 680-19 800 kHz		The frequency 19 680.5	19 680-19 800 kHz
MARITIME MOBILE 5.132	MARITIME MOBILE 5.132	19 680.5 kHz – maritime safety information (MSI); App.17 applies	kHz is the international frequency for transmission of MSI.	MARITIME MOBILE 5.132
19 800-19 990 kHz	19 800-19 990 kHz			19 800-19 990 kHz
FIXED	FIXED	Fixed		FIXED
19 990-19 995 kHz	19 990-19 995 kHz			19 990-19 995 kHz
STANDARD FREQUENCY AND TIME SIGNAL	STANDARD FREQUENCY AND TIME SIGNAL			STANDARD FREQUENCY AND TIME SIGNAL
Space research 5.111	Space research 5.111			Space research 5.111
19 995-20 010 kHz	19 995-20 010 kHz			19 995-20 010 kHz
STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz)	STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz)			STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz)
5.111	5.111			5.111
20 010-21 000 kHz	20 010-21 000 kHz			20 010-21 000 kHz
FIXED	FIXED			FIXED
Mobile	Mobile			Mobile
21 000-21 450 kHz	21 000-21 450 kHz	Amateur communications		21 000-21 450 kHz
AMATEUR	AMATEUR	Amateur-satellite communications		AMATEUR
AMATEUR-	AMATEUR-			AMATEUR-
SATELLITE	SATELLITE			SATELLITE
21 450-21 850 kHz	21 450-21 850 kHz			21 450-21 850 kHz
BROADCASTING	BROADCASTING	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies	BROADCASTING
21 850-21 870 kHz	21 850-21 870 kHz			21 850-21 870 kHz
FIXED 5.155A 5.155	FIXED	Fixed		FIXED 5.155A 5.155
21 870-21 924 kHz	21 870-21 924 kHz		This band is used by the	+
FIXED 5.155B	FIXED 5.155B	Fixed	FS for services related to aircraft flight safety (5.155B)	FIXED 5.155B
21 924-22 000 kHz	21 924-22 000 kHz			21 924-22 000 kHz
AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	Appendix 27 Allotment Plan applies	AERONAUTICAL MOBILE (R)
22 000-22 855 kHz	22 000-22 855 kHz		ITU RR Appendix 17 Channelling Plan applies.	22 000-22 855 kHz
MARITIME MOBILE 5.132	MARITIME MOBILE 5.132	22 376 kHz – maritime safety information (MSI); App.17 applies	ITU RR Appendix 25 Allotment Plan applies. The frequency 22 376 kHz is the international	MARITIME MOBILE 5.132
5.156			frequency for transmission of MSI.	

22 855-23 000 kHz	22 855-23 000 kHz			22 855-23 000 kHz
FIXED	FIXED	Fixed		FIXED
5.156				
23 000-23 200 kHz	23 000-23 200 kHz			23 000-23 200 kHz
FIXED	FIXED			FIXED
Mobile except	Mobile except			Mobile except
aeronautical mobile (R)	aeronautical mobile (R)			aeronautical mobile (R)
5.156				
23 200-23 350 kHz	23 200-23 350 kHz		The use of this band by	23 200-23 350 kHz
FIXED 5.156A	FIXED 5.156A	Aeronautical mobile communications	the FS is limited to the provision of services	FIXED 5.156A
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)		related to aircraft flight safety (5.156A)	AERONAUTICAL MOBILE (OR)
23 350-24 000 kHz	23 350-24 000 kHz			23 350-24 000 kHz
FIXED	FIXED		The use of this band	FIXED
MOBILE except	MOBILE except		by the MMS is limited to inter-ship	MOBILE except
aeronautical mobile	aeronautical mobile		radiotelegraphy (5.157).	aeronautical mobile
5.157	5.157		radiotolography (51157)	5.157
24 000-24 450 kHz	24 000-24 450 kHz			24 000-24 450 kHz
FIXED	FIXED			FIXED
LAND MOBILE	LAND MOBILE			LAND MOBILE
24 450 -24 600 kHz	24 450 -24 600 kHz			24 450 -24 600 kHz
FIXED	FIXED			FIXED
LAND MOBILE	LAND MOBILE			LAND MOBILE
Radiolocation 5.132A	Radiolocation 5.132A			Radiolocation 5.132A
5.158	5.158			5.158
24 600-24 890 KHz	24 600-24 890 KHz			24 600-24 890 KHz
FIXED	FIXED			FIXED
LAND MOBILE	LAND MOBILE			LAND MOBILE
				24 890 – 24 990 khz
				AMATURE
				AMATURE-SATELITE
24 990-25 005 kHz	24 990-25 005 kHz			24 990-25 005 kHz
STANDARD	STANDARD			STANDARD
FREQUENCY AND	FREQUENCY AND			FREQUENCY AND
TIME SIGNAL	TIME SIGNAL			TIME SIGNAL
(25 000 kHz)	(25 000 kHz)			(25 000 kHz)
25 005-25 010 kHz	25 005-25 010 kHz			25 005-25 010 kHz
STANDARD EDECLIENCY AND	STANDARD			STANDARD EDECLIENCY AND
FREQUENCY AND TIME SIGNAL	FREQUENCY AND TIME SIGNAL			FREQUENCY AND TIME SIGNAL
Space research	Space research			Space research
25 010-25 070 kHz	25 010-25 070 kHz			25 010-25 070 kHz
FIXED	FIXED			FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical mobile	aeronautical mobile			aeronautical mobile
25 070-25 210 kHz	25 070-25 210 kHz		ITU RR Appendix	25 070-25 210 kHz
MARITIME MOBILE	MARITIME MOBILE	Maritime mobile communications	17 Channelling Plan applies	MARITIME MOBILE
25 210-25 550 kHz	25 210-25 550 kHz		app	25 210-25 550 kHz
FIXED	FIXED			FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical mobile	aeronautical mobile			aeronautical mobile
25 550-25 670 kHz	25 550-25 670 kHz			25 550-25 670 kHz
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio astronomy		RADIO ASTRONOMY
5.149	5.149			5.149
25 670-26 100 kHz	25 670-26 100 kHz			25 670-26 100 kHz
25 070-20 100 KHZ				
25 070-20 100 KHZ			ITU RR Article 12 Planning Procedures	

	T	I	I	T
26 100-26 175 kHz	26 100-26 175 kHz		ITU RR Appendix 17 Channelling Plan applies.	26 100-26 175 kHz
MARITIME MOBILE 5.132	MARITIME MOBILE 5.132	26 100.5 kHz – maritime safety information (MSI); App.17 applies	ITU RR Appendix 25 Allotment Plan applies.	MARITIME MOBILE 5.132
			The frequency 26 100.5 kHz is the international frequency for	
26 175 26 200 1-11-	26 175 26 200 1-11-		transmission of MSI.	26 175-26 200 kHz
26 175-26 200 kHz FIXED	MOBILE except aeronautical mobile	Mobile systems (single frequency)		MOBILE except aeronautical mobile
MOBILE except aeronautical mobile		CB Radio (26.96-27.410 MHz)		
		ISM applications (26.975-27.283 MHz)		
		SRD applications (26 957-27 283 kHz)		
			Common international SRD band; see ITU-R Rec.SM.[SRD]	
26 200-26 350KHz	26 200-26 350KHz			26 200-26 350KHz
FIXED	FIXED			FIXED
MOBILE except aeronautical	MOBILE except aeronautical			MOBILE except aeronautical
mobile	mobile			mobile
Radiolocation 5.132A 5.133A	Radiolocation 5.132A 5.133A			Radiolocation 5.132A 5.133A
26 350-27 500 KHz FIXED	26 350-27 500 KHz FIXED			26 350-27 500 KHz FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical	aeronautical			aeronautical
Mobile	Mobile			Mobile
5.15	5.15			5.15
	SADC1			
27.5-28 MHz	27.5-28 MHz			27.5-28 MHz
METEOROLOGICAL AIDS	METEOROLOGICAL AIDS			METEOROLOGICAL AIDS
FIXED	FIXED			FIXED
MOBILE	MOBILE			MOBILE
28-29.7 MHz	28-29.7 MHz	Amateur communications		28-29.7 MHz
AMATEUR	AMATEUR	Amateur-satellite communications		AMATEUR
AMATEUR- SATELLITE	AMATEUR- SATELLITE			AMATEUR- SATELLITE
29.7-30.005 MHz FIXED	29.7-30.005 MHz FIXED	Government use		29.7-30.005 MHz FIXED
MOBILE	MOBILE	Government use		MOBILE
20 005 20 01 3411-	SADC2			20 005 20 01 3411-
30.005-30.01 MHz SPACE OPERATION	30.005-30.01 MHz SPACE OPERATION			30.005-30.01 MHz SPACE OPERATION
(satellite identification)	(satellite identification)	Government use		(satellite identification)
FIXED MOBILE	FIXED MOBILE			FIXED MOBILE
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
30.01-37.5 MHz	30.01-37.5 MHz			30.01-37.5 MHz
FIXED	MOBILE	Government use		FIXED
MOBILE	<u> </u>	PMR		MOBILE
37.5-38.25 MHz	37.5-38.25 MHz	PMR		37.5-38.25 MHz
FIXED	MOBILE	Radio astronomy		FIXED
MOBILE	Radio astronomy			MOBILE
Radio astronomy	5.149			Radio astronomy
5.149				5.149

38.25-39 MHz	38.25-39 MHz			38.25-39 MHz
FIXED	MOBILE	PMR		MOBILE
MOBILE				
39-39.5 MHz	39-39.5 MHz			39-39.5 MHz
FIXED	FIXED			FIXED
MOBILE	MOBILE			MOBILE
Radiolocation 5.132A				Radiolocation 5.132A
5.159	5.159			5.159
39.5-39.986	39.5-39.986			39.5-39.986 MHz
FIXED	FIXED			FIXED
MOBILE	MOBILE			MOBILE
39.986-40.02 MHz	39.986-40.02 MHz			39.986-40.02 MHz
FIXED	MOBILE			FIXED
MOBILE	MODILL	PMR		MOBILE
Space research				Space research
40.02-40.98 MHz	40.02-40.98 MHz	PMR		40.02-40.98 MHz
	1			
FIXED	MOBILE	ISM (40.66-40.70 MHz)	Common intom -ti1	FIXED
MOBILE	5.15	SRD applications (40.66-	Common international SRD band; see ITU-R	MOBILE
ODIDI		40.77 MHz)	Rec.SM.[SRD]	
5.15	SADC3		ري	5.15
40.98-41.015 MHz	40.98-41.015 MHz			40.98-41.015 MHz
FIXED	MOBILE			FIXED
MOBILE	Space research	PMR		MOBILE
Space research	5.16			Space research
5.1605.161				5.160 5.161
41.015-42 MHz	41.015-42 MHz			41.015-42 MHz
FIXED	MOBILE			FIXED
MOBILE	5.160 5.161	PMR		MOBILE
5.160 5.161	5.161A	I WIK		5.160 5.161
5.161A	J.101A			5.161A
42-42.5 MHz	42-42.5 MHz			42-42.5 MHz
FIXED	FIXED			FIXED
MOBILE	MOBILE			MOBILE
Radiolocation 5.132A	1			
	Radiolocation 5.132A			Radiolocation 5.132A
5.160 5.161A	5.160 5.161A			5.160 5.161A
42.5-44 MHz	42.5-44 MHz			42.5-44 MHz
FIXED	FIXED			FIXED
MOBILE	MOBILE			MOBILE
5.160 5.161 5.161A	5.160 5.161 5.161A			5.160 5.161 5.161A
44-47 MHz	44-47 MHz	PMR	 	44-47 MHz
FIXED	FIXED	Meteor Burst (45.3-46.9 MHz)	Paired with 47.5-49.1 MHz)	FIXED
MOBILE	MOBILE	CT0 Cordless Telephony BTx (46.61-46.97 MHz)		MOBILE
5.162 5.162A				5.162 5.162A
47-68 MHz	47-50 MHz	PMR		47-68 MHz
BROADCASTING	LAND MOBILE	Meteor Burst (47.5-49.1 MHz)	Paired with 45.3-46.9 MHz	BROADCASTING
5.162A 5.163 5.164 5.165 5.169 5.171	5.164 5.165	CT0 Cordless Telephony MTx (49.67-49.97 MHz)	Paired with (46.61-46.97 MHz)	5.162A 5.163 5.164 5.165 5.169 5.171
	50-54 MHz			
	AMATEUR			
	5.164 5.165 5.169			
			1	
	54-68 MHz			
	MOBILE except aeronautical mobile	PMR		

68-74.8 MHz	68-74.8 MHz			68-74.8 MHz
FIXED	MOBILE except			FIXED
MOBILE except aeronautical	aeronautical mobile	PMR and/or PAMR		MOBILE except aeronautical
mobile 5.149 5.175 5.177 5.179	5.149 SADC4			mobile 5.149
74.8-75.2 MHz	74.8-75.2 MHz	Instrument Landing System (ILS)		74.8-75.2 MHz
AERONAUTICAL RADIONAVIGATION 5.180 5.181	AERONAUTICAL RADIONAVIGATION 5.18	Marker beacons (75 MHz)		AERONAUTICAL RADIONAVIGATION 5.18
75.2-87.5 MHz	75.2-87.5 MHz			75.2-87.5 MHz
FIXED	MOBILE except aeronautical			MOBILE except aeronautical
MOBILE except aeronautical	mobile	PMR and/or PAMR		mobile
mobile 5.175 5.179 5.187				
87.5-100 MHz	87.5-100 MHz			87.5-100 MHz
BROADCASTING	BROADCASTING	FM Sound broadcasting (87.5-108 MHz)	Geneva agreement GE84	BROADCASTING
5.19				
100-108 MHz	100-108 MHz			100-108 MHz
BROADCASTING 5.192 5.194	BROADCASTING			BROADCASTING
108-117.975 MHz	108-117.975 MHz	Instrument Landing System (ILS) / Localiser (108-112 MHz)	AM(R)S shall operate in accordance with	108-117.975 MHz
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	VHF Omni-directional Range (VOR) (112-117.975 MHz)	Res.413(Rev.WRC-07). Safety and regularity of flights; in the band	AERONAUTICAL RADIONAVIGATION
5.197 5.197A	5.197A	Aeronautical mobile communications (108-117.975 MHz)	108-112 MHz AM(R)S limited to ground based transmitters.	5.197A
117.975-137 MHz	117.975-137 MHz	117.975-121.450 MHz		117.975-137 MHz
AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	Safety and regularity of flights	AERONAUTICAL MOBILE (R)
5.111 5.200 5.201 5.202	5.111 5.200 5.201	121.450-121.550 MHz International Distress Frequency	EDIDD 41215 MH	5.111 5.200 5.201
		(121.5 MHz)	EPIRBs at 121.5 MHz ITU RR Article 31	
			applies]
		121.550-137.000 MHz		
		Aeronautical mobile communications	123.1 MHz - auxiliary emergency frequency	
137-137.025 MHz	137-137.025 MHz			137-137.025 MHz
SPACE OPERATION (space-to-Earth) METEOROLOGICAL-	SPACE OPERATION (space-to-Earth) METEOROLOGICAL-			SPACE OPERATION (space-to-Earth) METEOROLOGICAL-
SATELLITE (space-to- Earth)	SATELLITE (space-to- Earth)			SATELLITE (space-to- Earth)
MOBILE-SATELLITE (space-to-Earth) 5.208A5.208B5.209	MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209			MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209
SPACE RESEARCH (space-to-Earth)	SPACE RESEARCH (space-to-Earth)			SPACE RESEARCH (space-to-Earth)
Fixed	Mobile except aeronautical mobile (R)			Mobile except aeronautical mobile (R)
Mobile except aeronautical mobile (R)	5.208			5.208
5.204 5.205 5.206 5.207 5.208				

137.025-137.175 MHz	137.025-137.175 MHz		137.0	25-137.175 MHz
SPACE OPERATION	SPACE OPERATION			CE OPERATION
(space-to-Earth)	(space-to-Earth)			e-to-Earth)
METEOROLOGICAL- SATELLITE (space-to- Earth)	METEOROLOGICAL- SATELLITE (space-to- Earth)			EOROLOGICAL- ELLITE (space-to-
SPACE RESEARCH (space-to-Earth)	SPACE RESEARCH (space-to-Earth)		SPAC	CE RESEARCH e-to-Earth)
Fixed	Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209		Mobi	le-satellite (space- rth) 5.208A 5.209
Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209	Mobile except aeronautical mobile (R)			le except autical mobile (R)
Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	5.208		5.208	:
137.175-137.825 MHz	137.175-137.825 MHz		137.1	75-137.825 MHz
SPACE OPERATION	SPACE OPERATION	NOAA meteorology satellite	SPAC	CE OPERATION
(space-to-Earth) METEOROLOGICAL- SATELLITE (space-to- Earth)	(space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth)	(137.500-137.620 MHz)	MET	e-to-Earth) EOROLOGICAL- ELLITE (space-to-)
MOBILE-SATELLITE	MOBILE-SATELLITE			ILE-SATELLITE
5.208B 5.209	(space-to-Earth) 5.208A 5.208B 5.209		5.209	
SPACE RESEARCH (space-to-Earth)	SPACE RESEARCH (space-to-Earth)			CE RESEARCH e-to-Earth)
Fixed	Mobile except aeronautical mobile (R)		Fixed	
Mobile except aeronautical mobile (R)	5.208		aeron	le except autical mobile (R)
5.204 5.205 5.206 5.207 5.208			5.208	
137.825-138 MHz	137.825-138 MHz		137.8	25-138 MHz
SPACE OPERATION	SPACE OPERATION			CE OPERATION
(space-to-Earth) METEOROLOGICAL-	(space-to-Earth) METEOROLOGICAL-		` 1	e-to-Earth) EOROLOGICAL-
SATELLITE (space-to- Earth)	SATELLITE (space-to- Earth)			ELLITE (space-to-
SPACE RESEARCH	SPACE RESEARCH		· · · · · · · · · · · · · · · · · · ·	CE RESEARCH
(space-to-Earth)	(space-to-Earth)		(spac	e-to-Earth)
Fixed	Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209		Fixed	I
Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209	Mobile except aeronautical mobile (R)			le-satellite (space- rth) 5.208A 5.209
Mobile except aeronautical mobile (R)	5.208			le except autical mobile (R)
5.204 5.205 5.206 5.207 5.208			5.208	1
138-143.6 MHz	138-143.6 MHz		138-1	43.6 MHz
AERONAUTICAL MOBILE (OR)	MOBILE	PMR and / or PAMR	MOB	ONAUTICAL SILE (OR)
5.210 5.211 5.212 5.214	5.211 5.212 5.214 SADC5		5.212	
143.6-143.65 MHz	143.6-143.65 MHz			5-143.65 MHz
AERONAUTICAL MOBILE (OR)	MOBILE	PMR and/or PAMR		ONAUTICAL SILE (OR)
SPACE RESEARCH	5.211 5.212 5.214	1 IVIN AHU/OI FAIVIN		CE RESEARCH
(space-to-Earth) 5.211 5.212 5.214			(spac 5.212	e-to-Earth)
143.65-144 MHz	143.65-144 MHz			ONAUTICAL SILE (OR)
AERONAUTICAL MOBILE (OR)	MOBILE	PMR and/or PAMR	5.212	
	I .	ı	1	

144 146 147	144 146 147		T	144 146 1977
144-146 MHz	144-146 MHz			144-146 MHz AMATEUR
AMATEUR	AMATEUR			AMATEUR-
AMATEUR- SATELLITE	AMATEUR- SATELLITE			SATELLITE
5.216				
146-148 MHz	146-148 MHz			146-148 MHz
FIXED	MOBILE except aeronautical			FIXED
MOBILE except	mobile (R)	PMR and/or PAMR		MOBILE except
aeronautical	modic (K)			aeronautical
mobile (R)				mobile (R)
148-149.9 MHz	148-149.9 MHz			148-149.9 MHz
FIXED	MOBILE except aeronautical		For some Little LEO	FIXED
MOBILE except aeronautical	mobile (R)	Mobile satellite communications	systems this band is	MOBILE except aeronautical
mobile (R)	MOBILE-SATELLITE	(Little LEO)	supplemented by the band 149.9-150.05	mobile (R)
MOBILE-SATELLITE	(Earth-to-space) 5.209		MHz.	MOBILE-SATELLITE
(Earth-to-space) 5.209	5.218 5.219 5.221			(Earth-to-space) 5.209
5.218 5.219 5.221	SADC6			5.218 5.219 5.221
149.9-150.05 MHz	149.9-150.05 MHz			149.9-150.05 MHz
MOBILE-SATELLITE	MOBILE-SATELLITE			MOBILE-SATELLITE
(Earth-to-space) 5.209 5.224A	(Earth-to-space) 5.2095.224A	Mobile satellite communications		(Earth-to-space) 5.209 5.224A
RADIONAVIGATION- SATELLITE 5.224B	RADIONAVIGATION- SATELLITE 5.224B	(Little LEO)		RADIONAVIGATION- SATELLITE 5.224B
5.220 5.222 5.223	5.220 5.222 5.223	DMD 1/ DAMP		5.220 5.222 5.223
150.05-153 MHz FIXED	MOBILE except	PMR and/or PAMR Paging		150.05-153 MHz FIXED
MOBILE except	aeronautical mobile RADIO ASTRONOMY			MOBILE except
aeronautical mobile RADIO ASTRONOMY	5.149			aeronautical mobile RADIO ASTRONOMY
5.149	3.149			5.149
153-154 MHz	153-154 MHz			153-154 MHz
FIXED	MOBILE except aeronautical mobile (R)			FIXED
MOBILE except aeronautical mobile (R)		PMR and/or PAMR		MOBILE except aeronautical mobile (R)
Meteorological Aids	154 156 4055 MII-	154 156 MIL-		Meteorological Aids
154-156.4875 MHz	154-156.4875 MHz	154-156 MHz 		154-156.4875 MHz
FIXED	MOBILE except aeronautical mobile (R)	PMR and/or PAMR		FIXED
MOBILE except aeronautical mobile (R)	5.226	156.00.156.4055.101		MOBILE except aeronautical mobile (R)
5.226 5.225A	5.225A	Maritime mobile communications (Ship stations)	Paired with 160.625- 160.950 MHz, single frequency 156.3 MHz and in the band 156.375-156.475 MHz. ITU RR Articles 31 and 52 and Appendix 18 apply.	5.226 5.225A
		Land mobile in areas remote from coast		
156.4875-156.5625 MHz	156.4875-156.5625 MHz	Maritime mobile distress, safety and calling frequency 156.525 MHz for maritime mobile VHF radiotelephone service using DSC.		156.4875-156.5625 MHz
MARITIME MOBILE (distress and calling via DSC)	MARITIME MOBILE (distress and calling via DSC)		ITU RR Articles 31 and 52 and Appendix 18 apply.	MARITIME MOBILE (distress and calling via DSC)
5.111 5.226 5.227	5.111 5.226 5.227	The bands 156.4875-156.5125 MHz and 156.5375-156.5625 MHz may also be used for land mobile services while protecting the maritime mobile service.		5.111 5.226 5.227

			Single frequency	
156.5625-156.7625 MHz	156.5625-156.7625 MHz	156.5625-156.7625 MHz	applications, ITU RR Articles 31 and 52 and Appendix 18 apply.	156.5625-156.7625 MHz
FIXED	MOBILE except aeronautical mobile (R)	Maritime mobile communications.		FIXED
MOBILE except aeronautical mobile (R) 5.226	5.226	Land mobile in areas remote from coast.		MOBILE except aeronautical mobile (R) 5.226
156.7625-156.7875 MHz MARITIME MOBILE(earth to space) 5.111 5.226 5.228	156.7625-156.8375 MHz MARITIME MOBILE (earth to space) 5.111 5.226 5.228	International distress, safety and calling frequency at 156.8 MHz for the maritime mobile VHF radiotelephone service.	ITU RR Article 31 and Appendix 18 apply to the use of the frequency 156.8 MHz and this band.	156.7625-156.7875 MHz MARITIME MOBILE (earth to space) 5.111 5.226 5.228
156.7875-156.8125 MHz MARITIME MOBILE (distress and calling)	156.7875-156.8125 MHz MARITIME MOBILE (distress and calling)			156.7875-156.8125 MHz MARITIME MOBILE
5.111 5.226	5.111 5.226			(distress and calling) 5.111 5.226
156.8125-156.8375	156.8125-156.8375			156.8125-156.8375 MHz
MARITIME MOBILE Mobile-satellite (Earth- to-space) 5.111 5.226 5.228	MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228			MARITIME MOBILE Mobile-satellite (Earth- to-space) 5.111 5.226 5.228
156.8375-161.9625 MHz	156.8375- 161.9625MHz	156.8375-157.45 MHz	Paired with 161.5-	156.8375-161.9625 MHz
FIXED	MOBILE except aeronautical mobile	Maritime mobile communications (ship stations).	162.0 MHz and single frequency applications; ITU RR Articles 31 and	MOBILE except aeronautical mobile
MOBILE except aeronautical mobile	5.226	Land mobile in areas remote from coast.	52 and Appendix 18 apply.	5.226
5.226		157.450-160.6 MHz PMR and/or PAMR		
		160.600-160.975 MHz Maritime mobile communications (Coast stations). Land mobile in areas remote from coast.	Paired with 156.025- 156.350 MHz; ITU RR Articles 31 and 52 and Appendix 18 apply.	
		160.975-161.475 MHz PMR and/or PAMR	Single frequency applications.	
1/1 0/27 1/1/27		161.475-162.050 MHz Maritime mobile communications (Coast stations) Land mobile in areas remote from coast Automatic Identification System (AIS) at 161.975 MHz and 162.025 MHz 162.050-174 MHz PMR and/or PAMR	Paired with 156.9-157.4 MHz; ITU RR Articles 31 and 52 and Appendix 18 apply.	161.9625-161.9875
161.9625-161.9875	161.9625-161.9875			MHz
FIXED MOBILE except aeronauticalmobile Mobile-satellite (Earth- to-space)	FIXED MOBILE except aeronautical mobile			FIXED MOBILE except aeronautical mobile
5.228F	Mobile-satellite (Earth-to-space) 5.228F			Mobile-satellite (Earth-to-space) 5.228F
5.226 5.228A 5.228B	5.226 5.228A 5.228B			5.226 5.228A 5.228B

161.9875-162.0125	161.9875-162.0125			161.9875-162.0125
FIXED	FIXED			MHz FIXED
MOBILE except	}			MOBILE except
aeronautical	MOBILE except aeronautical			aeronautical
mobile	mobile			mobile
5.226 5.229	5.226 5.229			5.226 5.229
162.0125-162.0375	162.0125-162.0375			162.0125-162.0375 MHz
FIXED	FIXED			FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical	aeronautical			aeronautical
mobile	mobile			mobile
Mobile-satellite (Earth-to-space) 5.228F	Mobile-satellite (Earth-to-space) 5.228F			Mobile-satellite (Earth-to-space) 5.228F
5.226 5.229 5.228A	5.226 5.229 5.228A			5.226 5.229 5.228A
3.220 3.227 3.2201 1	5.228F			5.228F
5.228B	5.228B			5.228B
162.0375-174	162.0375-174			162.0375-174 MHz
FIXED	FIXED			FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical	aeronautical			aeronautical
Mobile 5.226 5.229	Mobile 5.226 5.229			Mobile 5.226 5.229
3.220 3.229	3.220 3.229			3.220 3.229
	SADC7			
174-223 MHz	174-223 MHz	TV Broadcasting (174-214 MHz)	i	174-223 MHz
BROADCASTING	BROADCASTING	T-DAB (214-230 MHz)	Migration from analogue to digital in accordance with SADC time lines.	BROADCASTING
5.235 5.237 5.243	5.237			5.235 5.237 5.243
223-230 MHz	223-230 MHz	TV Broadcasting (174-214 MHz)	TV Band III	223-230 MHz
BROADCASTING	BROADCASTING	T-DAB (214-230 MHz)	Migration from analogue to digital in accordance with SADC time lines.	BROADCASTING
Fixed	İ			Fixed
Mobile	<u> </u>			Mobile
5.243 5.246 5.247				
230-235 MHz	230-235 MHz			230-235 MHz
FIXED	BROADCASTING		TV Band III (Analogue	BROADCASTING
		TV Broadcasting	television to migrate according to SADC time	5.252
MOBILE	5.252		lines)	FIXED MOBILE
5.247 5.251 5.252	SADC8			
235-267 MHz	235-238 MHz			235-267 MHz
FIXED	BROADCASTING		TV Band III (Analogue television to migrate	BROADCASTING 5.252
MOBILE	5.252_5.254	TV Broadcasting	according to SADC time	
5.111 5.252 5.254 5.256 5.256A	SADC9		lines)	MOBILE
	238-246 MHz	238-242.95 MHz		5.111 5.199 5.254 5.256
	MOBILE	PMR and/or PAMR		
	5.111 5.254 5.256	242.95-243.05 MHz	Band available for	1
	SADC9	International Distress Frequency (243 MHz)	distress and safety purposes.	
		243.05-246.00 MHz	Low-power devices	1
		Low-power devices	ancillary to the broadcasting service.	
	246-254 MHz		TV Band III (Analogue	
	BROADCASTING	TV Broadcasting (channel 13)	television to migrate	
	<u>5.252</u> 5.254	(246.18-254.18 MHz)	according to SADC time	
1	SADC9		lines)	

	 	<u> </u>	1	T
	254-267 MHz			
	MOBILE	PMR and/or PAMR		
	5.254			
	SADC9			
267-272 MHz	267-272 MHz			267-272 MHz
FIXED	FIXED	Government use		FIXED
MOBILE	MOBILE			MOBILE
Space operation (space-to-Earth)	5.254 5.257			Space operation (space-to-Earth)
5.254 5.257	 			5.254 5.257
272-273 MHz	272-273 MHz			272-273 MHz
SPACE OPERATION	SPACE OPERATION			SPACE OPERATION
(space-to-Earth)	(space-to-Earth)			(space-to-Earth)
FIXED	FIXED	Government use		FIXED
MOBILE	MOBILE			MOBILE
5.254	5.254			5.254
273-312 MHz	273-312 MHz			273-312 MHz
FIXED	FIXED			FIXED
MOBILE	MOBILE	Government use		MOBILE
5.254	5.254			5.254
312-315 MHz	312-315 MHz			312-315 MHz
FIXED	FIXED			FIXED
MOBILE	MOBILE	Government use		MOBILE
	MODILE	Government use		
Mobile-satellite (Earth- to-space) 5.254 5.255	5.254 5.255			Mobile-satellite (Earth- to-space) 5.254 5.255
315-322 MHz	315-322 MHz			315-322 MHz
FIXED	FIXED			FIXED
MOBILE	MOBILE	Government use		MOBILE
5.254	5.254			5.254
322-328.6 MHz	322-328.6 MHz			322-328.6 MHz
FIXED	FIXED			FIXED
MOBILE	MOBILE	Government use		MOBILE
	RADIO ASTRONOMY	Government use		RADIO ASTRONOMY
5.149	5.149			5.149
328.6-335.4 MHz	328.6-335.4 MHz			328.6-335.4 MHz
AERONAUTICAL	AERONAUTICAL			AERONAUTICAL
RADIONAVIGATION	RADIONAVIGATION	Instrument Landing Systems		RADIONAVIGATION
5.258	5.258	(ILS) (glide path)		5.258
5.259				
335.4-387 MHz	335.4-387 MHz	335.4-336 MHz		335.4-387 MHz
FIXED	FIXED	PMR and/or PAMR		FIXED
MOBILE	MOBILE	336-346 MHz	PTP/PTMP rural	MOBILE
5.254	5.254	Fixed Wireless Access	system; Paired with	5.254
5.25	1		356-366 MHz.	1
		346.0-356.0 MHz		
	İ	PMR and/or PAMR	perp per p	
		356.0-366.0 MHz	PTP/PTMP rural system; Paired with	
		Fixed Wireless Access	336-346 MHz	
	İ	366.0-380.0 MHz		
	İ	PMR and/or PAMR		
	İ	380.0-387.0 MHz	Paired with 390.0-397.0	
	İ		MHz. To be used mainly	
		PPDR	for digital systems.	
387-390 MHz	387-390 MHz	387.0-390.0 MHz		387-390 MHz
FIXED	MOBILE	PMR and/or PAMR		FIXED
	Mobile-satellite (space-		Paired with 397.0-399.9	
MOBILE	to-Earth) 5.208A		MHz. To be used mainly	MOBILE
M 1 11	5.208B 5.254 5.255		for digital systems.	M 1 9
Mobile-satellite (space-to-Earth) 5.208A	SADC10			Mobile-satellite (space-to-Earth) 5.208A
5.208B 5.254 5.255	SADCIO			5.208B 5.254 5.255
J.200D J.2J4 J.2JJ		l	<u> </u>	J.2000 J.2J4 J.2JJ

390-399.9 MHz	390-399,9 MHz	390.0-397.0 MHz		390-399.9 MHz
FIXED	MOBILE	PPDR	Paired with 380.0-387.0	FIXED
MOBILE	5.254	PPDK	MHz. To be used mainly	MOBILE
5.254			for digital systems.	5.254
3.234	SADC10	397.0-399.9 MHz PMR and/or PAMR	Paired with 387.0-390.0 MHz. To be used mainly	5.234
200 0 400 05 1411	200 0 400 05 1411	111111111111111111111111111111111111111	for digital systems.	200 0 400 05 1511
399.9-400.05 MHz	399.9-400.05 MHz			399.9-400.05 MHz
MOBILE-SATELLITE (Earth-to-space) 5.209 5.224A	MOBILE-SATELLITE (Earth-to-space) 5.209 5.224A			MOBILE-SATELLITE (Earth-to-space) 5.209 5.224A
RADIONAVIGATION- SATELLITE 5.222 5.224B 5.260	RADIONAVIGATION- SATELLITE 5.222 5.224B 5.260			RADIONAVIGATION- SATELLITE 5.222 5.224B 5.260
5.22	5.22			5.22
400.05-400.15 MHz	400.05-400.15 MHz			400.05-400.15 MHz
STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262	STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262			STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262
400 15 401 MHz	400 15 401 MHz			400 15 401 MHz
METEOROLOGICAL AIDS	400.15-401 MHz METEOROLOGICAL AIDS			METEOROLOGICAL AIDS
METEOROLOGICAL-	METEOROLOGICAL-			METEOROLOGICAL-
SATELLITE (space-to-	SATELLITE (space-to-			SATELLITE (space-to-
Earth)	Earth)			Earth)
MOBILE-SATELLITE	MOBILE-SATELLITE			MOBILE-SATELLITE
(space-to-Earth) 5.208A 5.208B 5.209	(space-to-Earth) 5.208A 5.208B 5.209			(space-to-Earth) 5.208A 5.209
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(space-to-Earth) 5.263	(space-to-Earth) 5.263			(space-to-Earth) 5.263
Space operation (space-to-Earth)	5.262 5.264			5.262 5.264
5.262 5.264				
401-402 MHz	401-402 MHz			401-402 MHz
METEOROLOGICAL AIDS	METEOROLOGICAL AIDS			METEOROLOGICAL AIDS
SPACE OPERATION	SPACE OPERATION			SPACE OPERATION
(space-to-Earth) EARTH	(space-to-Earth)			(space-to-Earth) EARTH
EXPLORATION- SATELLITE (Earth-to- space)	EXPLORATION- SATELLITE (Earth-to- space)			EXPLORATION- SATELLITE (Earth-to- space)
METEOROLOGICAL- SATELLITE (Earth-to- space)	METEOROLOGICAL- SATELLITE (Earth-to- space)			METEOROLOGICAL- SATELLITE (Earth-to- space)
Fixed Mobile except				Fixed Mobile except
aeronautical mobile				aeronautical mobile
402-403 MHz	402-403 MHz			402-403 MHz
METEOROLOGICAL AIDS	METEOROLOGICAL AIDS	SRDs – ultra low power active medical implants	SRDs – see ITU-R Rec. SM.[SRD] and Rec. RS.1346	METEOROLOGICAL AIDS
EARTH EXPLORATION- SATELLITE (Earth-to- space)	EARTH EXPLORATION- SATELLITE (Earth-to- space)			EARTH EXPLORATION- SATELLITE (Earth-to- space)
METEOROLOGICAL- SATELLITE (Earth-to- space)	METEOROLOGICAL- SATELLITE (Earth-to- space)			METEOROLOGICAL- SATELLITE (Earth-to- space)
Fixed				Fixed
Mobile except aeronautical mobile				Mobile except aeronautical mobile

403-406 MHz	403-406 MHz			403-406 MHz
METEOROLOGICAL	METEOROLOGICAL			METEOROLOGICAL
AIDS	AIDS			AIDS
Fixed				Fixed
Mobile except aeronautical mobile				Mobile except aeronautical mobile
406-406.1 MHz	406-406.1 MHz		ITII DD Articles 22 and	406-406.1 MHz
MOBILE-SATELLITE	MOBILE-SATELLITE	Low power satellite EPIRBs	ITU RR Articles 32 and 34 and Appendix 15	MOBILE-SATELLITE
(Earth-to-space) 5.266 5.267	(Earth-to-space) 5.266 5.267	(distress and safety purposes)	applies	(Earth-to-space) 5.266 5.267
406.1-410 MHz	406.1-410 MHz	PMR and/or PAMR		406.1-410 MHz
FIXED	MOBILE except aeronautical mobile	PPDR		FIXED
MOBILE except aeronautical mobile	RADIO ASTRONOMY		The use of this band for PPDR to be studied.	MOBILE except aeronautical mobile
RADIO ASTRONOMY	5.149			RADIO ASTRONOMY
5.149				5.149
410-420 MHz	410-420 MHz	PMR and/or PAMR		410-420 MHz
FIXED	MOBILE except aeronautical mobile	PPDR		FIXED
MOBILE except	SADC11		The use of this band for PPDR to be studied.	MOBILE except
aeronautical mobile	SADCII		11 DK to be studied.	aeronautical mobile
SPACE RESEARCH				SPACE RESEARCH
(space-to-space) 5.268 420-430 MHz	420 420 MH-	DMD 1/ DAMD		(space-to-space) 5.268
420-450 MHZ	MOBILE except	PMR and/or PAMR		420-430 MHz
FIXED	aeronautical mobile	PPDR	The use of this band for	FIXED MOBILE except
MOBILE except aeronautical mobile	SADC11		PPDR to be studied.	aeronautical mobile
Radiolocation				Radiolocation 5.269 5.270 5.271
5.269 5.270 5.271 430-432 MHz	430-432 MHz			430-432 MHz
AMATEUR	AMATEUR			AMATEUR
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
5.271 5.272 5.273 5.274 5.275 5.276 5.277	5.276 5.277	Amateur		5.276 5.277
3.273 3.270 3.277	SADC11			
432-438 MHz	432-438 MHz			432-438 MHz
AMATEUR	AMATEUR	Amateur (432-438 MHz)	Conditions for amateur satellite service is given in 5.282	AMATEUR
RADIOLOCATION	RADIOLOCATION	Amateur-satellite (435-438 MHz)		RADIOLOCATION
Earth exploration- satellite (active) 5.279A	Earth exploration- satellite (active) 5.279A	ISM (433.0-434.79 MHz)		Earth exploration- satellite (active) 5.279A
5.138 5.271 5.272 5.276 5.277 5.280 5.281 5.282	5.138 5.276 5.277 5.282			5.138 5.276 5.277 5.282
	SADC11			İ
438-440 MHz	438-440 MHz			438-440 MHz
AMATEUR	AMATEUR	Amateur		AMATEUR
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
5.271 5.273 5.274 5.275 5.276 5.277 5.283	5.276 5.277			5.276 5.277
440-450 MHz	440-450 MHz	PMR and/or PAMR	The use of this band for PPDR to be studied.	440-450 MHz
FIXED	FIXED	PPDR	PMR446-ERC/DEC/ (98)25	FIXED
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	PMR446 (446-446.1 MHz)		MOBILE except aeronautical mobile
Radiolocation	5.286	FIXED (telemetry, dual frequency alarm systems)		Radiolocation
5.269 5.270 5.271 5.284 5.285 5.286		, , , , , , , , , , , , , , , , , , , ,		5.286

450-455 MHz	450-455 MHz	Fixed links (PTP)	This band is currently used for a variety of fixed and mobile systems in the various SADC countries.	450-455 MHz
FIXED	FIXED	IMT (450-470 MHz)	This band is also identified for IMT (Res.224 applies).	FIXED
MOBILE 5.286AA	MOBILE 5.286AA	PMR and/or PAMR		MOBILE 5.209
5.209 5.271 5.286 5.286A 5.286B 5.286C 5.286D 5.286E	5.286 5.286A			5.286 5.286A
455-456 MHz	455-456 MHz			455-456 MHz
FIXED	FIXED			FIXED
MOBILE 5.286AA	MOBILE 5.286AA			MOBILE
5.209 5.271 5.286A 5.286B 5.286C 5.286E	5.209 5.286A			5.209 5.286A
456-459 MHz	456-459 MHz			456-459 MHz
FIXED	FIXED			FIXED
MOBILE 5.286AA	MOBILE 5.286AA			MOBILE
5.271 5.287 5.288	5.287			
459-460 MHz	459-460 MHz			459-460 MHz
FIXED	FIXED			FIXED
MOBILE 5.286AA	MOBILE 5.286AA			MOBILE
5.209 5.271 5.286A 5.286B 5.286C 5.286 ^E	5.209 5.286A			5.209 5.286A
460-470 MHz	460-470 MHz			460-470 MHz
FIXED	FIXED			FIXED
MOBILE 5.286AA	MOBILE 5.286AA			MOBILE
Meteorological-satellite	Meteorological-satellite			Meteorological-satellite
(space-to-Earth)	(space-to-Earth)			(space-to-Earth)
5.287 5.288 5.289 5.290	5.287 5.289			5.289
470-790 MHz	470-790 MHz	DTT broadcasting (470-694 MHz)	Band IV/V Analogue television to migrate	470-694 MHz
BROADCASTING	BROADCASTING	IMT (694-790 MHz)	to digital television	BROADCASTING
5.149 5.291A 5.294 5.296 5.300 5.302 5.304 5.306 5.311A 5.312 5.312A	5.149 5.294 5.296 5.304 5.311A 5.312A	Radio astronomy (606-614 MHz)	in line with SADC time lines. WRC-12 allocated the band 694-790MHz toMobile	Radio astronomy (606- 614 MHz) 5.149 5.304 5.306 5.311
			serviceaeronautical	694-790 MHz
	SADC12		mobile and identified it for IMT subject to confirmation by WRC-15 (WRC-12 Res 232 refers).	MOBILE except aeronautical mobile 5.317A

				T
			Band IV/V analogue	
790-862 MHz	790-862 MHz		television to migrate to digital television	790-862 MHz
750-002 WIII2	750-002 11112		according to SADC time	
			lines.	
			WRC-07 and WRC-	
			12 allocated this	
			band toMobile	
			serviceexeptaeronautical mobile and identified	
			it for IMT. This band	
			should be made	
FIXED	MOBILE except aeronautical mobile		available for IMT as soon as possible	MOBILE except aeronautical mobile
TAED	5.316B 5.317A		after the migration of	5.316B 5.317A
			analogue television	
		IMT	to digital.This band	
			needs to be harmonised in SADC for IMT;	
			channelling plan to be	
			developed for SADC	
			region.	
			Fixed links operating in	
	BROADCASTING		this band will have to be migrated in order to	
			accommodate IMT.	
MOBILE except	5 214 5 215 5 216			
aeronautical mobile	5.314 5.315 5.316 5.316A 5.319			
5.316B 5.317A				
BROADCASTING				
5.312 5.314 5.315 5.316				
5.316A 5.319				
862-890 MHz	862-890 MHz	862-876 MHz	The call 1 1	862-890 MHz
OS OS WILL	MOBILE except	302 070 191112	The use of this band for IMT in the future	OS OS WILL
FIXED	aeronautical mobile	IMT	to be investigated as	FIXED
	5.317A		part of the development	
MOBILE except	5 222		of harmonised	MOBILE except
aeronautical mobile 5.317A	5.322		IMT channelling arrangements.	aeronautical mobile 5.317A
BROADCASTING			This band is paired with	
5.322	SADC14	876-880 MHz	921-925 MHz.	5.322
			The use of this band	
			for IMT in the future	
5.319 5.323		IMT	to be investigated as part of the development	
3.317 3.343		11/11	of harmonised	
			IMT channelling	
			arrangement.	
		PMR and/or PAMR		
	i i	880-915 MHz	i	
000 040 3 555	000 042 3 577	- 		000 040 3 577
890-942 MHz	890-942 MHz	IMT		890-942 MHz
	MOBILE except	- 	Paired with 925-960	
890-942 MHz FIXED	ł	- 	Paired with 925-960 MHz.	890-942 MHz FIXED
	MOBILE except aeronautical mobile	- 		
FIXED MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	- 		FIXED MOBILE except aeronautical mobile
FIXED MOBILE except aeronautical mobile 5.317A	MOBILE except aeronautical mobile	- 		FIXED MOBILE except aeronautical mobile 5.317A
FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING	MOBILE except aeronautical mobile	- 		FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING
FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322	MOBILE except aeronautical mobile	915-921 MHz		FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322
FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation	MOBILE except aeronautical mobile	IMT 915-921 MHz PMR and/or PMR		FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation
FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322	MOBILE except aeronautical mobile	915-921 MHz PMR and/or PMR 921-925 MHz	MHz. Paired with 876-880	FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322
FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation	MOBILE except aeronautical mobile	915-921 MHz PMR and/or PMR 921-925 MHz IMT	MHz.	FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation
FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation	MOBILE except aeronautical mobile	915-921 MHz PMR and/or PMR 921-925 MHz	MHz. Paired with 876-880	FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation
FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation	MOBILE except aeronautical mobile	915-921 MHz PMR and/or PMR 921-925 MHz IMT PMR and/or PAMR	MHz. Paired with 876-880	FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation

942-960 MHz	942-960 MHz			942-960 MHz
) 12 900 NIII2	MOBILE except			
FIXED	aeronautical mobile			FIXED
	5.317A			
MOBILE except aeronautical mobile	5.322			MOBILE except aeronautical mobile
5.317A	<u>5.522</u>			5.317A
BROADCASTING				BROADCASTING
5.322				5.322
5.323	0.50.4.45.43.577			0.00 4.44.3.555
960-1 164 MHz AERONAUTICAL	960-1 164 MHz			960-1 164 MHz
RADIONAVIGATION 5.328	AERONAUTICAL RADIONAVIGATION 5.328	Distance measuring equipment		AERONAUTICAL RADIONAVIGATION 5.328
AERONAUTICAL	AERONAUTICAL	Secondary surveillance radar		AERONAUTICAL
MOBILE (R) 5.327A	MOBILE (R) 5.327A	Secondary surventance radar		MOBILE (R) 5.327A
1 164-1 215 MHz	1 164-1 215 MHz			1 164-1 215 MHz
AERONAUTICAL RADIONAVIGATION 5.328	AERONAUTICAL RADIONAVIGATION 5.328	Galileo (1164-1214 MHz)		AERONAUTICAL RADIONAVIGATION 5.328
RADIONAVIGATION-	RADIONAVIGATION-			RADIONAVIGATION-
SATELLITE (space-to-	SATELLITE (space-to-	GLONASS (1190.3-		SATELLITE (space-to-
Earth) (space-to-space) 5.328B	Earth) (space-to-space) 5.328B	1213.8 MHz)		Earth) (space-to-space) 5.328B
5.328A	5.328A			5.328A
1 215-1 240 MHz	1 215-1 240 MHz			1 215-1 240 MHz
EARTH	EARTH	GLONASS (1237.8-		EARTH
EXPLORATION- SATELLITE (active)	EXPLORATION- SATELLITE (active)	1253.8 MHz)		EXPLORATION- SATELLITE (active)
RADIOLOCATION	RADIOLOCATION	GPS (1215.6-1239.6 MHz)		RADIOLOCATION
RADIONAVIGATION-	RADIONAVIGATION-	G15 (1213.6 1233.6 M112)		RADIONAVIGATION-
SATELLITE (space-to-	SATELLITE (space-to-			SATELLITE (space-to-
Earth) (space-to-space) 5.328B 5.329 5.329A	Earth) (space-to-space) 5.328B 5.329 5.329A			Earth) (space-to-space) 5.328B 5.329 5.329A
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(active)	(active)			(active)
5.330 5.331 5.332	5.330 5.331 5.332			5.330 5.331 5.332
1 240 1 200 MH-	1 240 1 200 MH-	GLONASS (1237.8-		1 240 1 200 MH-
1 240-1 300 MHz	1 240-1 300 MHz	1253.8 MHz)		1 240-1 300 MHz
EARTH	EARTH	C 13 (12(0 1200 MIL)		EARTH
EXPLORATION- SATELLITE (active)	EXPLORATION- SATELLITE (active)	Galileo (1260-1300 MHz)		EXPLORATION- SATELLITE (active)
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
RADIONAVIGATION-	RADIONAVIGATION-			RADIONAVIGATION-
SATELLITE (space-to-				SATELLITE (space-to-
Earth) (space-to-space) 5.328B 5.329 5.329A	Earth) (space-to-space) 5.328B 5.329 5.329A			Earth) (space-to-space) 5.328B 5.329 5.329A
SPACE RESEARCH (active)	SPACE RESEARCH (active)			SPACE RESEARCH (active)
Amateur	Amateur			Amateur
5.282 5.330 5.331 5.332 5.335 5.335A	5.332 5.335A			5.330 5.331 5.282 5.332 5.335A
1 300-1 350 MHz	1 300-1 350 MHz			1 300-1 350 MHz
AERONAUTICAL RADIONAVIGATION 5.337	AERONAUTICAL RADIONAVIGATION 5.337			AERONAUTICAL RADIONAVIGATION 5.337
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
RADIONAVIGATION-	RADIONAVIGATION-			RADIONAVIGATION-
SATELLITE (Earth-to-space)	SATELLITE (Earth-to-space)			SATELLITE (Earth-to-space)
5.149 5.337A	5.149 5.337A			5.149 5.337A
1 350-1 400 MHz	1 350-1 400 MHz	1 350-1 375 MHz		1 350-1 400 MHz
FIXED	FIXED	Fixed links (duplex)	Paired with 1492-1517	FIXED
MOBILE	RADIOLOCATION		MHz; CEPT T/R 13-01 refers.	RADIOLOCATION
RADIOLOCATION	5.149 5.338A 5.339			5.149 5.338A 5.339

		T	T	
5.149 5.338 5.338A		1 375-1 400 MHz	Paired with 1427-1452	
5.339		Pined links (dentes)	MHz; CEPT T/R 13-01 refers.	
1 400-1 427 MHz	1 400-1 427 MHz	Fixed links (duplex)	icicis.	1 400-1 427 MHz
EARTH	EARTH			EARTH
EXPLORATION-	EXPLORATION-			EXPLORATION-
SATELLITE (passive)	SATELLITE (passive)			SATELLITE (passive)
RADIO ASTRONOMY	RADIO ASTRONOMY			RADIO ASTRONOMY
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(passive)	(passive)			(passive)
5.340 5.341	5.340 5.341			5.340 5.341
1 427-1 429 MHz	1 427-1 429 MHz	1 427-1 452 MHz		1 427-1 429 MHz
SPACE OPERATION	SPACE OPERATION	Fixed links (duplex)		SPACE OPERATION
(Earth-to-space)	(Earth-to-space)	1 Tixed liliks (duplex)		(Earth-to-space)
FIXED	FIXED			FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical mobile	aeronautical mobile		Paired with 1375-1400	aeronautical mobile
5.338A 5.341	5.338A 5.341		MHz; CEPT T/R 13-01	5.338A 5.341
1 429-1 452 MHz	1 429-1 452 MHz		refers.	1 429-1 452 MHz
FIXED	FIXED			FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical	aeronautical			aeronautical
mobile	mobile			mobile
5.338A 5.341 5.342	5.338A 5.341			5.338A 5.341
1 452-1 492 MHz	1 452-1 492 MHz	1 452-1 467 MHz		1 452-1 492 MHz
FIXED	MOBILE except aeronautical	Terrestrial Digital Audio Broadcasting (T-DAB)		FIXED
MOBILE except aeronautical	mobile			MOBILE except aeronautical
mobile	BROADCASTING 5.345		The future use of this band for T-DAB to be	mobile
BROADCASTING 5.345	BROADCASTING- SATELLITE 5.208B 5.345		re-evaluated.	BROADCASTING 5.345
BROADCASTING- SATELLITE 5.208B 5.345	5.341			BROADCASTING- SATELLITE 5.208B 5.345
5.3415.342		1 467-1 492 MHz		5.341
		Satellite Digital Audio		
		Broadcasting (S-DAB)		
1 492-1 518 MHz	1 492-1 518 MHz	1 492-1 517 MHz		1 492-1 518 MHz
FIXED	FIXED	Fixed links (dual frequency)	Paired with 1350-1375	FIXED
MOBILE except aeronautical mobile	5.341		MHz; CEPT T/R 13-01 refers.	MOBILE except aeronautical mobile
5.341 5.342	SADC15			5.341
		1 517-1 518 MHz		
		Fixed links (single frequency)		
1 518-1 525 MHz	1 518-1 525 MHz	1518-1525 MHz		1 518-1 525 MHz
			The band 1518-1559	
FIXED	FIXED	Fixed links (single frequency)	MHz is identified for satellite component of IMT; Res.225 applies.	FIXED
MODILE avecant	MOBILE-SATELLITE			MODILE award
MOBILE except aeronautical	(space-to-Earth) 5.348 5.348A 5.348B 5.351A			MOBILE except aeronautical
mobile	5.341			mobile
MOBILE-SATELLITE				MOBILE-SATELLITE
(space-to-Earth) 5.348				(space-to-Earth) 5.348
5.348A 5.348B 5.351A				5.348A 5.348B 5.351A
5.341 5.342				5.341

[,	T	Г		
1 525-1 530 MHz	1 525-1 530 MHz			1 525-1 530 MHz
SPACE OPERATION	SPACE OPERATION			SPACE OPERATION
(space-to-Earth)	(space-to-Earth)			(space-to-Earth)
FIXED	FIXED			FIXED
MOBILE-SATELLITE	MOBILE-SATELLITE		EL 1 11510 1550	MOBILE-SATELLITE
(space-to-Earth) 5.208B	\ I /		The band 1518-1559 MHz is identified for	(space-to-Earth) 5.208B 5.351A
5.351A	5.351A		satellite component of	
Earth exploration- satellite	5.341 5.351 5.354 5.352A		IMT; Res.225 applies.	Earth exploration- satellite
Mobile except aeronautical mobile				Mobile except aeronautical mobile
5.349				5 241 5 251 5 254
5.341 5.342 5.350 5.351 5.352A 5.354				5.341 5.351 5.354
0.002.10.00			The band 1518-1559	
1 530-1 535 MHz	1 530-1 535 MHz		MHz is identified for satellite component of IMT; Res.225 applies.	1 530-1 535 MHz
SPACE OPERATION (space-to-Earth)	SPACE OPERATION (space-to-Earth)		In the band 1530- 1544 MHz priority for maritime mobile distress, urgency and safety communications (GMDSS); Res.222	SPACE OPERATION (space-to-Earth)
	MOBILE-SATELLITE (space-to-Earth) 5.208B		applies.	MOBILE-SATELLITE (space-to-Earth) 5.208B
5.351A 5.353A Earth exploration-	5.351A 5.353A			5.351A 5.353A Earth exploration-
satellite	5.341 5.351 5.354			satellite
Fixed				Fixed
Mobile except				Mobile except
aeronautical mobile				aeronautical mobile
5.341 5.342 5.351 5.354				5.341 5.342 5.354
1 535-1 559 MHz	1 535-1 559 MHz		The band 1518-1559 MHz is identified for satellite component of IMT; Res.225 applies.	1 535-1 559 MHz
MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A	MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A		In the band 1530- 1544 MHz priority for maritime mobile distress, urgency and safety communications (GMDSS); Res.222 applies.	MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A
5.341 5.351 5.353A	5.341 5.351 5.353A			5.341 5.351 5.353A
5.354 5.355 5.356 5.357	5.354 5.356 5.357			5.354 5.356 5.357
5.357A 5.359 5.362A	5.357A <u>5.359</u>			5.357A <u>5.359</u>
1 559-1 610 MHz	1 559-1 610 MHz			1 559-1 610 MHz
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	Galileo (1559.42-1591.42 MHz)		AERONAUTICAL RADIONAVIGATION
RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.208B 5.328B 5.329A	RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.208B 5.328B 5.329A	GLONASS (1592.9-1610.5 MHz)		RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.329A
5.341 5.362B 5.362C	5.341 5.362B	GPS (1563.42-1587.42 MHz)		5.341
1 610-1 610.6 MHz	1 610-1 610.6 MHz		The band 1610-1645.5 MHz is identified for satellite component of IMT; Res.225 applies.	1 610-1 610.6 MHz
MOBILE-SATELLITE (Earth-to-space) 5.351A	MOBILE-SATELLITE (Earth-to-space) 5.351A	GLONASS (1592.9-1610.5 MHz)	This band is designated world-wide for the MSS. Paired with 2483.5-2484.1 MHz for some systems.	MOBILE-SATELLITE (Earth-to-space) 5.351A
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION			AERONAUTICAL RADIONAVIGATION
5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.371 5.372	5.341 5.359_5.364 5.366 5.367 5.368 5.369 5.371 5.372			5.341 5.359_5.364 5.366 5.367 5.368 5.369 5.371 5.372

1 610.6-1 613.8 MHz	1 610.6-1 613.8 MHz	M sa	he band 1610-1645.5 IHz is identified for atellite component of MT; Res.225 applies.	1 610.6-1 613.8 MHz
			his band is designated	
MODILE GATELLATE	MODILE GATELLITE	I	orld-wide for the	MODILE GATELLIE
MOBILE-SATELLITE (Earth-to-space) 5.351A	MOBILE-SATELLITE (Earth-to-space) 5.351A		ISS. Paired with	MOBILE-SATELLITE (Earth-to-space) 5.351A
			484.1-2487.3 MHz for ome systems.	
RADIO ASTRONOMY	RADIO ASTRONOMY			RADIO ASTRONOMY
AERONAUTICAL	AERONAUTICAL			AERONAUTICAL
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
5.149 5.341 5.355 5.359 5.364 5.366 5.367 5.368	5.149 5.341 <u>5.359</u> 5.364 5.366 5.367 5.368			5.149 5.341 5.364 5.366 5.367 5.368
5.369 5.371 5.372	5.369 5.371 5.372			5.371 5.372
1 613.8-1 626.5 MHz	1 613.8-1 626.5 MHz	M sa	he band 1610-1645.5 IHz is identified for atellite component of MT; Res.225 applies.	1 613.8-1 626.5 MHz
MOBILE-SATELLITE (Earth-to-space) 5.351A	MOBILE-SATELLITE (Earth-to-space) 5.351A	M	aired with 1593-1594 IHz for aeronautical ublic correspondence	MOBILE-SATELLITE (Earth-to-space) 5.351A
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION			AERONAUTICAL RADIONAVIGATION
Mobile-satellite (space-to-Earth) 5.208B	Mobile-satellite (space-to-Earth) 5.208B			Mobile-satellite (space-to-Earth) 5.208B
· /	5.341 5.355 5.359 5.364		}	5.341 5.364 5.365 5.366
5.365 5.366 5.367 5.368 5.369 5.371 5.372	5.365 5.366 5.367 5.368 5.369 5.371 5.372			5.367 5.368 5.369 5.371 5.372
1 626.5-1 660 MHz	1 626.5-1 660 MHz	M M sa	he bands 1610-1645.5 IHz and 1646.5-1660.5 IHz are identified for atellite component of MT; Res.225 applies.	1 626.5-1 660 MHz
(Earth-to-space) 5.351A	MOBILE-SATELLITE (Earth-to-space) 5.351A	16 is mur	a the band 1626.5- 645.5 MHz priority given to maritime tobile distress, regency and safety formunications GMDSS); Res.222 pplies.	MOBILE-SATELLITE (Earth-to-space) 5.351A
5.341 5.351 5.353A 5.354 5.355 5.357A 5.359 5.362A 5.374 5.375 5.376	5.341 5.351 5.353A 5.354 5.357A 5.359 5.374 5.375 5.376			5.341 5.351 5.353A 5.354 5.357A 5.359 5.374 5.375 5.376
1 660-1 660.5 MHz	1 660-1 660.5 MHz	TI	he band 1610-1645.5	1 660-1 660.5 MHz
MOBILE-SATELLITE (Earth-to-space)5.351A	MOBILE-SATELLITE (Earth-to-space)5.351A	M	IHz and 1646.5-1660.5	MOBILE-SATELLITE (Earth-to-space)
RADIO ASTRONOMY	RADIO ASTRONOMY		IHz are identified for	RADIO ASTRONOMY
5.149 5.341 5.351 5.354 5.362A 5.376A	ł		atellite component of MT; Res.225 applies.	5.149 5.341 5.351 5.354 5.376A
1 660.5-1 668 MHz	1 660.5-1 668 MHz			1 660.5-1 668 MHz
RADIO ASTRONOMY	RADIO ASTRONOMY			RADIO ASTRONOMY
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(passive)	(passive)			(passive)
Fixed Mobile except				
aeronautical mobile	5.149 5.341 5.379A			5.149 5.341 5.379A
5.149 5.341 5.379				
5.379A				

1 668-1 668.4 MHz	1 668-1 668.4 MHz		1 668-1 668.4 MHz
MOBILE-SATELLITE	MOBILE-SATELLITE		MOBILE-SATELLITE
	(Earth-to-space) 5.351A		(Earth-to-space) 5.351A
5.379B 5.379C	5.379B 5.379C		5.379B 5.379C
RADIO ASTRONOMY	RADIO ASTRONOMY		RADIO ASTRONOMY
SPACE RESEARCH	SPACE RESEARCH	The band 1668-1675	SPACE RESEARCH
(passive)	(passive)	MHz is identified for	(passive)
,	5.149 5.341 5.379	satellite component of	"
Fixed	5.379A	IMT; Res.225 applies.	Fixed
Mobile except			Mobile except
aeronautical mobile			aeronautical mobile
5.149 5.341 5.379			5.149 5.341 5.379
5.379A			5.379A
1 668.4-1 670 MHz	1 668.4-1 670 MHz		1 668.4-1 670 MHz
METEOROLOGICAL	METEOROLOGICAL		METEOROLOGICAL
AIDS	AIDS		AIDS
FIXED	FIXED		FIXED
MOBILE except	MOBILE except	The band 1668-1675	MOBILE except
aeronautical mobile	aeronautical mobile	MHz is identified for	aeronautical mobile
MOBILE-SATELLITE	MOBILE-SATELLITE	satellite component of	MOBILE-SATELLITE
	(Earth-to-space) 5.351A	IMT; Res.225 applies.	(Earth-to-space) 5.351A
5.379B 5.379C	5.379B 5.379C		5.379B 5.379C
RADIO ASTRONOMY	RADIO ASTRONOMY		RADIO ASTRONOMY
5.149 5.341 5.379D	5.149 5.341 5.379D		5.149 5.341 5.379D
5.379E	5.379E		5.379E
1 670-1 675 MHz	1 670-1 675 MHz		1 670-1 675 MHz
METEOROLOGICAL	METEOROLOGICAL		METEOROLOGICAL
AIDS	AIDS		AIDS
FIXED	FIXED		FIXED
METEOROLOGICAL-	METEOROLOGICAL-	The band 1668-1675	METEOROLOGICAL-
SATELLITE (space-to-	SATELLITE (space-to-	MHz is identified for	SATELLITE (space-to-
Earth)	Earth)	satellite component of	Earth)
MOBILE	MOBILE	IMT; Res.225 applies.	MOBILE
MOBILE-SATELLITE	MOBILE-SATELLITE		MOBILE-SATELLITE
(Earth-to-space) 5.351A 5.379B	(Earth-to-space) 5.351A 5.379B		(Earth-to-space) 5.351A 5.379B
5.341 5.379D 5.379E	5.341 5.379D 5.379E		5.341 5.379D 5.379E
5.380A	5.380A		5.380A
1 675-1 690 MHz	1 675-1 690 MHz		1 675-1 690 MHz
METEOROLOGICAL	METEOROLOGICAL		METEOROLOGICAL
AIDS	AIDS		AIDS
FIXED	FIXED		FIXED
METEOROLOGICAL-	METEOROLOGICAL-		METEOROLOGICAL-
SATELLITE (space-to-	SATELLITE (space-to-		SATELLITE (space-to-
Earth)	Earth)		Earth)
MOBILE except	MOBILE except		MOBILE except
aeronautical mobile	aeronautical mobile		aeronautical mobile
5.341	5.341		5.341
1 690-1 700 MHz	1 690-1 700 MHz		1 690-1 700 MHz
METEOROLOGICAL	METEOROLOGICAL		METEOROLOGICAL
AIDS	AIDS		AIDS
METEOROLOGICAL-	METEOROLOGICAL-		METEOROLOGICAL-
SATELLITE (space-to-	SATELLITE (space-to-		SATELLITE (space-to-
Earth)	Earth)		Earth)
Fixed	Fixed		Fixed
Mobile except	Mobile except		Mobile except
aeronautical mobile	aeronautical mobile		aeronautical mobile
5.289 5.341 5.382	5.289 5.341 5.382		5.289 5.341

	L =00 4 =40 3 ===		I	1 -00 4 -40 3
1 700-1 710 MHz FIXED	1 700-1 710 MHz FIXED	Fixed links (single frequency)		1 700-1 710 MHz FIXED
METEOROLOGICAL-	METEOROLOGICAL-	Fixed links (single frequency)		METEOROLOGICAL-
SATELLITE (space-to-	SATELLITE (space-to-			SATELLITE (space-to-
Earth)	Earth)			Earth)
MOBILE except	MOBILE except			MOBILE except
aeronautical mobile	aeronautical mobile			aeronautical mobile
5.289 5.341 1 710-1 930 MHz	5.289 5.341	1 710-1 785 MHz	D: 1 ::1 1007 1000	5.289 5.341 1 710-1 930 MHz
FIXED	1 710-1 930 MHz FIXED	IMT	Paired with 1805-1880 MHz.	FIXED
MOBILE 5.384A	MOBILE 5.384A		171121	MOBILE 5.384A
5.388A 5.388B 5.149 5.341 5.385 5.386	5.388A 5.388B	1785-1805 MHz		5.388A 5.388B
5.387 5.388	5.149 5.341 5.385 5.388			5.149 5.341 5.385 5.388
		1 805-1 880 MHz IMT	Paired with 1710-1785 MHz.	
		1 880-1 900 MHz		
		FWA		
		Cordless telephone		
		1 900-1 920 MHz FWA		
		IMT (terrestrial)		
		1 920-1 980 MHz		
1 930-1 970 MHz	1 930-1 970 MHz	IMT (terrestrial)		1 930-1 970 MHz
FIXED	MOBILE 5.388A 5.388B	, , ,		FIXED
MOBILE 5.388A				MOBILE 5.388A
5.388B	5.388		D : 1 :1 0110 0170	5.388B
5.388			Paired with 2110-2170 MHz	5.388
1 970-1 980 MHz	1 970-1 980 MHz			1 970-1 980 MHz
FIXED	MOBILE 5.388A 5.388B			FIXED
MOBILE 5.388A	5.388			MOBILE 5.388A
5.388B	 			5.388B
5.388			Paired with 2170 - 2200	5.388
1 980-2 010 MHz	1 980-2 010 MHz		MHz.	1 980-2 010 MHz
			The development	
FIXED	MOBILE		of satellites for	FIXED
			IMT services to be monitored.	
MOBILE	MOBILE-SATELLITE (Earth-to-space) 5.351A	IMT (satellite) (1980-2010 MHz)		MOBILE
MOBILE-SATELLITE	i` ´			MOBILE-SATELLITE
(Earth-to-space) 5.351A	5.388 5.389A 5.389B			(Earth-to-space) 5.351A
5.388 5.389A 5.389B				5.388 5.389A
5.389F	2.010.2.025.1411			2.010.2.025.1411
2 010-2 025 MHz	2 010-2 025 MHz MOBILE 5.388A			2 010-2 025 MHz
FIXED MOBILE 5.388A	5.388B	IMT (terrestrial) (2010-2025 MHz)	TDD	FIXED
5.388B	5.388			MOBILE 5.388A
5.388				5.388
2 025-2 110 MHz	2 025-2 110 MHz			2 025-2 110 MHz
SPACE OPERATION	SPACE OPERATION			SPACE OPERATION
(Earth-to-space) (space-to-space)	(Earth-to-space) (space-			(Earth-to-space) (space-to-space)
EARTH	to-space) EARTH			EARTH
EXPLORATION-	EXPLORATION-			EXPLORATION-
SATELLITE (Earth-to-	SATELLITE (Earth-to-		Radio Frequency	SATELLITE (Earth-to-
space) (space-to-space) FIXED	space) (space-to-space) FIXED	Fixed links (2025-2110 MHz	channel arrangement according to ITU-R	space) (space-to-space) FIXED
LIVED	SPACE RESEARCH	paired with 2200-2285 MHz)	F.1098.	TAED
MOBILE 5.391	(Earth-to-space) (space-to-space)			MOBILE 5.391
SPACE RESEARCH	Space)			SPACE RESEARCH
(Earth-to-space) (space-	5.392			(Earth-to-space) (space-
to-space)				to-space)
5.392				5.392

2 110-2 120 MHz FIXED MOBILE 5.388A SPACE RESEARC (deep space) (Earth space) 5.388 2 120-2 160 MHz FIXED MOBILE 5.388A 5.388 2 160-2 170 MHz FIXED
MOBILE 5.388A SPACE RESEARC (deep space) (Earth space) 5.388 2 120-2 160 MHz FIXED MOBILE 5.388A 5.388 2 160-2 170 MHz
SPACE RESEARC (deep space) (Earth space) 5.388 2 120-2 160 MHz FIXED MOBILE 5.388A 5.388 2 160-2 170 MHz
(deep space) (Earth space) 5.388 2 120-2 160 MHz FIXED MOBILE 5.388A 5.388 2 160-2 170 MHz
space) 5.388 2 120-2 160 MHz FIXED MOBILE 5.388A 5.388 2 160-2 170 MHz
5.388 2 120-2 160 MHz FIXED MOBILE 5.388 2 160-2 170 MHz
with 1920-1980 2 120-2 160 MHz FIXED MOBILE 5.388A 5.388 2 160-2 170 MHz
FIXED MOBILE 5.388A 5.388 2 160-2 170 MHz
5.388 2 160-2 170 MHz
2 160-2 170 MHz
2 160-2 170 MHz
EIVED
FIXED
160PW F 5 000 4
MOBILE 5.388A 5.388
with 1980-2010
2 170-2 200 MHz
velopment lites for rvices to be red.
MOBILE
MOBILE-SATELL (space-to-Earth) 5.
5.389A
2 200-2 290 MHz
SPACE OPERATIO (space-to-Earth) (sp to-space)
EARTH
EXPLORATION- SATELLITE (space
SATELLITE (space Earth) (space-to-space)
ng to ITU-R FIXED
MOBILE 5.391
SPACE RESEARC
(space-to-Earth) (sp to-space)
5.392
2 290-2 300 MHz
FIXED
MOBILE except
aeronautical mobile
SPACE RESEARC (deep space) (space
Earth)
aired with 2400- IHz. 2 300-2 450 MHz
nd has been ed for IMT.
MOBILE 5.384A
Amateur
Radiolocation
ed with 2300- Hz. 5.150 5.282
ad 2483.5-2500 identified for ecomponent of es.225 applies.

			T	
2 450-2 483.5 MHz	2 450-2 483.5 MHz	The band 2 400-2 500 MHz is designated for ISM applications	Common international SRD band; see ITU-R	2 450-2 483.5 MHz
2 450-2 465.5 MHZ	2 450-2 465.5 WITE	(5.150).	Rec.SM.[SRD]	2 450-2 465.5 WITZ
FIXED	FIXED	SRD applications (2 400-2 483.5		FIXED
		MHz)		
MOBILE Radiolocation	MOBILE Radiolocation			MOBILE Radiolocation
5.150 5.397	5.150 5.397			5.15
2 483.5-2 500 MHz	2 483.5-2 500 MHz			2 483.5-2 500 MHz
FIXED	FIXED			FIXED
MOBILE	MOBILE			MOBILE
MOBILE-SATELLITE	MOBILE-SATELLITE			MOBILE-SATELLITE
-	(space-to-Earth) 5.351A			(space-to-Earth) 5.351A
RADIO DETERMINATION	RADIO DETERMINATION			RADIO DETERMINATION
SATELLITE	SATELLITE			SATELLITE
(space-to-Earth) 5.398	(space-to-Earth) 5.398			(space-to-Earth) 5.398
Radiolocation	Radiolocation			Radiolocation
5.398A	5.398A			5.398A
5.150 5.399 5.402				
5.401	5.150 5.399 5.402			5.150 5.399 5.402
	5.401			5.401
2 500-2 520 MHz	2 500-2 520 MHz	BFWA (2500-2690 MHz)	The band 2 500-2 690 MHz is currently used mainly for BFWA.	2 500-2 520 MHz
			This band is also	
FIXED 5.410	FIXED	IMT (2500-2690 MHz)	allocated to the mobile	FIXED
			service and identified for IMT.	
MODILE	MODILE		This band needs to be	MODILE
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile		harmonised in SADC	MOBILE except aeronautical mobile
5.384A	5.384A		for IMT; channelling plan to be developed.	5.384A
5.405 5.412			plan to be developed.	
2 520-2 655 MHz	2 520-2 655 MHz			2 520-2 655 MHz
FIXED 5.410	FIXED			FIXED
MOBILE except	MOBILE except			MOBILE except
aeronautical mobile 5.384A	aeronautical mobile 5.384A			aeronautical mobile 5.384A
BROADCASTING-	3.50471			BROADCASTING-
SATELLITE 5.413	5.339			SATELLITE 5.413
5.416				5.416
5.339 5.405 5.412 5.417C 5.417D 5.418B				5.339
5.418C				3.557
2 655-2 670 MHz	2 655-2 670 MHz			2 655-2 670 MHz
FIXED 5.410	FIXED			FIXED 5.410
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile			MOBILE except aeronautical mobile
5.384A	5.384A			5.384A
BROADCASTING-				BROADCASTING-
SATELLITE 5.208B	5.149 5.412			SATELLITE 5.208B
5.413 5.416 Earth exploration-				5.413 5.416 Earth exploration-
satellite (passive)				satellite (passive)
Radio astronomy				Radio astronomy
Space research (passive)				Space research (passive)
5.149 5.412				5.149 5.412
2 670-2 690 MHz	2 670-2 690 MHz			2 670-2 690 MHz
FIXED 5.410 MOBILE except	FIXED MOBILE except			FIXED 5.410 MOBILE except
aeronautical mobile 5.384A	aeronautical mobile 5.384A			aeronautical mobile 5.384A
Earth exploration-	5.149 5.412			Earth exploration-
satellite (passive)				satellite (passive)
Dadia astur				
Radio astronomy Space research (passive)				Radio astronomy Space research (passive)

2 690-2 700 MHz	2 690-2 700 MHz			2 690-2 700 MHz
EARTH	EARTH			EARTH
EXPLORATION-	EXPLORATION-			EXPLORATION-
SATELLITE (passive)	SATELLITE (passive)			SATELLITE (passive)
	RADIO ASTRONOMY			RADIO ASTRONOMY
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)			SPACE RESEARCH (passive)
5.340 5.422	5.340 5.422			5.340 5.422
2 700-2 900 MHz	2 700-2 900 MHz			2 700-2 900 MHz
AERONAUTICAL	AERONAUTICAL			AERONAUTICAL
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
5.337	5.337			5.337
Radiolocation	5.423			Radiolocation
5.423 5.424	2 000 2 100 MH.			5.423 5.424
2 900-3 100 MHz RADIOLOCATION	2 900-3 100 MHz RADIOLOCATION			2 900-3 100 MHz RADIOLOCATION
5.424A	5.424A			5.424A
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
5.426	5.426			5.426
5.4255.427	5.425 5.427			5.4255.427
3 100-3 300 MHz	3 100-3 300 MHz			3 100-3 300 MHz
RADIOLOCATION	RADIOLOCATION	Government use		RADIOLOCATION
Earth exploration- satellite (active)	5.149			Earth exploration- satellite (active)
Space research (active)				Space research (active)
5.149 5.428				5.149
3 300-3 400 MHz	3 300-3 400 MHz			3 300-3 400 MHz
RADIOLOCATION	RADIOLOCATION	Radars		RADIOLOCATION
5.149 5.429 5.430	5.149			5.149
3 400-3 600 MHz	3 400-3 600 MHz	BFWA	The band 3 400-3 600 MHz is currently used mainly for BFWA.	3 400-3 600 MHz
FIXED	FIXED	IMT (3400-3600 MHz)	From 17 Nov 2010 this band is also allocated to the mobile service on a primary basis and should be used for IMT in line with WRC-07 decisions.	FIXED
FIXED-SATELLITE (space-to-Earth)	MOBILE except aeronautical mobile 5.430A		Because of the expected high usage of BFWA and/or IMT applications in this band, satellite services should be accommodated above 3 600 MHz.	FIXED-SATELLITE (space-to-Earth)
Mobile 5.430A	SADC16		This band needs to be harmonised in SADC for IMT; channelling plan to be developed.	Mobile
Radiolocation				Radiolocation
5.431				
3 600-4 200 MHz	3 600-4 200 MHz	Fixed services (PTP) (3600-4200 MHz)	The sub-band 3 600-3 800 MHz could be used for BFWA where frequency sharing with FS PTP and/or FSS is feasible.	3 600-4 200 MHz
FIXED	FIXED	Fixed-satellite (space-to-Earth) (PTP/VSAT/SNG) (3600-4200 MHz)	The channelling arrangement for PTP links in this band is based on ITU-R Recommendation F.635 Annex 1.	FIXED
FIXED-SATELLITE (space-to-Earth)	FIXED-SATELLITE (space-to-Earth)	Broadband Fixed Wireless Access (BFWA) (3600- 3800 MHz)	The sub-band 3 600- 4 200 MHz is used for medium and high capacity PTP links and FSS.	FIXED-SATELLITE (space-to-Earth)

Mobile	SADC16A SADC17		In the band 3 600-3 800 MHz, BFWA, FS PTP and FSS applications will have to operate on coordinated basis. However, considering the difficulty in coordinating ubiquitous user terminals used for BFWA and VSAT, it is proposed that VSAT systems be migrated to the Ku-band.	Mobile
4 200-4 400 MHz	4 200-4 400 MHz			4 200-4 400 MHz
AERONAUTICAL RADIONAVIGATION 5.438	AERONAUTICAL RADIONAVIGATION 5.438	Radio altimeters onboard aircraft		AERONAUTICAL RADIONAVIGATION 5.438
5.439 5.440	5.44			5.440
4 400-4 500 MHz FIXED	4 400-4 500 MHz FIXED	Government use		4 400-4 500 MHz FIXED
MOBILE 5.440A	MOBILE			MOBILE
4 500-4 800 MHz FIXED FIXED-SATELLITE	4 500-4 800 MHz FIXED FIXED-SATELLITE		The band 4 500-4 800 MHz is part of the APP30B Plan (FSS	4 500-4 800 MHz FIXED FIXED-SATELLITE
(space-to-Earth) 5.441 MOBILE 5.440A	(space-Earth) 5.441 MOBILE	Government use	space-to-Earth). Refer to Annex B.	(space-Earth) 5.441 MOBILE
4 800-4 990 MHz	4 800-4 990 MHz			4 800-4 990 MHz
FIXED	FIXED			FIXED
MOBILE 5.440A 5.442	MOBILE 5.442	Government use		MOBILE 5.442
Radio astronomy 5.149 5.339 5.443	Radio Astronomy 5.149 5.339			Radio Astronomy 5.149 5.339
4 990-5 000 MHz	4 990-5 000 MHz			4 990-5 000 MHz
FIXED	FIXED	Government use		FIXED
MOBILE except aeronautical mobile	MOBILE except Aeronautical Mobile	Government use		MOBILE except Aeronautical Mobile
RADIO ASTRONOMY Space research (passive)	RADIO ASTRONOMY Space Research (passive)			RADIO ASTRONOMY Space Research (passive)
5.149	5.149			5.149
5 000-5 010 MHz	5 000-5 010 MHz			5 000-5 010 MHz
AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA	AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA			AERONAUTICAL MOBILE-SATELLITE (R)
AERONAUTICAL RADIONAVIGATION RADIONAVIGATION- SATELLITE (Earth-to- space)	AERONAUTICAL RADIONAVIGATION RADIONAVIGATION- SATELLITE (Earth-to- space)			AERONAUTICAL RADIONAVIGATION RADIONAVIGATION- SATELLITE (Earth-to- space)
5 010-5 030 MHz AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA	5 010-5 030 MHz AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA			5 010-5 030 MHz AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION			AERONAUTICAL RADIONAVIGATION
RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.443B	RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.443B			RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.443B
5 030-5 091 MHz AERONAUTICAL	5 030-5 091 MHz AERONAUTICAL			5 030-5 091 MHz AERONAUTICAL
MOBILE-SATELLITE (R) 5.443D	MOBILE-SATELLITE (R) 5.443D	Microwave Landing systems.		MOBILE-SATELLITE (R) 5.443D
AERONAUTICAL RADIONAVIGATION 5.444	AERONAUTICAL RADIONAVIGATION 5.444			AERONAUTICAL RADIONAVIGATION 5.444

= 004 = 4=0 > FTT	- 004 - 4-0 Next		= 004 = 4=0 > FTT
5 091-5 150 MHz	5 091-5 150 MHz		5 091-5 150 MHz
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION		AERONAUTICAL RADIONAVIGATION
AERONAUTICAL	AERONAUTICAL		AERONAUTICAL
MOBILE-SATELLITE	MOBILE-SATELLITE		MOBILE-SATELLITE
(R) 5.443AA	(R) 5.443AA		(R) 5.443AA
AERONAUTICAL MOBILE 5.444B	AERONAUTICAL MOBILE 5.444B		AERONAUTICAL MOBILE 5.444B
5.444 5.444A	5.444 5.444A		5.444 5.444A
5 150-5 250 MHz	5 150-5 250 MHz		5 150-5 250 MHz
AERONAUTICAL	AERONAUTICAL		AERONAUTICAL
RADIONAVIGATION	RADIONAVIGATION		RADIONAVIGATION
FIXED-SATELLITE (Earth-to-space) 5.447A	FIXED-SATELLITE (Earth-to-space) 5.447A	Wireless Access Systems (WAS)/	FIXED-SATELLITE (Earth-to-space) 5.447A
MOBILE except	MOBILE except	RLAN	MOBILE except
aeronautical mobile 5.446A 5.446B	aeronautical mobile 5.446A 5.446B		aeronautical mobile 5.446A 5.446B
5.446 5.446C 5.447B 5.447C	5.446 5.446C 5.447B 5.447C		5.446 5.447B 5.447C
5 250-5 255 MHz	5 250-5 255 MHz		5 250-5 255 MHz
EARTH	EARTH		EARTH
EXPLORATION- SATELLITE (active)	EXPLORATION- SATELLITE (active)		EXPLORATION- SATELLITE (active)
RADIOLOCATION	RADIOLOCATION		RADIOLOCATION
SPACE RESEARCH	SPACE RESEARCH	Wireless Access Systems (WAS)/ RLAN	SPACE RESEARCH
5.447D	5.447D	KLAN	5.447D
MOBILE except	MOBILE except		MOBILE except
aeronautical mobile 5.446A 5.447F	aeronautical mobile 5.446A 5.447F		aeronautical mobile 5.446A 5.447F
5.447E 5.448 5.448A	5.448A		5.448A
5 255-5 350 MHz	5 255-5 350 MHz		5 255-5 350 MHz
EARTH	EARTH		EARTH
EXPLORATION-	EXPLORATION-		EXPLORATION-
SATELLITE (active)	SATELLITE (active)		SATELLITE (active)
RADIOLOCATION SPACE RESEARCH	RADIOLOCATION SPACE RESEARCH	Wireless Access Systems (WAS)/	RADIOLOCATION SPACE RESEARCH
(active)	(active)	RLAN	(active)
MOBILEexcept	MOBILEexcept		MOBILEexcept
aeronautical mobile	aeronautical mobile		aeronautical mobile
5.446A 5.447F	5.446A 5.447F		5.446A 5.447F
5.447E 5.448 5.448A	5.448A		5.448A
5 350-5 460 MHz	5 350-5 460 MHz		5 350-5 460 MHz
EARTH EXPLORATION-	EARTH EXPLORATION-		EARTH EXPLORATION-
SATELLITE (active)	SATELLITE (active)		SATELLITE (active)
5.448B	5.448B		5.448B
SPACE RESEARCH	SPACE RESEARCH	Ground based and airborne	SPACE RESEARCH
(active) 5.448C AERONAUTICAL	(active) 5.448C	weather Radar	(active) 5.448C
RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION		AERONAUTICAL RADIONAVIGATION
5.449	5.449		5.449
RADIOLOCATION 5.448D	RADIOLOCATION 5.448D		RADIOLOCATION 5.448D
5 460-5 470 MHz	5 460-5 470 MHz		5 460-5 470 MHz
RADIONAVIGATION 5.449	RADIONAVIGATION 5.449		RADIONAVIGATION 5.449
EARTH	EARTH		EARTH
EXPLORATION-	EXPLORATION-		EXPLORATION-
SATELLITE (active) SPACE RESEARCH	SATELLITE (active) SPACE RESEARCH		SATELLITE (active) SPACE RESEARCH
(active)	(active)		(active)
RADIOLOCATION	RADIOLOCATION		RADIOLOCATION
5.448D	5.448D		5.448D
5.448B	5.448B		5.448B

5 470-5 570 MHz	5 470-5 570 MHz			5 470-5 570 MHz
MARITIME RADIONAVIGATION	MARITIME RADIONAVIGATION			MARITIME RADIONAVIGATION
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile			MOBILE except aeronautical mobile
5.446A5.450A	5.446A5.450A			5.446A5.450A
EARTH	EARTH	Wireless Access Systems (WAS)/		EARTH
EXPLORATION-	EXPLORATION-	RLAN		EXPLORATION-
SATELLITE (active)	SATELLITE (active)			SATELLITE (active)
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(active)	(active)			(active)
RADIOLOCATION 5.450B	RADIOLOCATION 5.450B			RADIOLOCATION 5.450B
5.448B 5.450 5.451	5.448B			5.448B
5 570-5 650 MHz	5 570-5 650 MHz	Wireless Access Systems (WAS)/ RLAN		5 570-5 650 MHz
MARITIME	MARITIME	Ground-based meteorological		MARITIME
RADIONAVIGATION	RADIONAVIGATION	radars (5600-5650 MHz)		RADIONAVIGATION
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile			MOBILE except aeronautical mobile
5.446A 5.450A	5.446A 5.450A			5.446A 5.450A
RADIOLOCATION 5.450B	RADIOLOCATION 5.450B			RADIOLOCATION 5.450B
5.450 5.451 5.452	5.452			5.452
5 650-5 725 MHz	5 650-5 725 MHz			5 650-5 725 MHz
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
MOBILE except	MOBILE except			MOBILE except
aeronautical mobile 5.446A5.450A	aeronautical mobile 5.446A5.450A			aeronautical mobile 5.446A5.450A
	ł	Wireless Access Systems (WAS)/		
Amateur	Amateur	RLAN		Amateur
Space research (deep space)	Space Research (deep space)			Space Research (deep space)
5.282 5.451 5.453 5.454 5.455	5.282			5.282
			BFWA limited to below	
5 725-5 830 MHz	5 725-5 830 MHz	BFWA (5725-5850 MHz)	5850 MHz in order to protect FSS in the band 5850-6425 MHz.	5 725-5 830 MHz
FIXED-SATELLITE			UODU-U443 MITZ.	
(Earth-to-space)	RADIOLOCATION	ISM (5725-5875 MHz)		RADIOLOCATION
(Earth to space)		RTTT (Road Transport and	Common international	
RADIOLOCATION	Amateur	Traffic Telematics) (5795-5815	SRD band: see ITU-R	Amateur
		MHz)	Rec.SM.[SRD]	
	İ		Transport information	
Amoteur	5 15	SRD applications (5 725-	and control systems	5.15
Amateur	5.15	5 875 MHz)	Recommendation	3.13
			ITU-R M.1453	
5.150 5.451 5.453		SRD - Transport and information		
5.455 5.456		control systems (5 805-5 815		
E 020 E 050 3 477	5 020 5 050 NATT	MHz)		E 920 E 950 NATT
5 830-5 850 MHz	5 830-5 850 MHz	BFWA (5725-5850 MHz)		5 830-5 850 MHz
FIXED-SATELLITE (Farth to space)	FIXED-SATELLITE	ISM (5725-5875 MHz)		FIXED-SATELLITE
(Earth-to-space)	(Earth-to-space)			(Earth-to-space)
RADIOLOCATION	RADIOLOCATION		BFWA limited to below	RADIOLOCATION
Amateur	Amateur		5850 MHz in order to protect FSS in the band	Amateur
Amateur-satellite	Amateur-Satellite		5850-6425 MHz.	Amateur-satellite
(space-to-Earth)	(space-Earth)			(space-to-Earth)
5.150 5.451 5.453 5.455 5.456	5.150 5.453			5.150 5.453
	SADC18	Eined addliden 11 1 (DED)		
5 850-5 925 MHz	5 850-5 925 MHz	Fixed-satellite uplinks (PTP/ VSAT/SNG) (5850-6425 MHz)		5 850-5 925 MHz
FIXED	FIXED	FIXED links (5850-5925 MHz)	E0141 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FIXED
FIXED-SATELLITE	FIXED-SATELLITE	ISM (5725 5975 MHz)	FS could be used for	FIXED-SATELLITE
(Earth-to-space)	(Earth-to-space)	ISM (5725-5875 MHz)	temporary OB links.	(Earth-to-space)
MOBILE	5.15			MOBILE
5.15	I.	1	İ	5.15

	T	I	Tau	
5 925-6 700 MHz	5 925-6 700 MHz	Fixed links - Lower 6 GHz (5925-6425 MHz) and Upper 6	Channelling plan for L6 GHz band in accordance	5 925_6 700 MHz
3 723-0 700 WIIIZ	3 723-0 700 MIIZ	GHz (6425-7110 MHz)	with ITU-R Rec. F.383.	3 723-0 700 WIII
		Fixed-satellite uplinks (PTP/	Channelling plan for U6	
FIXED 5.457	FIXED 5.457	VSAT/SNG) (5850-6425 MHz)	GHz band in accordance with ITU-R Rec. F.384.	FIXED 5.457
FIXED-SATELLITE	FIXED-SATELLITE		Earth Station onboard	FIXED-SATELLITE
	(Earth-to-space) 5.457A		vessels (ESV) also	(Earth-to-space) 5.457A
5.457B	5.457B		allowed under FSS.	5.457B
MOBILE 5.457C	5.149 5.440 5.458			5.149 5.440 5.458
5.149 5.440 5.458				
6 700-7 075 MHz	6 700-7 075 MHz		Channelling plan for U6 GHz band in accordance	6 700-7 075 MHz
			with ITU-R Rec. F.384. The band 6 725-7 025	
			MHz is part of the	
FIXED	FIXED		APP30B Plan (FSS	FIXED
		Fixed links - Upper 6 GHz	Earth-to-space); refer to Annex B.	
FIXED-SATELLITE	FIXED-SATELLITE	(6425-7110 MHz)	Timen Bi	FIXED-SATELLITE
(Earth-to-space) (space-	(Earth-to-space) (space-			(Earth-to-space) (space-
to-Earth) 5.441	to-Earth) 5.441			to-Earth) 5.441
MOBILE	5.458 5.458A 5.458B 5.458C			MOBILE
5.458 5.458A 5.458B 5.458C				5.458 5.458A 5.458B 5.458C
7 075-7 145 MHz	7 075-7 145 MHz		Channelling plan for U6 band in accordance with	7 075-7 145 MHz
			ITU-R Rec. F.384.	
FIXED	FIXED	Fixed links - Upper 6 GHz (6425-7110 MHz) and Lower 7 GHz (7110-7425 MHz)	Channelling plan for L7 band is in accordance with ITU-R Rec. F.385 Annex 3.	FIXED
MOBILE	5.458 5.460			MOBILE
5.458 5.459				5.458
7 145-7 235 MHz	7 145-7 235 MHz			7 145-7 235 MHz
FIXED	FIXED		Channelling plan for	FIXED
MOBILE	SPACE RESEARCH (Earth-to-space) 5.460	Fixed links - Lower 7 GHz	L7 band in accordance	MOBILE
SPACE RESEARCH		(7110-7425 MHz)	with ITU-R Rec. F.385 Annex 3.	SPACE RESEARCH
(Earth-to-space) 5.460	5.458		Timex 5.	(Earth-to-space) 5.460
5.458 5.459				5.458
7 235-7 250 MHz	7 235-7 250 MHz		Channelling plan for	7 235-7 250 MHz
FIXED	FIXED 5.458	Fixed links - Lower 7 GHz (7110-7425 MHz)	L7 band in accordance with ITU-R Rec. F.385	FIXED MOBILE
MOBILE 5.458	J.436 	(7110-7423 WHIZ)	Annex 3.	5.458
7 250-7 300 MHz	7 250-7 300 MHz			7 250-7 300 MHz
FIXED	FIXED		Channelling plan for	FIXED
FIXED-SATELLITE		Fixed links - Lower 7 GHz	L7 band in accordance	FIXED-SATELLITE
(space-to-Earth)	5.461	(7110-7425 MHz)	with ITU-R Rec. F.385	(space-to-Earth)
MOBILE			Annex 3.	MOBILE
5.461			1	5.461
7 300-7 450 MHz	7 300-7 450 MHz		Channelling plan for L7 band in accordance with ITU-R Rec. F.385 Annex 3.	7 300-7 450 MHz
FIXED	FIXED	Fixed links - Lower 7 GHz (7110-7425 MHz) and Upper 7 GHz (7425-7750 MHz)	Channelling plan for U7 band in accordance with ITU-R Rec. F.385 Annex 3.	FIXED
FIXED-SATELLITE	5 461	GIIZ (1725-1150 WIIIZ)		FIXED-SATELLITE
(space-to-Earth)	5.461			(space-to-Earth)
MOBILE except				MOBILE except
aeronautical mobile				aeronautical mobile
5.461				5.461

7 450-7 550 MHz	7 450-7 550 MHz			7 450-7 550 MHz
FIXED	FIXED			FIXED
FIXED-SATELLITE (space-to-Earth)	METEOROLOGICAL- SATELLITE (space-to- Earth)		Channelling plan for	FIXED-SATELLITE (space-to-Earth)
METEOROLOGICAL- SATELLITE (space-to- Earth)	5.461A	(7425-7750 MHz)	U7 band in accordance with ITU-R Rec. F.385 Annex 3.	METEOROLOGICAL- SATELLITE (space-to- Earth)
MOBILE except aeronautical mobile 5.461A				MOBILE except aeronautical mobile 5.461A
7 550-7 750 MHz	7 550-7 750 MHz			7 550-7 750 MHz
	1			
FIXED FIXED-SATELLITE (space-to-Earth)	FIXED	Fixed links - Upper 7 GHz (7425-7750 MHz)	Channelling plan for U7 band in accordance with ITU-R Rec. F.385	FIXED FIXED-SATELLITE (space-to-Earth)
MOBILE except			Annex 3.	MOBILE except
aeronautical mobile				aeronautical mobile
7 750-7 900 MHz	7 750-7 900 MHz			7 750-7 900 MHz
FIXED	FIXED		Channelling plan for	FIXED
SATELLITE (space-to- Earth) 5.461B	Meteorological -SATELLITE (space-to- Earth) 5.461B	Fixed links - Lower 8 GHz (7725-8275 MHz)	L8 band in accordance with ITU-R Rec. F.386 Annex 1.	METEOROLOGICAL- SATELLITE (space-to- Earth) 5.461B
MOBILE except aeronautical mobile				MOBILE except aeronautical mobile
7 900-8 025 MHz	7 900-8 025 MHz		+	7 900-8 025 MHz
7 900-8 025 MHz FIXED	7 900-8 025 MHz FIXED		G	7 900-8 025 MHz FIXED
FIXED FIXED-SATELLITE	FIXED	Fixed links - Lower 8 GHz	Channelling plan for L8 band in accordance	FIXED FIXED-SATELLITE
(Earth-to-space)	5.461	(7725-8275 MHz)	with ITU-R Rec. F.386	(Earth-to-space)
MOBILE		(7,25 5275 11112)	Annex 1.	MOBILE
5.461				MODILL
8 025-8 175 MHz	8 025-8 175 MHz			8 025-8 175 MHz
EARTH EXPLORATION- SATELLITE (space-to- Earth) FIXED	EARTH EXPLORATION- SATELLITE (space-to- Earth) FIXED	Fixed links - Lower 8 GHz (7725-8275 MHz)	Channelling plan for L8 band in accordance with ITU-R Rec. F.386	EARTH EXPLORATION- SATELLITE (space-to- Earth) FIXED
FIXED-SATELLITE (Earth-to-space) MOBILE 5.463	5.462A		Annex 1.	FIXED-SATELLITE (Earth-to-space) MOBILE 5.463
5.462A				5.462A
8 175-8 215 MHz EARTH EXPLORATION-	8 175-8 215 MHz EARTH EXPLORATION-			8 175-8 215 MHz EARTH EXPLORATION-
SATELLITE (space-to- Earth) FIXED	SATELLITE (space-to- Earth) FIXED		Channelling plan for	SATELLITE (space-to- Earth) FIXED
FIXED-SATELLITE (Earth-to-space) METEOROLOGICAL- SATELLITE (Earth-to- space)	5.462A	Fixed links - Lower 8 GHz (7725-8275 MHz)	L8 band in accordance with ITU-R Rec. F.386 Annex 1.	FIXED-SATELLITE (Earth-to-space) METEOROLOGICAL- SATELLITE (Earth-to- space)
MOBILE 5.463				MOBILE 5.463
5.462A				5.462A
8 215-8 400 MHz	8 215-8 400 MHz		Channelling plan for L8 band in accordance with ITU-R Rec. F.386 Annex 1.	8 215-8 400 MHz
EARTH EXPLORATION- SATELLITE (space-to- Earth) FIXED	EARTH EXPLORATION- SATELLITE (space-to- Earth) FIXED	Fixed links - Lower 8 GHz (7725-8275 MHz) and Upper 8 GHz (8275-8500 MHz)	Channelling plan for U8 band in accordance with ITU-R Rec. F.386 Annex 1.	EARTH EXPLORATION- SATELLITE (space-to- Earth) FIXED
FIXED-SATELLITE (Earth-to-space)	5.462A			FIXED-SATELLITE (Earth-to-space)

9 400 9 500 MIL.	0 400 0 500 MIL.		1	8 400-8 500 MHz
8 400-8 500 MHz	8 400-8 500 MHz			
FIXED	FIXED		Channelling plan for	FIXED
MOBILE except		Fixed links - Upper 8 GHz	U8 band in accordance	MOBILE except
aeronautical mobile		(8275-8500 MHz)	with ITU-R Rec. F.386	aeronautical mobile
SPACE RESEARCH			Annex 1.	SPACE RESEARCH
(space-to-Earth) 5.465 5.466				(space-to-Earth) 5.465
8 500-8 550 MHz	8 500-8 550 MHz	RADARS. Civil and military		8 500-8 550 MHz
RADIOLOCATION	RADIOLOCATION	aeronautical radionavigation		RADIOLOCATION
		e.g. precision airfield approach		KADIOLOCATION
5.468 5.469	5.468	radars.		
8 550-8 650 MHz	8 550-8 650 MHz			8 550-8 650 MHz
EARTH	EARTH			EARTH
EXPLORATION-	EXPLORATION	RADARS. Civil and military		EXPLORATION-
SATELLITE (active)	SATELLITE (active)	aeronautical radionavigation e.g.		SATELLITE (active)
RADIOLOCATION	RADIOLOCATION	precision airfield approach radars		RADIOLOCATION
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(active)	(active)			(active)
5.468 5.469 5.469A	5.468 5.469A			5.469A
8 650-8 750 MHz	8 650-8 750 MHz	RADARS. Civil and military		8 650-8 750 MHz
RADIOLOCATION	RADIOLOCATION	aeronautical radionavigation e.g.		RADIOLOCATION
5.468 5.469	5.468	precision airfield approach radars		
8 750-8 850 MHz	8 750-8 850 MHz			8 750-8 850 MHz
RADIOLOCATION	RADIOLOCATION	RADARS. Civil and military		RADIOLOCATION
AERONAUTICAL	AERONAUTICAL	aeronautical radionavigation e.g.		AERONAUTICAL
RADIONAVIGATION	RADIONAVIGATION	precision airfield approach radars		RADIONAVIGATION
5.470	5.470			5.470
5.471				
8 850-9 000 MHz	8 850-9 000 MHz			8 850-9 000 MHz
RADIOLOCATION	RADIOLOCATION	RADARS. Civil and military		RADIOLOCATION
MARITIME	MARITIME	aeronautical radionavigation e.g.		MARITIME
RADIONAVIGATION	RADIONAVIGATION	precision airfield approach radars		RADIONAVIGATION
5.472	5.472			5.472
5.473	0 000 0 200 MII-			0.000.0.200.3411-
9 000-9 200 MHz	9 000-9 200 MHz			9 000-9 200 MHz
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	RADARS. Civil and military		AERONAUTICAL RADIONAVIGATION
5.337	5.337	aeronautical radionavigation e.g.		5.337
RADIOLOCATION	RADIOLOCATION	precision airfield approach radars		RADIOLOCATION
5.471 5.473A	5.473A			Na Ibrozoca Irrory
9 200-9 300 MHz	9 200-9 300 MHz			9 200-9 300 MHz
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
MARITIME	MARITIME	RADARS. Civil and military		MARITIME
RADIONAVIGATION	RADIONAVIGATION	aeronautical radionavigation e.g.		RADIONAVIGATION
5.472	5.472	precision airfield approach radars		5.472
5.473 5.474	5.474			5.474
9 300-9 500 MHz	9 300-9 500 MHz			9 300-9 500 MHz
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
EARTH	EARTH			EARTH
EXPLORATION-	EXPLORATION-	DADADG CC 11 1 111		EXPLORATION-
SATELLITE (active)	SATELLITE (active)	RADARS. Civil and military aeronautical radionavigation e.g.		SATELLITE (active)
SPACE RESEARCH	SPACE RESEARCH	precision airfield approach radars		SPACE RESEARCH
(active)	(active)	approach radars		(active)
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
5.427 5.474 5.475	5.427 5.474 5.475			5.427 5.474 5.475
	5.475A 5.475B 5.476A			
9 500-9 800 MHz	9 500-9 800 MHz			9 500-9 800 MHz
EARTH	LEADTH			EARTH
	EARTH			EXPLORATION-
EXPLORATION-	EXPLORATION-			
EXPLORATION- SATELLITE (active)	EXPLORATION- SATELLITE (active)	RADARS. Civil and military		SATELLITE (active)
EXPLORATION- SATELLITE (active) RADIOLOCATION	EXPLORATION- SATELLITE (active) RADIOLOCATION	aeronautical radionavigation e.g.		SATELLITE (active) RADIOLOCATION
EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION	EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION			SATELLITE (active) RADIOLOCATION RADIONAVIGATION
EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH	EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH	aeronautical radionavigation e.g.		SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH
EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION	EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION	aeronautical radionavigation e.g.		SATELLITE (active) RADIOLOCATION RADIONAVIGATION

9 800-9 900 MHz	9 800-9 900 MHz			9 800-9 900 MHz
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
Earth exploration- satellite (active)	Earth exploration- satellite (active)			Earth exploration- satellite (active)
Space research (active) Fixed	Space research (active) 5.478A 5.478B			Space research (active) 5.478A 5.478B
5.477 5.478 5.478A 5.478B				
9 900-10 000 MHz	9 900-10 000 MHz			9 900-10 000 MHz
RADIOLOCATION	RADIOLOCATION	RADARS. Civil and military aeronautical radionavigation e.g.		RADIOLOCATION
Fixed	5.479	precision airfield approach radars		Fixed
5.477 5.478 5.479		11		5.477 5.478 5.479
10-10.45 GHz	10-10.45 GHz		Paired with 10.50-10.65 GHz	10-10.45 GHz
			Channelling plan for	
FIXED	FIXED	BFWA – 10.5 GHz (10.15-10.30	10.5 GHz band in accordance with ITU-R Rec. F.1568 Annex 1.	FIXED
MOBILE	RADIOLOCATION	GHz)	Rec. P.1306 Allilex 1.	MOBILE
RADIOLOCATION	5.479			RADIOLOCATION
Amateur				Amateur
5.479				5.479
10.45-10.5 GHz	10.45-10.5 GHz			10.45-10.5 GHz
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
Amateur	Amateur	RADIOLOCATION		Amateur
Amateur-satellite	Amateur-Satellite			Amateur-satellite
5.481	<u>5.481</u>			
10.5-10.55 GHz	10.5-10.55 GHz		Paired with 10.15-10.30 GHz	10.5-10.55 GHz
FIXED	FIXED	BFWA (10.50-10.65 GHz)	Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568 Annex 1.	FIXED
MOBILE				MOBILE
Radiolocation				Radiolocation
10.55-10.6 GHz	10.55-10.6 GHz		Paired with 10.15-10.30 GHz	FIXED
FIXED	FIXED	BFWA (10.50-10.65 GHz)	Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568 Annex 1.	MOBILE except
MOBILE except aeronautical mobile				Aeronautical Mobile
Radiolocation				Radiolocation
10.6-10.68 GHz	10.6-10.68 GHz		Paired with 10.15-10.30 GHz	10.6-10.68 GHz
EARTH EXPLORATION- SATELLITE (passive)	EARTH EXPLORATION- SATELLITE (passive)		Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568 Annex 1.	EARTH EXPLORATION- SATELLITE (passive)
FIXED	FIXED	BFWA (10.50-10.65 GHz)	For sharing between EESS (passive) and the fixed and mobile service Res.751 applies.	FIXED
MOBILE except aeronautical mobile	RADIO ASTRONOMY			MOBILE except aeronautical mobile
RADIO ASTRONOMY	SPACE RESEARCH (passive)			RADIO ASTRONOMY
SPACE RESEARCH (passive) Radiolocation	5.149 5.482 5.482A			SPACE RESEARCH (passive) Radiolocation 5.149 5.482

10.68-10.7 GHz	10.68-10.7 GHz			10.68-10.7 GHz
EARTH	EARTH			EARTH
EXPLORATION-	EXPLORATION-			EXPLORATION-
SATELLITE (passive)	SATELLITE (passive)			SATELLITE (passive)
RADIO ASTRONOMY	RADIO ASTRONOMY			RADIO ASTRONOMY
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(passive)	(passive)			(passive)
5.340 5.483	5.34			5.340 5.483
10.7-11.7 GHz	10.7-11.7 GHz	Fixed links - 11 GHz (10.7- 11.7 GHz)	Channelling plan for 11 GHz band in accordance with ITU-R Rec. F.387.	10.7-11.7 GHz
FIXED	FIXED	Fixed-satellite downlinks (PTP/ VSAT/SNG)	The bands 10.7-10.95 GHz and 11.2-11.45 GHz are part of the APP30B Plan (FSS space-to-Earth); refer to Annex B.	FIXED
FIXED-SATELLITE	FIXED-SATELLITE			FIXED-SATELLITE
(space-to-Earth) 5.4415.484A	(space-to-Earth) 5.441 5.484A			(space-to-Earth) 5.441 5.484A
(Earth-to-space) 5.484	(Earth-to-space) 5.484			(Earth-to-space) 5.484
MOBILE except aeronautical mobile				
11.7-12.5 GHz	11.7-12.5 GHz			11.7-12.5 GHz
FIXED	BROADCASTING- SATELLITE			FIXED
MOBILE except	5 402		This band is available	MOBILE except
aeronautical mobile	5.492		for BSS in accordance	aeronautical mobile
BROADCASTING	5.487 5.487A		with Appendix 30 of ITU RR. Refer to Annex	BROADCASTING
BROADCASTING- SATELLITE			B.	BROADCASTING- SATELLITE
5.492	1			5.492
5.487 5.487A				5.487 5.487A
12.5-12.75 GHz	12.5-12.75 GHz			12.5-12.75 GHz
FIXED-SATELLITE	FIXED-SATELLITE	FSS uplinks (VSAT/SNG) (12.5-		FIXED-SATELLITE
(space-to-Earth) 5.484A	1	12.75 GHz)		(space-to-Earth) 5.484A
(Earth-to-space)	(Earth-to-space)	·		(Earth-to-space)
5.494 5.495 5.496	5.494 5.495			5.494 5.495
12.75-13.25 GHz	12.75-13.25 GHz		Channelling plan for 13 GHz band in accordance with ITU-R Rec. F.497.	12.75-13.25 GHz
FIXED	FIXED	Fixed links - 13 GHz (12.75- 13.25 GHz)	The band 12.75-13.25 GHz is part of the APP30B Plan (FSS Earth-to-space); refer to Annex B.	FIXED
FIXED-SATELLITE (Earth-to-space) 5.441 MOBILE	FIXED-SATELLITE (Earth-to-space) 5.441			FIXED-SATELLITE (Earth-to-space) 5.441 MOBILE
Space research (deep space) (space-to-Earth)				Space research (deep space) (space-to-Earth)
13.25-13.4 GHz	13.25-13.4 GHz			13.25-13.4 GHz
EARTH EXPLORATION- SATELLITE (active) AERONAUTICAL RADIONAVIGATION	EARTH EXPLORATION- SATELLITE (active) AERONAUTICAL RADIONAVIGATION 5.497	Airborne Doppler Radar		EARTH EXPLORATION- SATELLITE (active) AERONAUTICAL RADIONAVIGATION 5.497
5.497 SPACE RESEARCH (active) 5.498A 5.499	SPACE RESEARCH (active)			SPACE RESEARCH (active) 5.498A 5.499
	1	I .	l .	1

13.4-13.75 GHz	13.4-13.75 GHz			13.4-13.75 GHz
EARTH	EARTH			EARTH
EXPLORATION-	EXPLORATION-			EXPLORATION-
SATELLITE (active)	SATELLITE (active)			SATELLITE (active)
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
SPACE RESEARCH	SPACE RESEARCH	RADIOLOCATION		SPACE RESEARCH
5.501A	5.501A			5.501A
Standard frequency and	5 500 5 501P			Standard frequency and
time signal-satellite (Earth-to-space)	5.500 5.501B			time signal-satellite (Earth-to-space)
5.499 5.500 5.501				5.499 5.500 5.501
5.501B				5.501B
13.75-14 GHz	13.75-14 GHz	FSS uplinks (PTP/VSAT/SNG)		13.75-14 GHz
FIXED-SATELLITE	FIXED-SATELLITE	(13.75-14.5 GHz)		FIXED-SATELLITE
(Earth-to-space) 5.484A		RADIOLOCATION		(Earth-to-space) 5.484A
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
Earth exploration-				Earth exploration-
satellite	5.500 5.502 5.503			satellite
Standard frequency and				Standard frequency and
time signal-satellite				time signal-satellite
(Earth-to-space)				(Earth-to-space)
Space research				Space research
5.499 5.500 5.501 5.502 5.503				5.502 5.503
			Earth Station onboard	
14-14.25 GHz	14-14.25 GHz		vessels (ESV) also allowed under FSS; Res. 902 applies.	14-14.25 GHz
FIXED-SATELLITE	FIXED-SATELLITE		The band 14.0-14.5	
(Earth-to-space)	(Earth-to-space)		GHz may also be used	FIXED-SATELLITE
5.457A5.457B5.484A	5.457A5.457B5.484A		for AES (aircraft-to-	(Earth-to-space) 5.457A
5.5065.506B	5.506 5.506B	FSS uplinks (PTP/VSAT/SNG)	space station).	
RADIONAVIGATION	Mobile-Satellite (Earth-	(13.75-14.5 GHz)		RADIONAVIGATION
5.504	to-space) 5.504B			5.504
M 1 1 4 112 /F d	5.504C 5.506A			M 1 1 4 117 (F 4
Mobile-satellite (Earth- to-space) 5.504B	5.504A 5.505			Mobile-satellite (Earth- to-space) 5.504B
5.504C 5.506A	J.504A J.505			5.504C 5.506A
Space research				Space research
5.504A 5.505				5.504A 5.505
			Earth Station onboard	
14.25-14.3 GHz	14.25-14.3 GHz		vessels (ESV) also	14.25-14.3 GHz
14.23-14.3 G112	14.23-14.3 G11Z		allowed under FSS; Res.	14.25-14.5 G11Z
	 		902 applies.	
FIXED-SATELLITE	FIXED-SATELLITE		The band 14.0-14.5	FIXED-SATELLITE
(Earth-to-space) 5.457A 5.457B 5.484A 5.506	(Earth-to-space) 5.457A 5.457B 5.484A 5.506		GHz may also be used for AES (aircraft-to-	(Earth-to-space) 5.457A
5.506B	5.506B	ESS unlinks (DTD/VSAT/SNC)	space station).	5.484A 5.506
	Mobile-Satellite (Earth-	FSS uplinks (PTP/VSAT/SNG) (13.75-14.5 GHz)	-/-	D + DIONIA TO COMPANY
RADIONAVIGATION 5.504	to-space) 5.504B	()		RADIONAVIGATION 5.504
J.JU4	5.506A 5.508A			J.JU4
Mobile-satellite (Earth-				Mobile-satellite (Earth-
to-space) 5.504B	5.504A 5.505			to-space) 5.504B
5.506A 5.508A				_
Space research				Space research
5.504A 5.505 5.508				5.504A 5.505

FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A5.509A	14.3-14.4 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B Mobile-Satellite (Earth-to-space) 5.504B 5.506A 5.509A 5.504A	FSS uplinks (PTP/VSAT/SNG) (13.75-14.5 GHz)	Earth Station onboard vessels (ESV) also allowed under FSS; Res. 902 applies. The band 14.0-14.5 GHz may also be used for AES (aircraft-to-space station).	FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506 MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.506A 5.509A
Radionavigation- satellite				Radionavigation- satellite
5.504A			Earth Station onboard	5.504A
14.4-14.47 GHz	14.4-14.47 GHz		vessels (ESV) also allowed under FSS; Res. 902 applies.	14.4-14.47 GHz
FIXED	FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B		The band 14.0-14.5 GHz may also be used for AES (aircraft-to- space station).	FIXED
FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B	5.484A 5.506 5.506B	FSS uplinks (PTP/VSAT/SNG) (13.75-14.5 GHz)		FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506
MOBILE except aeronautical mobile	Mobile-Satellite (Earth-to-space) 5.504B 5.506A 5.509A			MOBILE except aeronautical mobile
Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A	5.504A			Mobile-satellite (Earth-to-space) 5.506A 5.509A
Space research (space-to-Earth)				Space research (space- to-Earth)
5.504A			D 10 1	5.504A
14.47-14.5 GHz	14.47-14.5 GHz		Earth Station onboard vessels (ESV) also allowed under FSS; Res. 902 applies.	14.47-14.5 GHz
FIXED	FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B		The band 14.0-14.5 GHz may also be used for AES (aircraft-to- space station).	FIXED
FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B	Mobile-Satellite (Earth-to-space) 5.504B 5.506A 5.509A	FSS uplinks (PTP/VSAT/SNG) (13.75-14.5 GHz)		FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506
MOBILE except aeronautical mobile Mobile-satellite (Earth- to-space) 5.504B 5.506A 5.509A	5.149 5.504A			MOBILE except aeronautical mobile Mobile-satellite (Earth- to-space) 5.504B 5.506A 5.509A
Radio astronomy 5.149 5.504A				Radio astronomy 5.149 5.504A

			Channelling plan for 15	
14.5-14.8 GHz	14.5-14.8 GHz		GHz band in accordance	14.5-14.8 GHz
			with ITU-R Rec. F.636.	
			The band 14.5-14.8 GHz is part of the	
			APP30A Plan (Feeder	
FIXED	FIXED	Fixed links - 15 GHz (14.5-15.35	Links for BSS) for some	FIXED
		GHz)	SADC countries. Refer	
			to Annex B.	
FIXED-SATELLITE (Earth-to-space) 5.510	FIXED-SATELLITE (Earth-to-space) 5.510			FIXED-SATELLITE (Earth-to-space) 5.510
MOBILE	(Eartii-to-space) 5.510			MOBILE
Space research				Space research
Space research			Channelling plan for 15	Space research
14.8-15.35 GHz	14.8-15.35 GHz		GHz band in accordance	14.8-15.35 GHz
			with ITU-R Rec. F.636.	
			The band 14.5-14.8	
			GHz is part of the	
FIXED	FIXED	Fixed links - 15 GHz (14.5-15.35	Links for BSS) for some	FIXED
		GHz)	SADC countries. Refer	
			to Annex B.	
MOBILE	5.339			MOBILE
Space research				Space research
5.339				5.339
15.35-15.4 GHz	15.35-15.4 GHz			15.35-15.4 GHz
EARTH EXPLODATION	EARTH			EARTH
EXPLORATION- SATELLITE (passive)	EXPLORATION- SATELLITE (passive)			EXPLORATION- SATELLITE (passive)
RADIO ASTRONOMY	RADIO ASTRONOMY			RADIO ASTRONOMY
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(passive)	(passive)			(passive)
5.340 5.511	5.34			5.340
15.4-15.43 GHz	15.4-15.43 GHz			15.4-15.43 GHz
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
5.511E 5.511F	5.511E 5.511F	Radio altimeters / Radars		5.511E 5.511F
AERONAUTICAL	AERONAUTICAL			AERONAUTICAL
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
5.511D 15.43-15.63 GHz	5.511D 15.43-15.63 GHz			5.511D 15.43-15.63 GHz
FIXED-SATELLITE	FIXED-SATELLITE			FIXED-SATELLITE
	(Earth-to-space) 5.511A			(Earth-to-space) 5.511A
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
5.511E 5.511F	5.511E 5.511F	Radars		5.511E 5.511F
AERONAUTICAL	AERONAUTICAL			AERONAUTICAL
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
5.511C	5.511C			5.511C
15.63-15.7 GHz	15.63-15.7 GHz			15.63-15.7 GHz
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
5.511E 5.511F	5.511E 5.511F	Radars		5.511E 5.511F
AERONAUTICAL PADIONAVIGATION	AERONAUTICAL RADIONAVIGATION			AERONAUTICAL
RADIONAVIGATION 5.511D	5.511D			RADIONAVIGATION 5.511D
15.7-16.6 GHz	15.7-16.6 GHz			15.7-16.6 GHz
RADIOLOCATION	RADIOLOCATION	Government use		RADIOLOCATION
5.512 5.513	5.512	Government use		DIOLOGINION
16.6-17.1 GHz	16.6-17.1 GHz			16.6-17.1 GHz
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
Space research (deep	Space Research (deep			Space Research (deep
space) (Earth-to-space)	space)(Earth-to-space)			space)(Earth-to-space)
5.512 5.513	5.512			
17.1-17.2 GHz	17.1-17.2 GHz			17.1-17.2 GHz
RADIOLOCATION	RADIOLOCATION	WAS/RLAN (17.1-17.3 GHz)		RADIOLOCATION
5.512 5.513	5.512	i .	ĺ	İ

17.2-17.3 GHz	17.2.17.2.CHz			17.2-17.3 GHz
l i	17.2-17.3 GHz EARTH			
	EARTH EXPLORATION-			EARTH EXPLORATION-
	SATELLITE (active)			SATELLITE (active)
1	RADIOLOCATION	WAS/RLAN (17.1-17.3 GHz)		RADIOLOCATION
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(active)	(active)			(active)
5.512 5.513 5.513A	5.512 5.513A			5.513A
	17.3-17.7 GHz		The band 17.3-17.7 GHz is part of the APP30A Plan (Feeder Links for BSS) for many SADC countries; refer to Annex B.	17.3-17.7 GHz
	FIXED-SATELLITE		The band 17.3-17.7 GHz is identified for HDFFS; Res.143 applies.	FIXED-SATELLITE
(Earth-to-space) 5.516	(Earth-to-space) 5.516			(Earth-to-space) 5.516
(space-to-Earth) 5.516A 5.516B	(space-to-Earth) 5.516A 5.516B			(space-to-Earth) 5.516A 5.516B
Radiolocation	Radiolocation			Radiolocation
5.514	5.514			
17.7-18.1 GHz	17.7-18.1 GHz			17.7-18.1 GHz
FIXED	FIXED		Channelling plan for 18	FIXED
FIXED-SATELLITE		Fixed links - 18 GHz (17.7-		FIXED-SATELLITE
(space-to-Earth) 5.484A		19.7 GHz)	with ITU-R Rec. F.595	(space-to-Earth) 5.484A
(Earth-to-space) 5.516			Annex 1.	(Earth-to-space) 5.516
MOBILE				MOBILE
18.1-18.4 GHz	18.1-18.4 GHz			18.1-18.4 GHz
FIXED	FIXED			FIXED
FIXED-SATELLITE	5.519		Channelling plan for 18	FIXED-SATELLITE
(space-to-Earth) 5.484A 5.516B		Fixed links - 18 GHz (17.7- 19.7 GHz)	with ITU-R Rec. F.595	(space-to-Earth) 5.484A 5.516B
(Earth-to-space) 5.520			Annex 1.	(Earth-to-space) 5.520
MOBILE				MOBILE
5.519 5.521				5.519
18.4-18.6 GHz	18.4-18.6 GHz			18.4-18.6 GHz
	FIXED	F: 11: 1 10 CW 417.7	Channelling plan for 18	FIXED
FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B		Fixed links - 18 GHz (17.7- 19.7 GHz)	GHz band in accordance with ITU-R Rec. F.595 Annex 1.	(space-to-Earth) 5.484A 5.516B
MOBILE				MOBILE
18.6-18.8 GHz	18.6-18.8 GHz			18.6-18.8 GHz
SATELLITE (passive) FIXED	EARTH EXPLORATION- SATELLITE (passive) FIXED		Channelling plan for 18	EARTH EXPLORATION- SATELLITE (passive) FIXED
FIXED-SATELLITE	5.522A	Fixed links - 18 GHz (17.7-	GHz band in accordance	FIXED-SATELLITE
(space-to-Earth) 5.522B		19.7 GHz)	with ITU-R Rec. F.595	(space-to-Earth) 5.522B
MOBILE except			Annex 1.	MOBILE except
aeronautical mobile				aeronautical mobile
				Space research (passive)
Space research (passive) 5.522A 5.522C				5.522A
18.8-19.3 GHz	18.8-19.3 GHz			18.8-19.3 GHz
l	FIXED		Channelling plan for 18	FIXED
FIXED-SATELLITE	IIMD	Fixed links - 18 GHz (17.7-	GHz band in accordance	FIXED-SATELLITE
(space-to-Earth) 5.523A		19.7 GHz)	with ITU-R Rec. F.595 Annex 1.	(space-to-Earth) 5.523A
MOBILE			I linica 1.	MOBILE

19.3-19.7 GHz	19.3-19.7 GHz			19.3-19.7 GHz
	FIXED			FIXED
FIXED	FIXED		Channelling plan for 18	
FIXED-SATELLITE (space-to-Earth) (Earth-		Fixed links - 18 GHz (17.7-	GHz band in accordance	FIXED-SATELLITE (space-to-Earth) (Earth-
to-space) 5.523B		19.7 GHz)	with ITU-R Rec. F.595	to-space) 5.523B
5.523C 5.523D 5.523E			Annex 1.	5.523C 5.523D 5.523E
MOBILE	 			MOBILE
19.7-20.1 GHz	19.7-20.1 GHz			19.7-20.1 GHz
	FIXED-SATELLITE			
FIXED-SATELLITE	(space-to-Earth)		The band 19.7-20.2	FIXED-SATELLITE
(space-to-Earth) 5.484A 5.516B	5.484A		GHz is identified for HDFFS; Res.143	(space-to-Earth) 5.484A 5.516B
Mobile-satellite (space-to-Earth)	Mobile-Satellite (space-to-Earth)		applies.	Mobile-satellite (space-to-Earth)
5.524	5.524			
20.1-20.2 GHz	20.1-20.2 GHz			20.1-20.2 GHz
FIXED-SATELLITE (space-to-Earth) 5.484A5.516B	FIXED-SATELLITE (space-to-Earth) 5.484A		The band 19.7-20.2 GHz is identified for	FIXED-SATELLITE (space-to-Earth) 5.484A5.516B
MOBILE-SATELLITE (space-to-Earth)	MOBILE-SATELLITE (space-to-Earth)		HDFFS; Res.143 applies.	MOBILE-SATELLITE (space-to-Earth)
5.524 5.525 5.526 5.527 5.528	5.524 5.525 5.526 5.527 5.528			5.525 5.526 5.527 5.528
20.2-21.2 GHz	20.2-21.2 GHz			20.2-21.2 GHz
FIXED-SATELLITE	FIXED-SATELLITE			FIXED-SATELLITE
(space-to-Earth)	(space-to-Earth)	Government use		(space-to-Earth)
MOBILE-SATELLITE (space-to-Earth)	MOBILE-SATELLITE (space-to-Earth)			MOBILE-SATELLITE (space-to-Earth)
Standard frequency and	Standard Frequency and			Standard frequency and
time signal-satellite	Time Signal-Satellite			time signal-satellite
(space-to-Earth)	(space-to-Earth)			(space-to-Earth)
5.524	5.524			
21.2-21.4 GHz	21.2-21.4 GHz			21.2-21.4 GHz
EARTH EXPLORATION- SATELLITE (passive)	EARTH EXPLORATION- SATELLITE (passive)	Fixed links - 23 GHz (21.2-23.6	Channelling plan for 23 GHz band in accordance	EARTH EXPLORATION- SATELLITE (passive)
FIXED	FIXED	GHz or 22.0-23.6 GHz)	with ITU-R Rec. F.637	FIXED
MOBILE	SPACE RESEARCH (passive)		Annex 1 or Annex 3.	MOBILE
SPACE RESEARCH (passive)				SPACE RESEARCH (passive)
21.4-22 GHz	21.4-22 GHz		Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1 or Annex 3.	21.4-22 GHz
FIXED	FIXED	Fixed links - 23 GHz (21.2-23.6 GHz or 22.0-23.6 GHz)	The use of BSS in this band is subject to the provisions of Res.525. BSS systems operating in this band over SADC countries are not expected within the foreseeable future.	FIXED
MOBILE	BROADCASTING- SATELLITE 5.208B			MOBILE
BROADCASTING- SATELLITE 5.208B				BROADCASTING- SATELLITE
5.530A 5.530B	5.530A 5.530B			5.530
5.530C 5.530D	5.530C 5.530D			
22-22.21 GHz	22-22.21 GHz		G1 11:	22-22.21 GHz
FIXED	FIXED	Einstlinder 22 CH (21 2 22 C	Channelling plan for 23	FIXED
MOBILE except aeronautical mobile 5.149	5.149	Fixed links - 23 GHz (21.2-23.6 GHz or 22.0-23.6 GHz)	GHz band in accordance with ITU-R Rec. F.637 Annex 1 or Annex 3.	MOBILE except aeronautical mobile 5.149

	T	I	1	T
22.21-22.5 GHz	22.21-22.5 GHz			22.21-22.5 GHz
EARTH EXPLORATION-	FIXED			EARTH EXPLORATION-
SATELLITE (passive)	FIXED			SATELLITE (passive)
FIXED	5.149 5.532		Channelling plan for 23	FIXED
MOBILE except		Fixed links - 23 GHz (21.2-23.6	GHz band in accordance with ITU-R Rec. F.637	MOBILE except
aeronautical mobile		GHz or 22.0-23.6 GHz)	Annex 1 or Annex 3.	aeronautical mobile
RADIO ASTRONOMY				RADIO ASTRONOMY
SPACE RESEARCH (passive)				SPACE RESEARCH
5.149 5.532				(passive) 5.149 5.532
22.5-22.55 GHz	22.5-22.55 GHz		Channelling plan for 23	22.5-22.55 GHz
FIXED	FIXED	Fixed links - 23 GHz (21.2-23.6	GHz band in accordance	FIXED
MOBILE		GHz or 22.0-23.6 GHz)	with ITU-R Rec. F.637 Annex 1 or Annex 3.	MOBILE
22.55-23.15 GHz	22.55-23.15 GHz		Affice 1 of Affice 5.	22.55-23.15 GHz
FIXED	FIXED			FIXED
INTER-SATELLITE	INTER-SATELLITE			INTER-SATELLITE
5.338A	5.338A		Channelling plan for 23	5.338A
MOBILE	5.149	Fixed links – 23 GHz (21.2-23.6		1
SPACE RESEARCH	SPACE RESEARCH (Earth-to-space) 5.532A	GHz or 22.0-23.6 GHz)	with ITU-R Rec. F.637 Annex 1 or Annex 3.	SPACE RESEARCH (Earth-to-space) 5.532A
5.149	 		I I I I I I I I I I I I I I I I I I I	(Eartif-to-space) 5.332A
	5.149			
23.15-23.55GHz	23.15-23.55 GHz			23.15-23.55 GHz
FIXED	FIXED			FIXED
INTER-SATELLITE 5.338A	INTER-SATELLITE 5.338A			INTER-SATELLITE 5.338A
MOBILE	MOBILE SADC19			MOBILE
23.55-23.6 GHz	23.55-23.6 GHz		Channelling plan for 23	23.55-23.6 GHz
FIXED	FIXED	Fixed links - 23 GHz (21.2-23.6 GHz or 22.0-23.6 GHz)	GHz band in accordance with ITU-R Rec. F.637	FIXED
MOBILE		GHZ 01 22.0-23.0 GHZ)	Annex 1 or Annex 3.	MOBILE
23.6-24 GHz	23.6-24 GHz			23.6-24 GHz
EARTH	EARTH			EARTH
EXPLORATION- SATELLITE (passive)	EXPLORATION- SATELLITE (passive)			EXPLORATION- SATELLITE (passive)
RADIO ASTRONOMY	RADIO ASTRONOMY			RADIO ASTRONOMY
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(passive)	(passive)			(passive)
5.34	5.34			5.34
24-24.05 GHz	24-24.05 GHz	AMATEUR		24-24.05 GHz
AMATEUR	AMATEUR	AMATEUR-SATELLITE	Common international SRD band; see ITU-R Rec.SM.[SRD]	AMATEUR
AMATEUR-	AMATEUR-	ISM (24.0. 24.25 CH=)	, ,	AMATEUR-
SATELLITE	SATELLITE	ISM (24.0-24.25 GHz)		SATELLITE
5.15		SRD applications (24- 24.25 GHz)		5.15
24.05-24.25 GHz	24.05-24.25 GHz			24.05-24.25 GHz
RADIOLOCATION	RADIOLOCATION		The band 24.0-24.25	RADIOLOCATION
Amateur	Amateur		GHz is designated for ISM applications	Amateur
Earth exploration- satellite (active)	Earth Exploration- Satellite (active)		(5.150).	Earth exploration- satellite (active)
5.15	5.15			5.15
24.25-24.45 GHz	24.25-24.45 GHz		Temporary fixed links	24.25-24.45 GHz
FIXED	FIXED		for ENG/OB	FIXED
24.45-24.65 GHz	24.45-24.65 GHz	Fixed links - 26 GHz (24.5-26.5 GHz)	Channelling plan for 26 GHz band in accordance	24.45-24.65 GHz
FIXED	FIXED	BFWA (24.5-26.5 GHz)	with ITU-R Rec. F.748	FIXED
INTER-SATELLITE	1	İ	Annex 1.	INTER-SATELLITE

24.65-24.75 GHz	24.65-24.75 GHz	Fixed links - 26 GHz (24.5-26.5 GHz)		24.65-24.75 GHz
FIXED FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE	FIXED FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE	BFWA (24.5-26.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1.	FIXED FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE
24.75-25.25 GHz	24.75-25.25 GHz	Fixed links - 26 GHz (24.5-26.5 GHz)		24.75-25.25 GHz
FIXED FIXED SATELLITE (Earth-to-space) 5.532B	FIXED FIXED SATELLITE (Earth-to-space) 5.532B	BFWA (24.5-26.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1.	FIXED SATELLITE (Earth-to-space) 5.532B
25.25-25.5 GHz	25.25-25.5 GHz	Fixed links - 26 GHz (24.5-26.5 GHz)		25.25-25.5 GHz
FIXED INTER-SATELLITE 5.536 MOBILE Standard frequency and time signal-satellite (Earth-to-space)	FIXED	BFWA (24.5-26.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1.	FIXED INTER-SATELLITE 5.536 MOBILE Standard frequency and time signal-satellite (Earth-to-space)
25.5-27 GHz	25.5-27 GHz	Fixed links - 26 GHz (24.5-26.5		25.5-27 GHz
EARTH EXPLORATION- SATELLITE (space-to Earth) 5.536B FIXED INTER-SATELLITE 5.536 MOBILE SPACE RESEARCH (space-to-Earth) 5.536C Standard frequency and time signal-satellite (Earth-to-space) 5.536A	EARTH EXPLORATION- SATELLITE (space-to- Earth) 5.536B FIXED SPACE RESEARCH (space-to-Earth) 5.536C 5.536A	GHz) BFWA (24.5-26.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1.	EARTH EXPLORATION- SATELLITE (space-to Earth) 5.536B FIXED INTER-SATELLITE 5.536 MOBILE SPACE RESEARCH (space-to-Earth) 5.536C Standard frequency and time signal-satellite (Earth-to-space)
27-27.5 GHz FIXED INTER-SATELLITE 5.536 MOBILE	27-27.5 GHz FIXED INTER-SATELLITE 5.536 MOBILE	Government use		27-27.5 GHz FIXED INTER-SATELLITE 5.536 MOBILE
27.5-28.5 GHz	27.5-28.5 GHz	Fixed links – 28 GHz (27.5-29.5 GHz)	Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 Annex 2.	27.5-28.5 GHz
FIXED 5.537A	FIXED <u>5.537A</u>	BFWA (27.5-29.5 GHz)	The band 27.5-27.82 GHz is identified for HDFFS; Res.143 applies.	FIXED 5.537A
FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539 MOBILE	FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539 5.538 5.540		The band 27.5-30 GHz may be used by the FSS for BSS feeder links.	FIXED-SATELLITE (Earth-to-space) 5.516B 5.539 MOBILE
5.538 5.540				5.538 5.540
28.5-29.1 GHz	28.5-29.1 GHz	Fixed links – 28 GHz (27.5-29.5 GHz)	Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 Annex 2.	28.5-29.1 GHz
FIXED	FIXED	BFWA (27.5-29.5 GHz)	The band 28.45-28.94 GHz is identified for HDFFS; Res.143 applies.	FIXED
FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.523A 5.539	FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.523A 5.539		The band 27.5-30 GHz may be used by the FSS for BSS feeder links.	FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.523A 5.539

MOBILE	5.54	1	MOBILE
Earth exploration-	J.54 		Earth exploration-
satellite (Earth-to-space)			satellite (Earth-to-space)
5.541			5.541
5.54			5.54
29.1-29.5 GHz	29.1-29.5 GHz		29.1-29.5 GHz
FIXED	FIXED		FIXED
FIXED-SATELLITE (Earth-to-space) 5.523C 5.523E 5.535A 5.539 5.541A	FIXED-SATELLITE (Earth-to-space) 5.516B 5.523C 5.523E		FIXED-SATELLITE (Earth-to-space) 5.523C 5.523E 5.535A 5.539 5.541A
MOBILE	5.535A 5.539 5.541A		MOBILE
Earth exploration- satellite (Earth-to-space) 5.541			Earth exploration- satellite (Earth-to-space) 5.541
5.54			5.54
29.5-29.9 GHz	29.5-29.9 GHz		29.5-29.9 GHz
FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539	FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539	The band 29.46-30.0	FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539
Earth exploration- satellite (Earth-to-space) 5.541	Earth Exploration- Satellite (Earth-to- space) 5.541	GHz is identified for HDFFS; Res.143 applies.	Earth exploration- satellite (Earth-to-space) 5.541
Mobile-satellite (Earth-to-space) 5.540 5.542	Mobile-Satellite (Earth-to-space) 5.54		Mobile-satellite (Earth-to-space) 5.540
29.9-30 GHz	29.9-30 GHz		29.9-30 GHz
FIXED-SATELLITE	FIXED-SATELLITE		FIXED-SATELLITE
	(Earth-to-space) 5.484A 5.516B 5.539		(Earth-to-space) 5.484A 5.516B 5.539
MOBILE-SATELLITE (Earth-to-space)	MOBILE-SATELLITE (Earth-to-Space)	The band 29.46-30.0 GHz is identified for HDFFS; Res.143	MOBILE-SATELLITE (Earth-to-space)
Earth exploration- satellite (Earth-to-space) 5.541 5.543	Earth Exploration- Satellite (Earth-to- space) 5.541 5.543	applies.	Earth exploration- satellite (Earth-to-space) 5.541 5.543
5.525 5.526 5.527 5.538 5.540 5.542	5.525 5.526 5.527 5.538 5.540		5.525 5.526 5.527 5.538 5.540
30-31 GHz	30-31 GHz		30-31 GHz
FIXED-SATELLITE	FIXED-SATELLITE		FIXED-SATELLITE
(Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space)	(Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space)		(Earth-to-space) MOBILE-SATELLITE (Earth-to-space)
Standard frequency and time signal-satellite (space-to-Earth) 5.542	Standard Frequency and Time Signal-Satellite (space-to-Earth)		Standard frequency and time signal-satellite (space-to-Earth)
31-31.3 GHz	31-31.3 GHz		31-31.3 GHz
FIXED 5.338A 5.543A	FIXED 5.338A <u>5.543A</u>		FIXED
MOBILE	MOBILE		MOBILE
Standard frequency and time signal-satellite (space-to-Earth)	Standard Frequency and Time Signal-Satellite (space-to-Earth)		Standard frequency and time signal-satellite (space-to-Earth)
Space research 5.544 5.545	Space Research 5.544		Space research 5.544
5.149	5.149		5.149
31.3-31.5 GHz	31.3-31.5 GHz		31.3-31.5 GHz
EARTH EXPLORATION- SATELLITE (passive)	EARTH EXPLORATION- SATELLITE (passive)		EARTH EXPLORATION- SATELLITE (passive)
RADIO ASTRONOMY	1		RADIO ASTRONOMY
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)		SPACE RESEARCH (passive)
5.34	5.34		5.34

31.5-31.8 GHz	31.5-31.8 GHz			31.5-31.8 GHz
EARTH	EARTH			EARTH
EXPLORATION- SATELLITE (passive)	EXPLORATION- SATELLITE (passive)			EXPLORATION- SATELLITE (passive)
*	RADIO ASTRONOMY			RADIO ASTRONOMY
				SPACE RESEARCH
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)			(passive)
Fixed	Fixed			Fixed
Mobile except	Mobile except			Mobile except
aeronautical mobile	Aeronautical Mobile			aeronautical mobile
5.149 5.546	5.149 5.546		CI 11: 1 C 22	5.149
31.8-32 GHz	31.8-32 GHz		Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1. The band 31.8-33.4	31.8-32 GHz
Chanallina also for 22	FIXED 5.547A		GHz is identified for HDFS; Res.75 applies.	FIXED 5.547A
Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1. FIXED 5.547A	5.547 5.548	Fixed links (PTP/PTMP) (31.8-33.4 GHz)		RADIONAVIGATION
RADIONAVIGATION				SPACE RESEARCH (deep space) (space-to- Earth)
SPACE RESEARCH (deep space) (space-to- Earth)				5.547 5.548
5.547 5.547B 5.548				
32-32.3 GHz	32-32.3 GHz		Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1.	32-32.3 GHz
FIXED 5.547A	FIXED 5.547A	Fixed links (PTP/PTMP) (31.8-33.4 GHz)	The band 31.8-33.4 GHz is identified for HDFS; Res.75 applies.	FIXED 5.547A
RADIONAVIGATION	5.547 5.548	(STL)		RADIONAVIGATION
SPACE RESEARCH (deep space) (space-to- Earth)				SPACE RESEARCH (deep space) (space-to- Earth)
5.547 5.547C 5.548			CI 11: 1 6 22	5.547 5.548
32.3-33 GHz	32.3-33 GHz		Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1.	32.3-33 GHz
FIXED 5.547A	FIXED 5.547A	Fixed links (PTP/PTMP) (31.8-33.4 GHz)	The band 31.8-33.4 GHz is identified for HDFS; Res.75 applies.	FIXED 5.547A
INTER-SATELLITE	5.547 5.548			INTER-SATELLITE
RADIONAVIGATION				RADIONAVIGATION
5.547 5.547D 5.548				5.547 5.548
33-33.4 GHz	33-33.4 GHz		Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1.	33-33.4 GHz
FIXED 5.547A	FIXED 5.547A	Fixed links (PTP/PTMP) (31.8-33.4 GHz)	The band 31.8-33.4 GHz is identified for HDFS; Res.75 applies.	FIXED 5.547A
RADIONAVIGATION 5.547 5.547E	5.547			RADIONAVIGATION 5.547
33.4-34.2 GHz RADIOLOCATION 5.549	33.4-34.2 GHz RADIOLOCATION 5.549	Government use		33.4-34.2 GHz RADIOLOCATION

34.2-34.7 GHz			34.2-34.7 GHz
_			RADIOLOCATION
			SPACE RESEARCH
(deep space)(Earth-to-	Government use		(deep space)(Earth-to-
space)			space)
5.549			
24 5 25 2 CH-			24 7 25 2 CH-
_			34.7-35.2 GHz RADIOLOCATION
	Government use		Space Research
i *			Space Research
			35.2-35.5 GHz
_			METEOROLOGICAL
AIDS	Government use		AIDS
			RADIOLOCATION
-			35.5-36 GHz
METEOROLOGICAL AIDS			METEOROLOGICAL AIDS
EARTH			EARTH
EXPLORATION-			EXPLORATION-
` ′	Government use		SATELLITE (active)
			RADIOLOCATION
			SPACE RESEARCH (active)
l` ′			5.549
5.551A 5.549 5.549A			3.349
36-37 GHz			36-37 GHz
EARTH			EARTH
EXPLORATION-			EXPLORATION-
SATELLITE (passive)			SATELLITE (passive)
FIXED	Government use		FIXED
			MOBILE
			SPACE RESEARCH
,			(passive)
5.149 5.550A		TT 1 127 10 CYY	5.149
37-37.5 GHz		is identified for HDFS;	37-37.5 GHz
EIVED			FIXED
TIXLD	Fixed links - 38 GHz (37.0-	-	TIALD
	39.5 GHz)	Annex 1.	
5.547			MOBILE except aeronautical mobile
			SPACE RESEARCH
			(space-to-Earth)
			5.547
		The band 37-40 GHz	5.517
37.5-38 GHz		is identified for HDFS;	37.5-38 GHz
ı	1		i
		Channelling plan for 38	
EIVEN		Channelling plan for 38 GHz band in accordance	EIVED
FIXED		GHz band in accordance with ITU Rec. F.749	FIXED
FIXED		GHz band in accordance	FIXED
FIXED 5.547	Fixed links - 38 GHz (37.0-	GHz band in accordance with ITU Rec. F.749	FIXED FIXED-SATELLITE
	Fixed links - 38 GHz (37.0-39.5 GHz)	GHz band in accordance with ITU Rec. F.749	FIXED-SATELLITE (space-to-Earth)
	,	GHz band in accordance with ITU Rec. F.749	FIXED-SATELLITE (space-to-Earth) MOBILE except
	,	GHz band in accordance with ITU Rec. F.749	FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile
	,	GHz band in accordance with ITU Rec. F.749	FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile SPACE RESEARCH
	,	GHz band in accordance with ITU Rec. F.749	FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile SPACE RESEARCH (space-to-Earth)
	,	GHz band in accordance with ITU Rec. F.749	FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile SPACE RESEARCH
	space) 5.549 34.7-35.2 GHz RADIOLOCATION Space Research 5.549 35.2-35.5 GHz METEOROLOGICAL AIDS RADIOLOCATION 5.549 35.5-36 GHz METEOROLOGICAL AIDS EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.551A 5.549 5.549A 36-37 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A 37-37.5 GHz FIXED 5.547	RADIOLOCATION SPACE RESEARCH (deep space)(Earth-to- space) 5.549 34.7-35.2 GHz RADIOLOCATION Space Research 5.549 35.2-35.5 GHz METEOROLOGICAL AIDS RADIOLOCATION 5.549 35.5-36 GHz METEOROLOGICAL AIDS EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.551A 5.549 5.549A 36-37 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A 37-37.5 GHz FIXED Fixed links - 38 GHz (37.0- 39.5 GHz) 5.547	RADIOLOCATION SPACE RESEARCH (deep space)(Earth-to- space) 5.549 34.7-35.2 GHz RADIOLOCATION Space Research 5.549 35.3-35 GHz METEOROLOGICAL AIDS RADIOLOCATION 5.549 35.5-36 GHz METEOROLOGICAL AIDS RADIOLOCATION SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.551A 5.549 5.549A 36-37 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A The band 37-40 GHz is identified for HDFS; Res.75 applies. Channelling plan for 38 GHz band in accordance with ITU Rec. F.749 Annex 1. The band 37-40 GHz is identified for HDFS; Res.75 applies. Channelling plan for 38 GHz band in accordance with ITU Rec. F.749 Annex 1. The band 37-40 GHz is identified for HDFS; Res.75 applies. The band 37-40 GHz is identified for HDFS; Res.75 applies.

38-39.5 GHz	38-39.5 GHz	v	Channelling plan for 38 GHz band in accordance with ITU Rec. F.749	38-39.5 GHz
			Annex 1.	
FIXED	FIXED	Fixed links - 38 GHz (37.0-	The band 37-40 GHz s identified for HDFS; Res.75 applies.	FIXED
FIXED-SATELLITE	5 5 4 7	39.5 GHz)		FIXED-SATELLITE
(space-to-Earth)	5.547			(space-to-Earth)
MOBILE				MOBILE
Earth exploration-				Earth exploration-
satellite (space-to-Earth)				satellite (space-to-Earth)
5.547				5.547
39.5-40 GHz	39.5-40 GHz	i: F	Fine band 37-40 GHz s identified for HDFS; Res.75 applies.	39.5-40 GHz
FIXED	FIXED	i	The band 39.5-40 GHz s identified for HDFFS; Res.143 applies.	FIXED
FIXED-SATELLITE	FIXED-SATELLITE			FIXED-SATELLITE
(space-to-Earth) 5.516B MOBILE	(space-to-Earth) 5.516B			(space-to-Earth) 5.516B MOBILE
MOBILE-SATELLITE	MOBILE-SATELLITE			MOBILE-SATELLITE
(space-to-Earth)	(space-to-Earth)			(space-to-Earth)
Earth exploration-	Earth exploration-			Earth exploration-
				satellite (space-to-Earth)
5.547	5.547			5.547
40-40.5 GHz	40-40.5 GHz			40-40.5 GHz
EARTH	EARTH			EARTH
EXPLORATION- SATELLITE (Earth-to-	EXPLORATION- SATELLITE (Earth-to-			EXPLORATION- SATELLITE (Earth-to-
space)	space)			space)
FIXED	FIXED			FIXED
FIXED-SATELLITE	FIXED-SATELLITE	r	The band 40-40.5 GHz	FIXED-SATELLITE
(space-to-Earth) 5.516B	(space-to-Earth) 5.516B		,	(space-to-Earth) 5.516B
MOBILE	MOBILE	F	Res.143 applies.	MOBILE
MOBILE-SATELLITE	MOBILE-SATELLITE			MOBILE-SATELLITE
(space-to-Earth) SPACE RESEARCH	(space-to-Earth) SPACE RESEARCH			(space-to-Earth) SPACE RESEARCH
(Earth-to-space)	(Earth-to-space)			(Earth-to-space)
Earth exploration-	Earth exploration-			Earth exploration-
satellite (space-to-Earth)	satellite (space-to-Earth)			satellite (space-to-Earth)
40.5-41 GHz	40.5-41 GHz	4	BFWA or MWS (40.5-43.5 GHz).	40.5-41 GHz
FIXED	FIXED		Fhe band 40.5-43.5 GHz is identified for HDFS; Res.75 applies.	FIXED
FIXED-SATELLITE	FIXED-SATELLITE			FIXED-SATELLITE
(space-to-Earth)	(space-to-Earth)			(space-to-Earth)
BROADCASTING	BROADCASTING			BROADCASTING
BROADCASTING- SATELLITE	BROADCASTING- SATELLITE			BROADCASTING- SATELLITE
Mobile	5.547			5.547
5.547				
41-42.5 GHz	41-42.5 GHz		BFWA or MWS (40.5- 43.5 GHz).	41-42.5 GHz
FIXED	FIXED		The band 40.5-43.5 GHz is identified for HDFS; Res.75 applies.	FIXED
FIXED-SATELLITE	FIXED-SATELLITE			FIXED-SATELLITE
(space-to-Earth)	(space-to-Earth)			(space-to-Earth)
BROADCASTING	BROADCASTING			BROADCASTING
BROADCASTING- SATELLITE	BROADCASTING- SATELLITE			BROADCASTING- SATELLITE
Mobile	5.547 5.551H 5.551I			5.547 5.551H 5.551I
				0.5.17.5.55111.5.5511
5.547 5.551F 5.551H				

	<u> </u>		DEWA MWC (40.5	
42.5-43.5 GHz	42.5-43.5 GHz		BFWA or MWS (40.5-43.5 GHz).	42.5-43.5 GHz
FIXED	FIXED		The band 40.5-43.5 GHz is identified for HDFS; Res.75 applies.	FIXED
FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE except aeronautical mobile	FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE except Aeronautical Mobile		TIET S, TOOMS Applies.	FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE except Aeronautical Mobile
RADIO ASTRONOMY	RADIO ASTRONOMY			RADIO ASTRONOMY
5.149 5.547 5.551H	5.149 5.547			5.149 5.547
43.5-47 GHz	43.5-47 GHz			43.5-47 GHz
MOBILE 5.553	MOBILE 5.553			MOBILE 5.553
MOBILE-SATELLITE	MOBILE-SATELLITE	, , , , , , , , , , , , , , , , , , ,		MOBILE-SATELLITE
RADIONAVIGATION	RADIONAVIGATION	Government use (43.5-45.5 GHz)		RADIONAVIGATION
RADIONAVIGATION-	RADIONAVIGATION-	(43.3 GHZ)		RADIONAVIGATION-
SATELLITE	SATELLITE			SATELLITE
5.554	5.554			5.554
47-47.2 GHz	47-47.2 GHz	Amateur		47-47.2 GHz
AMATEUR	AMATEUR	Amateur satellite		AMATEUR
AMATEUR-	AMATEUR-			AMATEUR-
SATELLITE	SATELLITE			SATELLITE
47.2-47.5 GHz	47.2-47.5 GHz			47.2-47.5 GHz
FIXED SATELLITE	FIXED			FIXED
FIXED-SATELLITE (Earth-to-space) 5.552	FIXED-SATELLITE (Earth-to-space) 5.552			FIXED-SATELLITE (Earth-to-space) 5.552
MOBILE	MOBILE			MOBILE
5.552A	5.552A			5.552A
47.5-47.9 GHz	47.5-47.9 GHz			47.5-47.9 GHz
FIXED	FIXED			FIXED
FIXED-SATELLITE	FIXED-SATELLITE		The band 47.5-47.9	FIXED-SATELLITE
(Earth-to-space) 5.552	(Earth-to-space) 5.552		GHz is identified for HDFFS; Res.143	(Earth-to-space) 5.552
(space-to-Earth) 5.516B 5.554A	*		applies.	(space-to-Earth) 5.516B 5.554A
MOBILE	MOBILE			MOBILE
47.9-48.2 GHz	47.9-48.2 GHz			47.9-48.2 GHz
FIXED	FIXED			FIXED
FIXED-SATELLITE (Earth-to-space) 5.552	FIXED-SATELLITE (Earth-to-space) 5.552			FIXED-SATELLITE (Earth-to-space) 5.552
MOBILE	MOBILE			MOBILE
5.552A	5.552A			5.552A
48.2-48.54 GHz	48.2-48.54 GHz			48.2-48.54 GHz
FIXED FIXED-SATELLITE	FIXED FIXED-SATELLITE		The band 48.2-48.54	FIXED FIXED-SATELLITE
(Earth-to-space) 5.552	(Earth-to-space) 5.552		GHz is identified for	(Earth-to-space) 5.552
1 '	(space-to-Earth) 5.516B		HDFFS; Res.143	(space-to-Earth) 5.516B
5.554A 5.555B	5.554A 5.555B		applies.	5.554A 5.555B
MOBILE	MOBILE			MOBILE
48.54-49.44 GHz	48.54-49.44 GHz			48.54-49.44 GHz
FIXED	FIXED			FIXED
FIXED-SATELLITE	FIXED-SATELLITE (Earth-to-space) 5.552			FIXED-SATELLITE (Earth-to-space) 5.552
(Earth-to-space) 5.552	MOBILE			MOBILE
MOBILE	5.340 5.555			5.340 5.555
5.149 5.340 5.555	<u> </u>			
49.44-50.2 GHz	49.44-50.2 GHz			49.44-50.2 GHz
FIXED	FIXED			FIXED
FIXED-SATELLITE	FIXED-SATELLITE		The band 49.44-50.2	FIXED-SATELLITE
(Earth-to-space) 5.338A 5.552	(Earth-to-space) 5.338A 5.552		GHz is identified for HDFFS; Res.143	(Earth-to-space) 5.552
(space-to-Earth) 5.516B	(space-to-Earth) 5.516B		applies.	(space-to-Earth) 5.516B
5.554A 5.555B	5.554A 5.555B			5.554A 5.555B
MOBILE	MOBILE			MOBILE

50.2-50.4 GHz	50.2-50.4 GHz		50.2-50.4 GHz
EARTH	EARTH		EARTH
EXPLORATION-	EXPLORATION-		EXPLORATION-
SATELLITE (passive)	SATELLITE (passive)		SATELLITE (passive)
SPACE RESEARCH	SPACE RESEARCH		SPACE RESEARCH
(passive)	(passive)		(passive)
5.34	5.34		5.34
50.4-51.4 GHz	50.4-51.4 GHz		50.4-51.4 GHz
FIXED	FIXED		FIXED
FIXED-SATELLITE	FIXED-SATELLITE		FIXED-SATELLITE
	(Earth-to-space) 5.338A		
•			(Earth-to-space)
MOBILE	MOBILE		MOBILE
Mobile-satellite (Earth-	Mobile-Satellite (Earth-		Mobile-Satellite (Earth-
to-space)	to-space)		to-space)
51.4-52.6 GHz	51.4-52.6 GHz	The band 51.4-52.6	51.4-52.6 GHz
FIXED 5.338A	FIXED	GHz is identified for	FIXED
MOBILE	MOBILE	HDFS; Res.75 applies.	MOBILE
5.547 5.556	5.547 5.556	inst 6, Res./5 applies.	5.547 5.556
52.6-54.25 GHz	52.6-54.25 GHz		52.6-54.25 GHz
EARTH	EARTH		EARTH
EXPLORATION-	EXPLORATION-		EXPLORATION-
SATELLITE (passive)	SATELLITE (passive)		SATELLITE (passive)
SPACE RESEARCH	SPACE RESEARCH		SPACE RESEARCH
(passive)	(passive)		(passive)
5.340 5.556	5.340 5.556		5.340 5.556
54.25-55.78 GHz	54.25-55.78 GHz		54.25-55.78 GHz
EARTH	EARTH		EARTH
EXPLORATION-	EXPLORATION-		EXPLORATION-
SATELLITE (passive)	SATELLITE (passive)		SATELLITE (passive)
INTER-SATELLITE	INTER-SATELLITE		INTER-SATELLITE
5.556A	5.556A		5.556A
SPACE RESEARCH	SPACE RESEARCH		SPACE RESEARCH
(passive)	(passive)		(passive)
5.556B			
55.78-56.9 GHz	55.78-56.9 GHz		55.78-56.9 GHz
EARTH	EARTH		EARTH
EXPLORATION-	EXPLORATION-		EXPLORATION-
SATELLITE (passive)	SATELLITE (passive)		SATELLITE (passive)
FIXED 5.557A	FIXED 5.557A	The band 55.78-59 GHz	FIXED 5.557A
INTER-SATELLITE	INTER-SATELLITE	is identified for HDFS;	INTER-SATELLITE
5.556A	5.556A	Res.75 applies.	5.556A
MOBILE 5.558	MOBILE 5.558		MOBILE 5.558
SPACE RESEARCH	SPACE RESEARCH		SPACE RESEARCH
(passive)	(passive)		(passive)
5.547 5.557	5.547		5.547
56.9-57 GHz	56.9-57 GHz		56.9-57 GHz
EARTH	EARTH		EARTH
EXPLORATION-	EXPLORATION-		EXPLORATION-
SATELLITE (passive)	SATELLITE (passive)		SATELLITE (passive)
FIXED	FIXED	m	FYY
	LIVED	The band 55.78-59 GHz	
	DIED CARELLIE		
INTER-SATELLITE	INTER-SATELLITE	is identified for HDFS;	INTER-SATELLITE
5.558A	5.558A	Res.75 applies.	5.558A
5.558A MOBILE 5.558	5.558A MOBILE 5.558		5.558A MOBILE 5.558
5.558A MOBILE 5.558 SPACE RESEARCH	5.558A MOBILE 5.558 SPACE RESEARCH		5.558A MOBILE 5.558 SPACE RESEARCH
5.558A MOBILE 5.558 SPACE RESEARCH (passive)	5.558A MOBILE 5.558 SPACE RESEARCH (passive)		5.558A MOBILE 5.558 SPACE RESEARCH (passive)
5.558A MOBILE 5.558 SPACE RESEARCH	5.558A MOBILE 5.558 SPACE RESEARCH		5.558A MOBILE 5.558 SPACE RESEARCH
5.558A MOBILE 5.558 SPACE RESEARCH (passive)	5.558A MOBILE 5.558 SPACE RESEARCH (passive)		5.558A MOBILE 5.558 SPACE RESEARCH (passive)
5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547		5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547
5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557 57-58.2 GHz EARTH EXPLORATION-	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION-		5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION-
5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557 57-58.2 GHz EARTH	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH		5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH
5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557 57-58.2 GHz EARTH EXPLORATION-	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION-		5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive)
5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive)	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive)	Res.75 applies.	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive)
5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED	Res.75 applies. The band 55.78-59 GHz	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED
5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE	The band 55.78-59 GHz is identified for HDFS;	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE
5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558	The band 55.78-59 GHz is identified for HDFS;	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558
5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A	The band 55.78-59 GHz is identified for HDFS;	5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A

		1	ı	
58.2-59 GHz	58.2-59 GHz			58.2-59 GHz
EARTH	EARTH			EARTH
EXPLORATION- SATELLITE (passive)	EXPLORATION- SATELLITE (passive)			EXPLORATION- SATELLITE (passive)
FIXED	FIXED		The band 55.78-59 GHz is identified for HDFS;	FIXED
MOBILE	MOBILE		Res.75 applies.	MOBILE
SPACE RESEARCH	SPACE RESEARCH		Trestre applies.	SPACE RESEARCH
(passive)	(passive)			(passive)
5.547 5.556	5.547 5.556			5.547 5.556
59-59.3 GHz	59-59.3 GHz			59-59.3 GHz
EARTH	EARTH			EARTH
EXPLORATION-	EXPLORATION-			EXPLORATION-
SATELLITE (passive)	SATELLITE (passive)			SATELLITE (passive)
FIXED	FIXED			FIXED
INTER-SATELLITE 5.556A	INTER-SATELLITE 5.556A	Government use		INTER-SATELLITE 5.556A
MOBILE 5.558	MOBILE 5.558			MOBILE 5.558
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
5.559	5.559			5.559
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
(passive)	(passive)			(passive)
59.3-64 GHz	59.3-64 GHz		The band 61-61.5 GHz is designated for ISM applications (5.138).	59.3-64 GHz
FIXED	FIXED		The band 59 - 61 GHz reserved for government use.	FIXED
INTER-SATELLITE	INTER-SATELLITE		Common international SRD band; see ITU-R Rec.SM.[SRD]	INTER-SATELLITE
MOBILE 5.558	MOBILE 5.558			MOBILE 5.558
RADIOLOCATION 5.559	RADIOLOCATION 5.559	SRD applications (61-61.5 GHz)		RADIOLOCATION 5.559
5.138	5.138			5.138
64-65 GHz	64-65 GHz			64-65 GHz
FIXED	FIXED		The band 64-66 GHz	FIXED
INTER-SATELLITE	INTER-SATELLITE		is identified for HDFS;	INTER-SATELLITE
MOBILE except	MOBILE except		Res.75 applies.	MOBILE except
aeronautical mobile	aeronautical mobile			aeronautical mobile
5.547 5.556	5.547 5.556			5.547 5.556
65-66 GHz	65-66 GHz			65-66 GHz
EARTH EXPLORATION-	EARTH EXPLORATION-			EARTH EXPLORATION-
SATELLITE	SATELLITE			SATELLITE
FIXED	FIXED		The band 64-66 GHz	FIXED
INTER-SATELLITE	INTER-SATELLITE		is identified for HDFS;	INTER-SATELLITE
MOBILE except	MOBILE except		Res.75 applies.	MOBILE except
aeronautical mobile	aeronautical mobile			aeronautical mobile
SPACE RESEARCH	SPACE RESEARCH			SPACE RESEARCH
5.547	5.547			5.547
66-71 GHz	66-71 GHz			66-71 GHz
INTER-SATELLITE	INTER-SATELLITE			INTER-SATELLITE
MOBILE 5.553 5.558	MOBILE 5.553 5.558			MOBILE 5.553 5.558
MOBILE-SATELLITE	MOBILE-SATELLITE			MOBILE-SATELLITE
RADIONAVIGATION	RADIONAVIGATION			RADIONAVIGATION
RADIONAVIGATION- SATELLITE	RADIONAVIGATION- SATELLITE			RADIONAVIGATION- SATELLITE
5.554	5.554			5.554
71-74 GHz	71-74 GHz	Government use		71-74 GHz
FIXED	FIXED	Fixed links (71-76 GHz)		FIXED
FIXED-SATELLITE	FIXED-SATELLITE	(11 / 0 0112)		FIXED-SATELLITE
(space-to-Earth)	(space-to-Earth)			(space-to-Earth)
1 -	1 -	İ		MOBILE
MOBILE	MOBILE			INIODIEE
MOBILE MOBILE-SATELLITE (space-to-Earth)	MOBILE-SATELLITE (space-to-Earth)			MOBILE-SATELLITE (space-to-Earth)

74-76 GHz	74-76 GHz			74-76 GHz
FIXED	FIXED			FIXED
FIXED-SATELLITE	FIXED-SATELLITE			FIXED-SATELLITE
(space-to-Earth)	(space-to-Earth)			(space-to-Earth)
MOBILE	MOBILE			MOBILE
BROADCASTING	BROADCASTING	Fixed links (71-76 GHz)		BROADCASTING
BROADCASTING-	BROADCASTING-	, , , ,		BROADCASTING-
SATELLITE	SATELLITE			SATELLITE
Space research (space-to-Earth)	Space Research (space-to-Earth)			Space research (space- to-Earth)
5.561	5.561			5.561
76-77.5 GHz	76-77.5 GHz			76-77.5 GHz
RADIO ASTRONOMY	RADIO ASTRONOMY	Traffic Telematics Radar (76 – ROHZ)	Common international RD band; see ITU-R Rec.SM.[SRD] and Rec. M.1452	RADIO ASTRONOMY
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
Amateur	Amateur			Amateur
Amateur-satellite	Amateur-satellite	į į		Amateur-satellite
Space research (space-	Space Research (space-			Space research (space-
to-Earth)	to-Earth)			to-Earth)
5.149	5.149			5.149
77.5-78 GHz	77.5-78 GHz			77.5-78 GHz
AMATEUR	AMATEUR			AMATEUR
AMATEUR- SATELLITE	AMATEUR- SATELLITE			AMATEUR- SATELLITE
Radio astronomy	Radio astronomy			Radio astronomy
Space research (space-	Space research (space-			Space research (space-
to-Earth)	to-Earth)			to-Earth)
5.149	5.149			5.149
78-79 GHz	78-79 GHz			78-79 GHz
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
Amateur	Amateur			Amateur
Amateur-satellite	Amateur-satellite			Amateur-satellite
Radio astronomy	Radio astronomy			Radio astronomy
Space research (space-	Space research (space-			Space research (space-
to-Earth)	to-Earth)			to-Earth)
5.149 5.560	5.149			5.149 5.560
79-81 GHz	79-81 GHz			79-81 GHz
RADIO ASTRONOMY	RADIO ASTRONOMY			RADIO ASTRONOMY
RADIOLOCATION	RADIOLOCATION			RADIOLOCATION
Amateur	Amateur			Amateur
Amateur-satellite	Amateur-satellite			Amateur-satellite
Space research (space-to-Earth)	Space research (space-to-Earth)			Space research (space-to-Earth)
5.149	5.149			5.149
81-84 GHz	81-84 GHz			81-84 GHz
FIXED	FIXED			FIXED
FIXED-SATELLITE	FIXED-SATELLITE			FIXED-SATELLITE
(Earth-to-space)	(Earth-to-space)			(Earth-to-space)
MOBILE	MOBILE			MOBILE
MOBILE-SATELLITE	MOBILE-SATELLITE	Fixed links (81-86 GHz)		MOBILE-SATELLITE
(Earth-to-space)	(Earth-to-space)			(Earth-to-space)
RADIO ASTRONOMY	RADIO ASTRONOMY			RADIO ASTRONOMY
Space research (space-to-Earth)	Space Research (space-to-Earth)			Space research (space-to-Earth)
5.149 5.561A 5.338A	5.149 5.561A 5.338A			5.149 5.561A 5.338A
84-86 GHz	84-86 GHz			84-86 GHz
FIXED	FIXED			FIXED
FIXED-SATELLITE	FIXED-SATELLITE			FIXED-SATELLITE
(Earth-to-space) 5.561B		Fixed links (81-86 GHz)		(Earth-to-space) 5.561B
MOBILE	MOBILE	1 Acc miks (01-00 GHZ)		MOBILE
RADIO ASTRONOMY	ł			RADIO ASTRONOMY
5.149 5.338A	5.149 5.338A			5.149
J.147 J.JJOA	J.149 J.JJOA			J.147

EXPLORATION- EXPLORATION- EXPLORATION- EXPLORATION- SATELLITE (passive) SATE	86-92 GHz	86-92 GHz	86-92 GHz
SATELLITE (passive) SATELLITE (passive) RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIOLOCATION RADI	EARTH		
RADIO ASTRONOMY SPACE RESEARCH SPACE			
SPACE RESEARCH (passive)		* '	
passive			
S.34 S.35 S.35			
P2-94 GHz	4 ,	4	1 2
FIXED MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION S.149 5.338A 5.149 5.341 GHz exprised for the control of the c			
MOBILE MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIOLOCATION S.149 5.338A S.149 5.338A S.149 5.338A JAP94.1 GHz 94-94.1 GHz EARTH EARTH EARTH EARTH EARTH (active) SATELLITE (active) SATELLITE (active) SATELLITE (active) SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy RADIOLOCATION SPACE RESEARCH (active) Radio astronomy RADIOLOCATION S.562 5.562A 5.562 5.562A 94.1-95 GHz 94.1-95 GHz FIXED HIXED MOBILE MOBILE RADIO ASTRONOMY RADIOLOCATION S.149 5.149 95-100 GHz PIXED PIXED MOBILE RADIOLOCATION RADIOLOCATION S.149 5.149 95-100 GHz PIXED MOBILE MOBILE RADIO ASTRONOMY RADIO ASTRONOMY	_		727.0112
RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 9.494.1 GHz EARTH			
RADIOLOCATION S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.338A S.149 5.348 S.141 GHz EARTH EARTH EARTH EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SATELLITE (active) RADIOLOCATION SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy Radio astronomy Radio astronomy Radio astronomy Radio astronomy Radio astronomy Radio astronomy S.562 5.562A	_		
5.149 5.338A 5.149 5.338A 5.149 5.338A 5.149 5.34B 5.149 5.34B 5.149 5.34B 5.149 5.34B 5.149 5.34B 5.149 5.34B 5.149 5.34B 5.149 5.34B 5.149 5.34B 5.149 5.34B 5.149 5.35B 5.34B 5	RADIO ASTRONOMY	RADIO ASTRONOMY	RADIO ASTRONOMY
94-94.1 GHz 94-94.1 GHz EARTH	RADIOLOCATION	RADIOLOCATION	RADIOLOCATION
EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy Ra	5.149 5.338A	5.149 5.338A	5.149
EXPLORATION- SATELLITE (active) SATELLITE (active) SATELLITE (active) SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy Radio Astronomy	94-94.1 GHz	94-94.1 GHz	94-94.1 GHz
SATELLITE (active) RADIOLOCATION RADIOLOCATION RADIOLOCATION SPACE RESEARCH (active) (active) Radio astronomy	EARTH	EARTH	EARTH
RADIOLOCATION SPACE RESEARCH (active) SPACE RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Radio astronomy Space RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Radio astronomy Space RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Space RESEARCH (active) Radio astronomy Radio astronomy Radio astronomy Radio Astronomy Radio Astronomy Radio Astronomy Radio Astronomy Radio Astronomy Radio Astronomy Radionavigation	EXPLORATION-		
SPACE RESEARCH (active) (activ	` ′		` ′
(active) (active) (active) Radio astronomy Radio astronomy Radio astronomy 5.562 5.562A 5.562 5.562A 5.562 5.562A 94.1-95 GHz 94.1-95 GHz FIXED FIXED FIXED MOBILE MOBILE MOBILE MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION S.149 95-100 GHz 95-100 GHz FIXED MOBILE MOBILE MOBILE MOBILE MOBILE MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RATELLITE SATELLITE S.149 5.554 100 - 102GHz EARTH EARTH EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY FIXED MOBILE </td <td></td> <td></td> <td></td>			
Radio astronomy S.562 5.562A S.562 5.564 S.560 S.564			
5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.562 5.562A 5.41.95 GHz 51XED 51XED 51XED 5.149 5.554 5.149 5.554 5.1	` ´		
94.1-95 GHz	,		
FIXED MOBILE MOBILE RADIO ASTRONOMY RADIOLOCATION S.149 95-100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION S.149 95-100 GHz FIXED MOBILE RADIO GHZ FIXED MOBILE MOBILE MOBILE MOBILE MOBILE RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE S.149 5.554 100 - 102GHz EARTH EEXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION- SATELLITE (passive) RADIONAVIGATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION RADIONAVIGATION- SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION RADIOL	5.562 5.562A	5.562 5.562A	5.562 5.562A
MOBILE RADIO ASTRONOMY RADIOLOCATION S.149 S.149 S.100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION S.149 S.100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION S.149 S.100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE S.149 5.554 S.149 5.554 S.149 5.554 S.149 5.554 S.149 5.554 S.140 - 102GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) S.34 S.34 S.34 S.34 S.34 S.34 S.35 S.34 S.36 S.37 S.36 S.37 S.37 S.37 S.38 S.38 S.38 S.38 S.38 S.38 S.38 S.38	94.1-95 GHz	94.1-95 GHz	
RADIO ASTRONOMY RADIOLOCATION 5.149 95-100 GHz 95-100 GHz 95-100 GHz 95-100 GHz 95-100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE S.149 5.554 5.149	FIXED	FIXED	FIXED
RADIOLOCATION 5.149 95-100 GHz 95-100 GHz 95-100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE S.149 5.554 5.149 5.554 5.149 5.554 5.149 5.554 100 - 102GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY	MOBILE	MOBILE	MOBILE
5.149 5.149 5.149 5.149 5.149 5.149 5.149 5.100 GHz FIXED FIXED FIXED MOBILE MOBILE MOBILE RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE 5.149 5.554	RADIO ASTRONOMY	RADIO ASTRONOMY	RADIO ASTRONOMY
95-100 GHz FIXED FIXED FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.149 5.554 EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE 5.149 5.554 100 - 102GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) F.344 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED MOBILE RADIO ASTRONOMY FIXED MOBILE RADIO ASTRONOMY FIXED MOBILE RADIO ASTRONOMY	RADIOLOCATION	RADIOLOCATION	RADIOLOCATION
FIXED MOBILE MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE S.149 5.554 100 - 102GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY SPACE RESEARCH (passive) FIXED FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY FIXED FIXED MOBILE RADIO ASTRONOMY	5.149	5.149	5.149
MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE 5.149 5.554	95-100 GHz	95-100 GHz	95-100 GHz
RADIO ASTRONOMY RADIOLOCATION RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE 5.149 5.554 5.140 - 102GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 5.34 5.34 5.34 5.34 5.34 5.34 5.34	FIXED	FIXED	FIXED
RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE 5.149 5.554 100 - 102GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 6.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY	MOBILE	MOBILE	MOBILE
RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION SATELLITE 5.149 5.554 100 - 102GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY	RADIO ASTRONOMY	RADIO ASTRONOMY	RADIO ASTRONOMY
RADIONAVIGATION- SATELLITE 5.149 5.554 5.149 5.554 100 - 102GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY	RADIOLOCATION	RADIOLOCATION	RADIOLOCATION
SATELLITE SATELLITE SATELLITE SATELLITE S.149 5.554 5.149 5.554 5.149 5.554 100 - 102GHz 100 - 102GHz EARTH EXPLORATION-SATELLITE (passive) SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 5.	RADIONAVIGATION	RADIONAVIGATION	RADIONAVIGATION
5.149 5.554	RADIONAVIGATION-	RADIONAVIGATION-	RADIONAVIGATION-
100 - 102GHz	SATELLITE	SATELLITE	SATELLITE
EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY FIXED MOBILE RADIO ASTRONOMY	5.149 5.554	5.149 5.554	5.149 5.554
EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY FIXED MOBILE RADIO ASTRONOMY	100 - 102GHz		100 - 102GHz
SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY	EARTH		EARTH
RADIO ASTRONOMY SPACE RESEARCH (passive) 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY	EXPLORATION-		
SPACE RESEARCH SPACE RESEARCH (passive) (passive) 5.34 5.34 102 - 105GHz 102 - 105GHz FIXED MOBILE FIXED MOBILE RADIO ASTRONOMY RADIO ASTRONOMY	SATELLITE (passive)		SATELLITE (passive)
5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY 5.34 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY	RADIO ASTRONOMY SPACE RESEARCH		RADIO ASTRONOMY SPACE RESEARCH
102 - 105GHz FIXED MOBILE RADIO ASTRONOMY 102 - 105GHz FIXED MOBILE RADIO ASTRONOMY	(passive)		(passive)
FIXED MOBILE RADIO ASTRONOMY FIXED MOBILE RADIO ASTRONOMY	5.34		5.34
RADIO ASTRONOMY RADIO ASTRONOMY	102 - 105GHz		102 - 105GHz
	FIXED MOBILE		FIXED MOBILE
	RADIO ASTRONOMY		RADIO ASTRONOMY
	5.149		5.149

ITU DEFINITIONS

- "Administration" means a government or public authority of a country that is responsible for giving effect to the obligations of the country as a member of International Telecommunications Union (ITU).
- "Additional Allocation" means an allocation, in the form of Footnote, which is added in this area or in this country to the services or services which are indicated in Table of Frequency allocation.
- "Aeronautical Mobile Service" a mobile service between aeronautical stations and aircraft stations, or between aircraft stations, in which survival craft stations may participate; emergency position-indicating radiobeacon stations may also participate in this service on designated distress and emergency frequencies.

- "Aeronautical mobile (OR) service" means an aeronautical mobile service for communications, including those relating to flight coordination, primarily outside national or international civil air routes. (OR) means off-route.
- "Aeronautical mobile (R) service" means an aeronautical mobile service that is reserved for communications relating to the safety and regularity of flight, primarily along national or international civil air routes. (R) means route.
- "Aeronautical Fixed Service" means a radiocommunication service between specified fixed points provided primarily for the safety of air navigation and for the regular efficient and economical operation of air transport.
- "Aeronautical Mobile Satellite Service" means a mobile satellite service in which mobile earth stations are located on board aircraft; survival craft stations and emergency position indicating radiobeacon stations may also participate in this service.
- "Allocation" (of a frequency band) means entry In the Table of Frequency Allocation of a given frequency band for the purpose of its use by one or more terrestrial or space radiocommunication services or the radio astronomy service under specified conditions.
- "Alternative allocation" means an allocation in the form of footnote which replaces, in this area or in this area country, the allocation indicated in the Table of Frequency Allocation.
- "Amateur Service" means a radiocommunication service for the purpose of self-training, intercommunication and technical investigations carried out by amateurs, that is, by duly radiobeacon persons interested in radio technique solely with a personal aim and without pecuniary interest.
- "Amateur Satellite Service" means a radiocommunication service using space stations on earth satellites for the same purposes as those of the amateur service.
- "Assignment" (of a radio frequency or radio frequency channel) means authorisation given by the Authority for a radio device to use a radio frequency or radio frequency channel under specified conditions.
- **"Broadcasting Service"** means a radiocommunication service in which the transmissions are intended for direct reception by the general public. This service may include sound transmissions, television transmissions or other types of transmission.
- **"Broadcasting Satellite Service"** means a radiocommunication service in which signals transmitted or retransmitted by space stations are intended for direct reception by the general public. In the broadcasting satellite service the term "direct reception" shall encompass both individual reception and community reception.
- "Deep Space" means a space at a distance from the Earth approximately equal to, or greater than, the distance between the earth and the moon.
- **"Earth Exploration Satellite Service"** means a radiocommunication service between earth stations and one or more space stations, which may include links between space stations, in which:
- information relating to the characteristics of the earth and its natural phenomena is obtained from active sensors or passive sensors on earth satellites;
- similar information is collected from airborne or earth based platforms;
- such information may be distributed to earth stations within the system concerned;

- platform interrogation may be included.

This service may also include feeder links necessary for its operation.

"Emergency Position – Indicating Radiobeacon Station" means a station in the mobile service the emissions of which are intended to facilitate search and rescue operations.

"Fixed Service" means a radiocommunication service between specified fixed points.

"Fixed – Satellite Service" means a radiocommunication service between earth stations at specified fixed points when one or more satellites are used; in some cases this service includes satellite-to-satellite links, which may also be effected in the inter-satellite service; the fixed-satellite service may also include feeder links for other space radiocommunication services.

"Inductive Loop Systems" means systems, which operate by producing a controlled magnetic field within which a predetermined recognisable signal is formed.

"Industrial, Scientific and Medical (ISM) applications (of radio frequency energy)" means operation of equipment or appliances designed to generate and use locally, radio frequency energy for industrial, scientific, medical, domestic or similar purposes, excluding applications in the field of telecommunications.

"Instrument Landing System (ILS)" means a radionavigation system, which provides aircraft with horizontal and vertical guidance just before and during landing and, at certain fixed points, indicates the distance to the reference point of landing.

"Inter – Satellite Service" means a radiocommunication service providing links between artificial earth satellites.

"Land Mobile Service" means a mobile radiocommunication service between base stations and land mobile stations or between land mobile stations.

*"Maritime Mobile Service" means a mobile service between coast stations and ship stations, or between ship stations, or between associated on board communication stations; survival craft stations and emergency position-indicating radiobeacon stations may also participate in this service.

"Maritime Mobile – Satellite Service" means a mobile satellite service in which mobile earth stations are located on board ships; survival craft stations and emergency position-indicating radiobeacon stations may also participate in this service.

"Meteorological Aids Service" means a radiocommunication service used for meteorological, including hydrological, observations and exploration.

"Meteorological – Satellite Service" means an earth exploration satellite service for meteorological purposes.

"Mobile – Satellite Service" means a radiocommunication service between mobile earth stations and one or more space stations, or between space stations used by this service or between mobile earth stations by means of one or more space stations. This service may also include feeder links necessary for its operation.

"Primary Services" means where a band is indicated as allocated to more than one service and the name of the service printed in Capital characters (e.g. MOBILE) is the primary services.

'Radar'' means a radiodetermination system based on the comparison of reference signals with radio signals reflected, or retransmitted, from the position to be determined.

- "Radar Beacon (Racon)" means a transmitter-receiver associated with a fixed navigational mark which, when triggered by a radar, automatically returns a distinctive signal which can appear on the display of the triggering radar, providing range, bearing and identification information.
- "Radio Astronomy" means astronomy based on the reception of radio waves of cosmic origin.
- "Radio Astronomy Service" means a service involving the use of radio astronomy.
- "Radiocommunications Service" means a service involving the transmission, emission and/or reception of radio waves for specific telecommunications purposes.
- "Radiodetermination" means the determination of the position, velocity and/or other characteristics of an object, or the obtaining of information relating to these parameters, by means of the propagation properties of radio waves.
- *"Radionavigation" means radiodetermination used for the purposes of radionavigation, including obstruction warning.
- "Radiolocation" means radiodetermination used for purposes other than radionavigation.
- "Radiosonde" means an automatic radio transmitter in the meteorological aids service usually carried on an aircraft, free balloon, kite or parachute, and which transmits meteorological data.
- "Safety Service" means any radiocommunication service used permanently or temporarily for the safeguarding of human life and property.
- "Secondary Service" means where a band is indicated as allocated to more than one service and the name of the service printed in normal characters (e.g. Mobile). These are called secondary services. Stations of a secondary service shall:
- not cause harmful interference to stations of primary services to which the frequencies are already assigned or to which stations may be assigned at a later date,
- not claim protection from harmful interference from stations of a primary service, to which frequencies are already assigned or may be assigned at a later date,
- claim protection, however, from harmful interference from stations of the same or other secondary service(s) to which frequencies may be assigned at a later date.
- "Space Research Service" means a radiocommunication service in which spacecraft or other objects in space are used for scientific or technological research purposes.
- "Standard frequency and Time Signal Service" means a radiocommunication service for scientific, technical and other purposes, providing the transmission of specified frequencies, time signals or both, of stated high precision, intended for general reception.
- "Standard Frequency and Time Signal Satellite Service" means a radiocommunication service using space stations on earth satellites for the same purpose as those of the standard frequency and time signal service.

ITU Footnotes

5.53 Administrations authorizing the use of frequencies below 8.3 kHz shall ensure that no harmful interference is caused thereby to the services to which the bands above 8.3 kHz are allocated.

- Administrations conducting scientific research using frequencies below 8.3 kHz are urged to advise other administrations that may be concerned in order that such research may be afforded all practicable protection from harmful interference.
- 5.54A Use of the 8.3-11.3 kHz frequency band by stations in the meteorological aids service is limited to passive use only. In the band 9-11.3 kHz, meteorological aids stations shall not claim protection from stations of the radionavigation service submitted for notification to the Bureau prior to 1 January 2013. For sharing between stations of the meteorological aids service and stations in the radionavigation service submitted for notification after this date, the most recent version of Recommendation ITU-R RS.1881 should be applied.
- 5.54B Additional allocation: in Algeria, Saudi Arabia, Egypt, the United Arab Emirates, the Russian Federation, Iraq, Lebanon, Morocco, Qatar, the Syrian Arab Republic, Sudan and Tunisia, the frequency band 8.3-9 kHz is also allocated to the radionavigation, fixed and mobile services on a primary basis.
- **5.54C** Additional allocation: in China, the frequency band 8.3-9 kHz is also allocated to the maritime radionavigation and maritime mobile services on a primary basis.
- 5.55 Additional allocation: in Armenia, Azerbaijan, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the band 14-17 kHz is also allocated to the radionavigation service on a primary basis. (WRC-07)
- The stations of services to which the bands 14-19.95 kHz and 20.05-70 kHz and in Region 1 also the bands 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals. Such stations shall be afforded protection from harmful interference. In Armenia, Azerbaijan, Belarus, Bulgaria, the Russian Federation, Georgia, Kazakhstan, , Kyrgyzstan, , Tajikistan and Turkmenistan, the frequencies 25 kHz and 50 kHz will be used for this purpose under the same conditions. (WRC-12)
- The use of the bands 14-19.95 kHz, 20.05-70 kHz and 70-90 kHz (72-84 kHz and 86-90 kHz in Region 1) by the maritime mobile service is limited to coast radiotele-graph stations (A1A and F1B only). Exceptionally, the use of class J2B or J7B emissions is authorized subject to the necessary bandwidth not exceeding that normally used for class A1A or F1B emissions in the band concerned.
- 5.58 Additional allocation: in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan and Turkmenistan, the band 67-70 kHz is also allocated to the radionavigation service on a primary basis. (WRC-2000)
- **5.59** Different category of service: in Bangladesh and Pakistan, the allocation of the bands 70-72 kHz and 84-86 kHz to the fixed and maritime mobile services is on a primary basis (see No. **5.33**). (WRC-2000)
- 5.60 In the bands 70-90 kHz (70-86 kHz in Region 1) and 110-130 kHz (112-130 kHz in Region 1), pulsed radionavigation systems may be used on condition that they do not cause harmful interference to other services to which these bands are allocated.
- In Region 2, the establishment and operation of stations in the maritime radionavigation service in the bands 70-90 kHz and 110-130 kHz shall be subject to agreement obtained under No. **9.21** with administrations whose services, operating in accordance with the Table, may be affected. However, stations of the fixed, maritime mobile and radiolocation services shall not cause harmful interference to stations in the maritime radionavigation service established under such agreements.

- Administrations which operate stations in the radionavigation service in the band 90-110 kHz are urged to coordinate technical and operating characteristics in such a way as to avoid harmful interference to the services provided by these stations.
- **5.63** (SUP WRC-97)
- Only classes A1A or F1B, A2C, A3C, F1C or F3C emissions are authorized for stations of the fixed service in the bands allocated to this service between 90 kHz and 160 kHz (148.5 kHz in Region 1) and for stations of the maritime mobile service in the bands allocated to this service between 110 kHz and 160 kHz (148.5 kHz in Region 1). Exceptionally, class J2B or J7B emissions are also authorized in the bands between 110 kHz and 160 kHz (148.5 kHz in Region 1) for stations of the maritime mobile service.
- 5.65 Different category of service: in Bangladesh, the allocation of the bands 112-117.6 kHz and 126-129 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33). (WRC-2000)
- 5.66 Different category of service: in Germany, the allocation of the band 115-117.6 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33) and to the radionavigation service on a secondary basis (see No. 5.32).
- Additional allocation: in Mongolia, Kyrgyzstan and Turkmenistan, the band 130-148.5 kHz is also allocated to the radionavigation service on a secondary basis. Within and between these countries this service shall have an equal right to operate. (WRC-07)
- 5.67A Stations in the amateur service using frequencies in the band 135.7-137.8 kHz shall not exceed a maximum radiated power of 1 W (e.i.r.p.) and shall not cause harmful interference to stations of the radionavigation service operating in countries listed in No. 5.67. (WRC-07)
- The use of the band 135.7-137.8 kHz in Algeria, Egypt, Iran (Islamic Republic of), Iraq, Libyan Arab Jamahiriya, Lebanon, Syrian Arab Republic, Sudan, South Sudan and Tunisia is limited to the fixed and maritime mobile services. The amateur service shall not be used in the above-mentioned countries in the band 135.7-137.8 kHz, and this should be taken into account by the countries authorizing such use. (WRC-12)
- **5.68** Alternative allocation: in Angola, Congo (Rep. of the), , the Dem. Rep. of the Congo, and South Africa, the band 160-200 kHz is allocated to the fixed service on a primary basis. (WRC-12)
- **5.69** Additional allocation: in Somalia, the band 200-255 kHz is also allocated to the aeronautical radionavigation service on a primary basis.
- Alternative allocation: in Angola, Botswana, Burundi, the Central African Rep., Congo (Rep. of the), Ethiopia, Kenya, Lesotho, Madagascar, Malawi, Mozambique, Namibia, Nigeria, Oman, the Dem. Rep. of the Congo, Rwanda, South Africa, Swaziland, Tanzania, Chad, Zambia and Zimbabwe, the band 200-283.5 kHz is allocated to the aeronautical radionavigation service on a primary basis. (WRC-07)
- **5.71** Alternative allocation: in Tunisia, the band 255-283.5 kHz is allocated to the broadcasting service on a primary basis.
- **5.72** Not used ((SUP_WRC-12))

- 5.73 The band 285-325 kHz (283.5-325 kHz in Region 1) in the maritime radionavigation service may be used to transmit supplementary navigational information using narrow-band techniques, on condition that no harmful interference is caused to radiobeacon stations operating in the radionavigation service. (WRC-97)
- **5.74** *Additional Allocation:* in Region 1, the frequency band 285.3-285.7 kHz is also allocated to the maritime radionavigation service (other than radiobeacons) on a primary basis.
- 5.75 Different category of service: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and the Black Sea areas of Romania, the allocation of the band 315-325 kHz to the maritime radionavigation service is on a primary basis under the condition that in the Baltic Sea area, the assignment of frequencies in this band to new stations in the maritime or aeronautical radionavigation services shall be subject to prior consultation between the administrations concerned. (WRC-07)
- The frequency 410 kHz is designated for radio direction-finding in the maritime radionavigation service. The other radionavigation services to which the band 405-415 kHz is allocated shall not cause harmful interference to radio direction-finding in the band 406.5-413.5 kHz.
- 5.77 Different category of service: in Australia, China, the French overseas communities of Region 3, India, Iran (Islamic Republic of), Japan, Pakistan, Papua New Guinea and Sri Lanka, the allocation of the band 415-495 kHz to the aeronautical radionavigation service is on a primary basis. In Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Latvia, Uzbekistan and Kyrgyzstan, the allocation of the frequency band 435-495 kHz to the aeronautical radionavigation service is on a primary basis. Administrations in these countries shall take all practical steps necessary to ensure that aeronautical radionavigation stations in the band 435-495 kHz do not cause interference to reception by coast stations of ship stations transmitting on frequencies designated for ship stations on a worldwide basis. (WRC-12)
- **5.78** *Different category of service:* in Cuba, the United States of America and Mexico, the allocation of the band 415-435 kHz to the aeronautical radionavigation service is on a primary basis.
- 5.79 The use of the bands 415-495 kHz and 505-526.5 kHz (505-510 kHz in Region 2) by the maritime mobile service is limited to radiotelegraphy.
- When establishing coast stations in the NAVTEX service on the frequencies 490 kHz, 518 kHz and 4 209.5 kHz, administrations are strongly recommended to coordinate the operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution 339 (Rev.WRC-07)). (WRC-07)
- **5.80** In Region 2, the use of the band 435-495 kHz by the aeronautical radionavigation service is limited to non-directional beacons not employing voice transmission.
- **5.81** (SUP WRC-2000)
- In the maritime mobile service, the frequency 490 kHz is to be used exclusively for the transmission by coast stations of navigational and meteorological warnings and urgent information to ships, by means of narrow-band direct-printing telegraphy. The conditions for use of the frequency 490 kHz are prescribed in Articles 31 and 52. In using the frequency band 415-495 kHz for the aeronautical radionaviga-

tion service, administrations are requested to ensure that no harmful interference is caused to the frequency 490 kHz. In using the frequency band 472-479 kHz for the amateur service, administrations shall ensure that no harmful interference is caused to the frequency 490 kHz. (WRC-12))

- **5.82A** Not used ((SUP WRC-12))
- 5.82B Administrations authorizing the use of frequencies in the band 495-505 kHz by services other than the maritime mobile service shall ensure that no harmful interference is caused to the maritime mobile service in this band or to the services having allocations in the adjacent bands, noting in particular the conditions of use of the frequencies 490 kHz and 518 kHz, as prescribed in Articles 31 and 52. (WRC-07)
- The maximum equivalent isotropically radiated power (e.i.r.p.) of stations in the amateur service using frequencies in the band 472-479 kHz shall not exceed 1 W. Administrations may increase this limit of e.i.r.p. to 5 W in portions of their territory which are at a distance of over 800 km from the borders of Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, China, Comoros, Djibouti, Egypt, United Arab Emirates, the Russian Federation, Iran (Islamic Republic of), Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Morocco, Mauritania, Oman, Uzbekistan, Qatar, Syrian Arab Republic, Kyrgyzstan, Somalia, Sudan, Tunisia, Ukraine and Yemen. In this frequency band, stations in the amateur service shall not cause harmful interference to, or claim protection from, stations of the aeronautical radionavigation service.
- The use of the frequency band 472-479 kHz in Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, China, Comoros, Djibouti, Egypt, United Arab Emirates, the Russian Federation, Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Mauritania, Oman, Uzbekistan, Qatar, Syrian Arab Republic, Kyrgyzstan, Somalia, Sudan, Tunisia and Yemen is limited to the maritime mobile and aeronautical radionavigation services. The amateur service shall not be used in the abovementioned countries in this frequency band, and this should be taken into account by the countries authorizing such use.
- **5.83** (SUP WRC-07)
- 5.84 The conditions for the use of the frequency 518 kHz by the maritime mobile service are prescribed in Articles 31 and 52. (WRC-07)
- **5.85** Not used.
- 5.86 In Region 2, in the band 525-535 kHz the carrier power of broadcasting stations shall not exceed 1 kW during the day and 250 W at night.
- 5.87 Additional allocation: in Angola, Botswana, Lesotho, Malawi, Mozambique, Namibia, Niger, and Swaziland, the band 526.5-535 kHz is also allocated to the mobile service on a secondary basis. (WRC-12
- **5.87A**Additional allocation: in Uzbekistan, the band 526.5-1 606.5 kHz is also allocated to the radionavigation service on a primary basis. Such use is subject to agreement obtained under No. **9.21** with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-97)
- **5.88** Additional allocation: in China, the band 526.5-535 kHz is also allocated to the aeronautical radionavigation service on a secondary basis.

5.89 In Region 2, the use of the band 1 605-1 705 kHz by stations of the broadcasting service is subject to the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).

The examination of frequency assignments to stations of the fixed and mobile services in the band 1 625-1 705 kHz shall take account of the allotments appearing in the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).

- 5.90 In the band 1 605-1 705 kHz, in cases where a broadcasting station of Region 2 is concerned, the service area of the maritime mobile stations in Region 1 shall be limited to that provided by ground-wave propagation.
- 5.91 Additional allocation: in the Philippines and Sri Lanka, the band 1 606.5-1 705 kHz is also allocated to the broadcasting service on a secondary basis. (WRC-97)
- 5.92 Some countries of Region 1 use radiodetermination systems in the bands 1 606.5-1 625 kHz, 1 635-1 800 kHz, 1 850-2 160 kHz, 2 194-2 300 kHz, 2 502-2 850 kHz and 3 500-3 800 kHz, subject to agreement obtained under No. 9.21. The radiated mean power of these stations shall not exceed 50 W.
- 5.93 Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, , Mongolia, Nigeria, Uzbekistan, Poland, Kyrgyzstan, Slovakia, Tajikistan, Chad, Turkmenistan and Ukraine, the bands 1 625-1 635 kHz, 1 800-1 810 kHz and 2 160-2 170 kHz are also allocated to the fixed and land mobile services on a primary basis, subject to agreement obtained under No. 9.21. (WRC-12)

5.94 and **5.95** Not used.

- In Germany, Armenia, Austria, Azerbaijan, Belarus, Denmark, Estonia, the Russian Federation, Finland, Georgia, Hungary, Ireland, Iceland, Israel, Kazakhstan, Latvia, Liechtenstein, Lithuania, Malta, Moldova, Norway, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., the United Kingdom, Sweden, Switzerland, Tajikistan, Turkmenistan and Ukraine, administrations may allocate up to 200 kHz to their amateur service in the bands 1 715-1 800 kHz and 1 850-2 000 kHz. However, when allocating the bands within this range to their amateur service, administrations shall, after prior consultation with administrations of neighbouring countries, take such steps as may be necessary to prevent harmful interference from their amateur service to the fixed and mobile services of other countries. The mean power of any amateur station shall not exceed 10 W. (WRC-03)
- In Region 3, the Loran system operates either on 1 850 kHz or 1 950 kHz, the bands occupied being 1 825-1 875 kHz and 1 925-1 975 kHz respectively. Other services to which the band 1 800-2 000 kHz is allocated may use any frequency therein on condition that no harmful interference is caused to the Loran system operating on 1 850 kHz or 1 950 kHz.
- Alternative allocation: in Angola, Armenia, Azerbaijan, Belarus, Belgium, Cameroon, Congo (Rep. of the), Denmark, Egypt, Eritrea, Spain, Ethiopia, the Russian Federation, Georgia, Greece, Italy, Kazakhstan, Lebanon, Lithuania, , the Syrian Arab Republic, Kyrgyzstan, Somalia, Tajikistan, Tunisia, Turkmenistan, Turkey and Ukraine, the band 1 810-1 830 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- **5.99** *Additional allocation:* in Saudi Arabia, Austria, Iraq, Libya, Uzbekistan, Slovakia, Romania, Serbia, Slovenia, Chad, and Togo, the band 1 810-1 830 kHz is also al-

located to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)

- In Region 1, the authorization to use the band 1 810-1 830 kHz by the amateur service in countries situated totally or partially north of 40° N shall be given only after consultation with the countries mentioned in Nos. **5.98** and **5.99** to define the necessary steps to be taken to prevent harmful interference between amateur stations and stations of other services operating in accordance with Nos. **5.98** and **5.99**.
- **5.101** (Sup WRC-12)
- **5.102** Alternative allocation: in Bolivia, Chile, Mexico, Paraguay, Peru and Uruguay, the band 1 850-2 000 kHz is allocated to the fixed, mobile except aeronautical mobile, radiolocation and radionavigation services on a primary basis. (WRC-07)
- 5.103 In Region 1, in making assignments to stations in the fixed and mobile services in the bands 1 850-2 045 kHz, 2 194-2 498 kHz, 2 502-2 625 kHz and 2 650-2 850 kHz, administrations should bear in mind the special requirements of the maritime mobile service.
- In Region 1, the use of the band 2 025-2 045 kHz by the meteorological aids service is limited to oceanographic buoy stations.
- In Region 2, except in Greenland, coast stations and ship stations using radiote-lephony in the band 2 065-2 107 kHz shall be limited to class J3E emissions and to a peak envelope power not exceeding 1 kW. Preferably, the following carrier frequencies should be used: 2 065.0 kHz, 2 079.0 kHz, 2 082.5 kHz, 2 086.0 kHz, 2 093.0 kHz, 2 096.5 kHz, 2 100.0 kHz and 2 103.5 kHz. In Argentina and Uruguay, the carrier frequencies 2 068.5 kHz and 2 075.5 kHz are also used for this purpose, while the frequencies within the band 2 072-2 075.5 kHz are used as provided in No. **52.165**.
- In Regions 2 and 3, provided no harmful interference is caused to the maritime mobile service, the frequencies between 2 065 kHz and 2 107 kHz may be used by stations of the fixed service communicating only within national borders and whose mean power does not exceed 50 W. In notifying the frequencies, the attention of the Bureau should be drawn to these provisions.
- 5.107 Additional allocation: in Saudi Arabia, Eritrea, Ethiopia, Iraq, Libya, , Somalia and Swaziland, the band 2 160-2 170 kHz is also allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. The mean power of stations in these services shall not exceed 50 W. (WRC-12)
- 5.108 The carrier frequency 2 182 kHz is an international distress and calling frequency for radiotelephony. The conditions for the use of the band 2 173.5-2 190.5 kHz are prescribed in Articles 31 and 52. (WRC-07)
- 5.109 The frequencies 2 187.5 kHz, 4 207.5 kHz, 6 312 kHz, 8 414.5 kHz, 12 577 kHz and 16 804.5 kHz are international distress frequencies for digital selective calling. The conditions for the use of these frequencies are prescribed in Article 31.
- The frequencies 2 174.5 kHz, 4 177.5 kHz, 6 268 kHz, 8 376.5 kHz, 12 520 kHz and 16 695 kHz are international distress frequencies for narrow-band direct-printing telegraphy. The conditions for the use of these frequencies are prescribed in Article 31.

The carrier frequencies 2 182 kHz, 3 023 kHz, 5 680 kHz, 8 364 kHz and the frequencies 121.5 MHz, 156.525 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article 31.

The same applies to the frequencies 10 003 kHz, 14 993 kHz and 19 993 kHz, but in each of these cases emissions must be confined in a band of \pm 3 kHz about the frequency. (WRC-07)

- 5.112 Alternative allocation: in Denmark and Sri Lanka, the band 2 194-2 300 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- **5.113** For the conditions for the use of the bands 2 300-2 495 kHz (2 498 kHz in Region 1), 3 200-3 400 kHz, 4 750-4 995 kHz and 5 005-5 060 kHz by the broadcasting service, see Nos. **5.16** to **5.20**, **5.21** and **23.3** to **23.10**.
- 5.114 Alternative allocation: in Denmark and Iraq, the band 2 502-2 625 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- 5.115 The carrier (reference) frequencies 3 023 kHz and 5 680 kHz may also be used, in accordance with Article 31, by stations of the maritime mobile service engaged in coordinated search and rescue operations. (WRC-07)
- Administrations are urged to authorize the use of the band 3 155-3 195 kHz to provide a common worldwide channel for low power wireless hearing aids. Additional channels for these devices may be assigned by administrations in the bands between 3 155 kHz and 3 400 kHz to suit local needs.

It should be noted that frequencies in the range 3 000 kHz to 4 000 kHz are suitable for hearing aid devices which are designed to operate over short distances within the induction field.

- 5.117 Alternative allocation: in Côte d'Ivoire, Denmark, Egypt, Liberia, , , Sri Lanka and Togo, the band 3 155-3 200 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- 5.132A Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (Rev.WRC-12).
- **5.132B** Alternative allocation: in Armenia, Austria, Belarus, Moldova, Uzbekistan and Kyrgyzstan, the frequency band 4 438-4 488 kHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis
- **5.118** Additional allocation: in the United States, Mexico, Peru and Uruguay, the band 3 230-3 400 kHz is also allocated to the radiolocation service on a secondary basis. (WRC-03)
- **5.119** Additional allocation: in Honduras, Mexico and Peru, the band 3 500-3 750 kHz is also allocated to the fixed and mobile services on a primary basis. (WRC-07)
- **5.120** (SUP WRC-2000)

- **5.121** Not used.
- 5.122 Alternative allocation: in Bolivia, Chile, Ecuador, Paraguay, Peru and Uruguay, the band 3 750-4 000 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)
- 5.123 Additional allocation: in Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia and Zimbabwe, the band 3 900-3 950 kHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21.
- **5.124** (SUP WRC-2000)
- 5.125 Additional allocation: in Greenland, the band 3 950-4 000 kHz is also allocated to the broadcasting service on a primary basis. The power of the broadcasting stations operating in this band shall not exceed that necessary for a national service and shall in no case exceed 5 kW.
- In Region 3, the stations of those services to which the band 3 995-4 005 kHz is allocated may transmit standard frequency and time signals.
- The use of the band 4 000-4 063 kHz by the maritime mobile service is limited to ship stations using radiotelephony (see No. **52.220** and Appendix **17**).
- 5.128 Frequencies in the bands 4 063-4 123 kHz and 4 130-4 438 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W, on condition that harmful interference is not caused to the maritime mobile service. In addition, in Afghanistan, Argentina, Armenia, Azerbaijan, Belarus, Botswana, Burkina Faso, the Central African Rep., China, the Russian Federation, Georgia, India, Kazakhstan, Mali, Niger, Pakistan, Kyrgyzstan, Tajikistan, Chad, Turkmenistan and Ukraine, in the bands 4 063-4 123 kHz, 4 130-4 133 kHz and 4 408-4 438 kHz, stations in the fixed service, with a mean power not exceeding 1 kW, can be operated on condition that they are situated at least 600 km from the coast and that harmful interference is not caused to the maritime mobile service. (WRC-12)
- **5.133A**Alternative allocation: in Armenia, Austria, Belarus, Moldova, Uzbekistan and Kyrgyzstan, the frequency bands 5 250-5 275 kHz and 26 200-26 350 kHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.
- **5.129** (SUP WRC-07)
- 5.130 The conditions for the use of the carrier frequencies 4 125 kHz and 6 215 kHz are prescribed in Articles 31 and 52. (WRC-07)
- 5.131 The frequency 4 209.5 kHz is used exclusively for the transmission by coast stations of meteorological and navigational warnings and urgent information to ships by means of narrow-band direct-printing techniques. (WRC-97)
- 5.132 The frequencies 4 210 kHz, 6 314 kHz, 8 416.5 kHz, 12 579 kHz, 16 806.5 kHz, 19 680.5 kHz, 22 376 kHz and 26 100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendix 17).
- **5.133** *Different category of service:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Niger, Uzbekistan, Kyrgyzstan,

Tajikistan, Turkmenistan and Ukraine, the allocation of the band 5 130-5 250 kHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. **5.33**). (WRC-12)

The use of the bands 5 900-5 950 kHz, 7 300-7 350 kHz, 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz by the broadcasting service is subject to the application of the procedure of Article 12. Administrations are encouraged to use these bands to facilitate the introduction of digitally modulated emissions in accordance with the provisions of Resolution 517 (Rev.WRC-07). (WRC-07)

5.135 (SUP - WRC-97)

stations in the following services, communicating only within the boundary of the country in which they are located: fixed service (in all three Regions), land mobile service (in Region 1), mobile except aeronautical mobile (R) service (in Regions 2 and 3), on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

5.137 On condition that harmful interference is not caused to the maritime mobile service, the bands 6 200-6 213.5 kHz and 6 220.5-6 525 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W. At the time of notification of these frequencies, the attention of the Bureau will be drawn to the above conditions.

5.138 The following bands:

6 765-6 795 kHz (centre frequency 6 780 kHz),

433.05-434.79 MHz (centre frequency 433.92 MHz) in Region 1 except in the

countries mentioned in No. 5.280,

61-61.5 GHz (centre frequency 61.25 GHz), 122-123 GHz (centre frequency 122.5 GHz), and 244-246 GHz (centre frequency 245 GHz)

are designated for industrial, scientific and medical (ISM) applications. The use of these frequency bands for ISM applications shall be subject to special authorization by the administration concerned, in agreement with other administrations whose radiocommunication services might be affected. In applying this provision, administrations shall have due regard to the latest relevant ITU-R Recommendations.

- 5.138A Until 29 March 2009, the band 6 765-7 000 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. After this date, this band is allocated to the fixed and the mobile except aeronautical mobile (R) services on a primary basis. (WRC-03)
- Different category of service: until 29 March 2009, in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 6 765-7 000 kHz to the land mobile service is on a primary basis (see No. 5.33). (WRC-07)
- **5.140** *Additional allocation:* in Angola, Iraq, Kenya, Somalia and Togo, the band 7 000-7 050 kHz is also allocated to the fixed service on a primary basis. (WRC-12)

- **5.141** Alternative allocation: in Egypt, Eritrea, Ethiopia, Guinea, Libya, Madagascar and Niger, the band 7 000-7 050 kHz is allocated to the fixed service on a primary basis. (WRC-12)
- **5.141A**Additional allocation: in Uzbekistan and Kyrgyzstan, the bands 7 000-7 100 kHz and 7 100-7 200 kHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-03)
- Additional allocation: after 29 March 2009, in Algeria, Saudi Arabia, Australia, Bahrain, Botswana, Brunei Darussalam, China, Comoros, Korea (Rep. of), Diego Garcia, Djibouti, Egypt, United Arab Emirates, Eritrea, Indonesia, Iran (Islamic Republic of), Japan, Jordan, Kuwait, Libya, Morocco, Mauritania, Niger, New Zealand, Oman, Papua New Guinea, Qatar, the Syrian Arab Republic, Singapore, Sudan, South Sudan, Tunisia, Viet Nam and Yemen, the band 7 100-7 200 kHz is also allocated to the fixed and the mobile, except aeronautical mobile (R), services on a primary basis. (WRC-12)
- 5.141C In Regions 1 and 3, the band 7 100-7 200 kHz is allocated to the broadcasting service until 29 March 2009 on a primary basis. (WRC-03)
- Until 29 March 2009, the use of the band 7 100-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. After 29 March 2009 the use of the band 7 200-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. (WRC-03)
- 5.143 Additional allocation: frequencies in the band 7 300-7 350 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
- In Region 3, the band 7 350-7 450 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, frequencies in this band may be used by stations in the above-mentioned services, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-03)
- 5.143B In Region 1, the band 7 350-7 450 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, on condition that harmful interference is not caused to the broadcasting service, frequencies in the band 7 350-7 450 kHz may be used by stations in the fixed and land mobile services communicating only within the boundary of the country in which they are located, each station using a total radiated power that shall not exceed 24 dBW. (WRC-03)
- Additional allocation: after 29 March 2009 in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Iran (Islamic Republic of), Libya, Jordan, Kuwait, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, South Sudan, Tunisia and Yemen, the bands 7 350-7 400 kHz and 7 400-7 450 kHz are also allocated to the fixed service on a primary basis. (WRC-12)

- **5.145** A Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed service. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution **612** (**Rev.WRC-12**).
- **5.145B** Alternative allocation: in Armenia, Austria, Belarus, Moldova, Uzbekistan and Kyrgyzstan, the frequency bands 9 305-9 355 kHz and 16 100-16 200 kHz are allocated to the fixed service on a primary basis.
- **5.149A**Alternative allocation: in Armenia, Austria, Belarus, Moldova, Uzbekistan and Kyrgyzstan, the frequency band 13 450-13 550 kHz is allocated to the fixed service on a primary basis and to the mobile, except aeronautical mobile (R), service on a secondary basis.
- 5.158 Alternative allocation: in Armenia, Austria, Belarus, Moldova, Uzbekistan and Kyrgyzstan, the frequency band 24 450-24 600 kHz is allocated to the fixed and land mobile services on a primary basis.
- 5.159 Alternative allocation: in Armenia, Austria, Belarus, Moldova, Uzbekistan and Kyrgyzstan, the frequency band 39-39.5 MHz is allocated to the fixed and mobile services on a primary basis.
- Additional allocation: in Korea (Rep. of) and the United States, the frequency bands 41.015-41.665 MHz and 43.35-44 MHz are also allocated to the radiolocation service on a primary basis. Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (Rev.WRC-12).
- Alternative allocation: in Albania, Germany, Armenia, Austria, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Cyprus, Vatican, Croatia, Denmark, Spain, Estonia, Finland, France, Greece, Hungary, Ireland, Iceland, Italy, Latvia, The Former Yugoslav Rep. of Macedonia, Liechtenstein, Lithuania, Luxembourg, Malta, Moldova, Monaco, Montenegro, Norway, Uzbekistan, Netherlands, Poland, Portugal, Kyrgyzstan, Slovakia, Czech Rep., Romania, United Kingdom, San Marino, Slovenia, Sweden, Switzerland, Turkey and Ukraine, the frequency band 42-42.5 MHz is allocated to the fixed and mobile services on a primary basis.
- In Region 2, the band 7 350-7 400 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, frequencies in this band may be used by stations in the above-mentioned services, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-03)
- **5.143E** Until 29 March 2009, the band 7 450-8 100 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. (WRC-03)
- In Region 3, the stations of those services to which the band 7 995-8 005 kHz is allocated may transmit standard frequency and time signals.
- 5.145 The conditions for the use of the carrier frequencies 8 291 kHz, 12 290 kHz and 16 420 kHz are prescribed in Articles 31 and 52. (WRC-07)

- Additional allocation: frequencies in the bands 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz may be used by stations in the fixed service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies in the fixed service, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
- On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9 775-9 900 kHz, 11 650-11 700 kHz and 11 975-12 050 kHz may be used by stations in the fixed service communicating only within the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.
- **5.149** In making assignments to stations of other services to which the bands:
- **5.150** The following bands:

13 553-13 567 kHz (centre frequency 13 560 kHz), 26 957-27 283 kHz (centre frequency 27 120 kHz), 40.66-40.70 MHz (centre frequency 40.68 MHz),

902-928 MHz in Region 2 (centre frequency 915 MHz),

2 400-2 500 MHz (centre frequency 2 450 MHz), 5 725-5 875 MHz (centre frequency 5 800 MHz), and 24-24.25 GHz (centre frequency 24.125 GHz)

are also designated for industrial, scientific and medical (ISM) applications. Radiocommunication services operating within these bands must accept harmful interference which may be caused by these applications. ISM equipment operating in these bands is subject to the provisions of No. **15.13**.

- Additional allocation: frequencies in the bands 13 570-13 600 kHz and 13 800-13 870 kHz may be used by stations in the fixed service and in the mobile except aeronautical mobile (R) service, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies in these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
- Additional allocation: in Armenia, Azerbaijan, China, Côte d'Ivoire, the Russian Federation, Georgia, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 14 250-14 350 kHz is also allocated to the fixed service on a primary basis. Stations of the fixed service shall not use a radiated power exceeding 24 dBW. (WRC-03)
- 5.153 In Region 3, the stations of those services to which the band 15 995-16 005 kHz is allocated may transmit standard frequency and time signals.
- 5.154 Additional allocation: in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 18 068-18 168 kHz is also allocated to the fixed service on a primary basis for use within their boundaries, with a peak envelope power not exceeding 1 kW. (WRC-03)
- 5.155 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the band 21 850-21 870 kHz is also allocated to the aeronautical mobile (R) service on a primary basis. (WRC-07)

- 5.155A In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the use of the band 21 850-21 870 kHz by the fixed service is limited to provision of services related to aircraft flight safety. (WRC-07)
- **5.155B** The band 21 870-21 924 kHz is used by the fixed service for provision of services related to aircraft flight safety.
- **5.156** Additional allocation: in Nigeria, the band 22 720-23 200 kHz is also allocated to the meteorological aids service (radiosondes) on a primary basis.
- **5.156A** The use of the band 23 200-23 350 kHz by the fixed service is limited to provision of services related to aircraft flight safety.
- The use of the band 23 350-24 000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.
- **5.160** Additional allocation: in Botswana, Burundi, Dem. Rep. of the Congoand Rwanda, the band 41-44 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-12)
- **5.161** *Additional allocation:* in Iran (Islamic Republic of) and Japan, the band 41-44 MHz is also allocated to the radiolocation service on a secondary basis.
- **5.162** *Additional allocation:* in Australia , the band 44-47 MHz is also allocated to the broadcasting service on a primary basis.
- Additional allocation: in Germany, Austria, Belgium, Bosnia and Herzegovina, China, Vatican, Denmark, Spain, Estonia, the Russian Federation, Finland, France, Ireland, Iceland, Italy, Latvia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Lithuania, Luxembourg, Monaco, Montenegro, Norway, the Netherlands, Poland, Portugal, Slovakia, the Czech Rep., the United Kingdom, Serbia, Slovenia, Sweden and Switzerland the band 46-68 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (WRC-97). (WRC-07)
- 5.163 Additional allocation: in Armenia, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Moldova, Uzbekistan, Kyrgyzstan, , Tajikistan, Turkmenistan and Ukraine, the bands 47-48.5 MHz and 56.5-58 MHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-12)
- Additional allocation: in Albania, Algeria ,Germany, Austria, Belgium, Bosnia and Herzegovina, Botswana, Bulgaria, Côte d'Ivoire, Denmark, Spain, Estonia, Finland, France, Gabon, Greece, Ireland, Israel, Italy, Jordan, Lebanon, Libya, Liechtenstein, Luxembourg, Madagascar, Mali, Malta, Morocco, Mauritania, Monaco, Montenegro, Nigeria, Norway, the Netherlands, Poland, Syrian Arab Republic, Romania, the United Kingdom, Serbia, Slovenia, Sweden, Switzerland, Swaziland, Chad, Togo, Tunisia and Turkey, the band 47-68 MHz, in South Africa the band 47-50 MHz, in the Czech Rep. the band 66-68 MHz, and in Latvia and Lithuania the band 48.5-56.5 MHz, are also allocated to the land mobile service on a primary basis. However, stations of the land mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations of countries other than those mentioned in connection with the band. (WRC-12)

- **5.165**Additional allocation: in Angola, Cameroon, Congo (Rep. of the), Madagascar, Mozambique, Somalia, Sudan, South Sudan, Tanzania and Chad, the band 47-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC12)
- **5.166** Alternative allocation: in New Zealand, the band 50-51 MHz is allocated to the fixed, mobile and broadcasting services on a primary basis; the band 53-54 MHz is allocated to the fixed and mobile services on a primary basis.
- 5.167 Alternative allocation: in Bangladesh, Brunei Darussalam, India, Iran (Islamic Republic of), Pakistan, Singapore and Thailand, the band 50-54 MHz is allocated to the fixed, mobile and broadcasting services on a primary basis. (WRC-07)
- **5.167A** Additional allocation: in Indonesia, the band 50-54 MHz is also allocated to the fixed, mobile and broadcasting services on a primary basis. (WRC-07)
- **5.168** Additional allocation: in Australia, China and the Dem. People's Rep. of Korea, the band 50-54 MHz is also allocated to the broadcasting service on a primary basis.
- **5.169** Alternative allocation: in Botswana, Burundi, Lesotho, Malawi, Namibia, the Dem. Rep. of the Congo, Rwanda, South Africa, Swaziland, Zambia and Zimbabwe, the band 50-54 MHz is allocated to the amateur service on a primary basis.
- **5.170** Additional allocation: in New Zealand, the band 51-53 MHz is also allocated to the fixed and mobile services on a primary basis.
- 5.171 Additional allocation: in Botswana, , Lesotho, Malawi, Mali, Namibia, Dem. Rep. of the Congo, Rwanda, South Africa, Swaziland ,Zambia and Zimbabwe, the band 54-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.(WRC12)
- 5.172 Different category of service: in the French overseas departments and communities in Region 2, Guyana, Jamaica and Mexico, the allocation of the band 54-68 MHz to the fixed and mobile services is on a primary basis (see No. 5.33).
- 5.173 Different category of service: in the French overseas departments and communities in Region 2, Guyana, Jamaica and Mexico, the allocation of the band 68-72 MHz to the fixed and mobile services is on a primary basis (see No. 5.33).
- Alternative allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting service on a primary basis. In Latvia and Lithuania, the bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting and mobile, except aeronautical mobile, services on a primary basis. The services to which these bands are allocated in other countries and the broadcasting service in the countries listed above are subject to agreements with the neighbouring countries concerned. (WRC-07)
- 5.176 Additional allocation: in Australia, China, Korea (Rep. of), the Philippines, the Dem. People's Rep. of Korea and Samoa, the band 68-74 MHz is also allocated to the broadcasting service on a primary basis. (WRC-07)
- 5.177 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 73-74 MHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-07)

- **5.178** *Additional allocation:* in Colombia, , Cuba, El Salvador, Guatemala, Guyana, Honduras and Nicaragua, the band 73-74.6 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC12)
- Additional allocation: in Armenia, Azerbaijan, Belarus, China, the Russian Federation, Georgia, Kazakhstan, Lithuania, Mongolia, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the bands 74.6-74.8 MHz and 75.2-75.4 MHz are also allocated to the aeronautical radionavigation service, on a primary basis, for ground-based transmitters only. (WRC-07)
- 5.180 The frequency 75 MHz is assigned to marker beacons. Administrations shall refrain from assigning frequencies close to the limits of the guardband to stations of other services which, because of their power or geographical position, might cause harmful interference or otherwise place a constraint on marker beacons. Every effort should be made to improve further the characteristics of airborne receivers and to limit the power of transmitting stations close to the limits 74.8 MHz and 75.2 MHz.
- Additional allocation: in Egypt, Israel and the Syrian Arab Republic, the band 74.8-75.2 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. 9.21. (WRC-03)
- **5.182** *Additional allocation:* in Western Samoa, the band 75.4-87 MHz is also allocated to the broadcasting service on a primary basis.
- 5.183 Additional allocation: in China, Korea (Rep. of), Japan, the Philippines and the Dem. People's Rep. of Korea, the band 76-87 MHz is also allocated to the broadcasting service on a primary basis.
- **5.184** (SUP WRC-07)
- 5.185 Different category of service: in the United States, the French overseas departments and communities in Region 2, Guyana, Jamaica, Mexico and Paraguay, the allocation of the band 76-88 MHz to the fixed and mobile services is on a primary basis (see No. 5.33).
- **5.186** (SUP WRC-97)
- **5.187** Alternative allocation: in Albania, the band 81-87.5 MHz is allocated to the broadcasting service on a primary basis and used in accordance with the decisions contained in the Final Acts of the Special Regional Conference (Geneva, 1960).
- 5.188 Additional allocation: in Australia, the band 85-87 MHz is also allocated to the broadcasting service on a primary basis. The introduction of the broadcasting service in Australia is subject to special agreements between the administrations concerned.
- **5.189** Not used.
- 5.190 Additional allocation: in Monaco, the band 87.5-88 MHz is also allocated to the land mobile service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-975.191 Not used.

- **5.192** Additional allocation: in China and Korea (Rep. of), the band 100-108 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-97)
- **5.193** Not used.
- **5.194** Additional allocation: in Azerbaijan, Kyrgyzstan, Somalia and Turkmenistan, the band 104-108 MHz is also allocated to the mobile, except aeronautical mobile (R), service on a secondary basis. (WRC-07)

5.195 and **5.196** Not used.

- 5.197 Additional allocation: in the Syrian Arab Republic, the band 108-111.975 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedures invoked under No. 9.21. (WRC-12)
- 5.197A Additional allocation: the band 108-117.975 MHz is also allocated on a primary basis to the aeronautical mobile (R) service, limited to systems operating in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 413 (Rev.WRC-07). The use of the band 108-112 MHz by the aeronautical mobile (R) service shall be limited to systems composed of ground-based transmitters and associated receivers that provide navigational information in support of air navigation functions in accordance with recognized international aeronautical standards. (WRC-07)
- 5.200 In the band 117.975-137 MHz, the frequency 121.5 MHz is the aeronautical emergency frequency and, where required, the frequency 123.1 MHz is the aeronautical frequency auxiliary to 121.5 MHz. Mobile stations of the maritime mobile service may communicate on these frequencies under the conditions laid down in Article 31 for distress and safety purposes with stations of the aeronautical mobile service. (WRC-07)
- Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, Bulgaria, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Japan, Kazakhstan, Latvia, Moldova, Mongolia, Mozambique, Uzbekistan, Papua New Guinea, Poland, Kyrgyzstan, Slovakia, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the band 132-136 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-97)
- Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Belarus, Bulgaria, the United Arab Emirates, the Russian Federation, Georgia, Iran (Islamic Republic of), Jordan, Latvia, Moldova, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, , , Romania, Tajikistan, Turkmenistan and Ukraine, the band 136-137 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-12)
- **5.203** (SUP WRC-07)
- **5.203A** (SUP WRC-07)

5.203B (SUP - WRC-07)

Different category of service: in Afghanistan, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, China, Cuba, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Kuwait, Montenegro, Oman, Pakistan, the Philippines, Qatar, Serbia, Singapore, Thailand and Yemen, the band 137-138 MHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis (see No. 5.33). (WRC-07)

5.205 Different category of service: in Israel and Jordan, the allocation of the band 137-138 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33).

5.206 Different category of service: in Armenia, Azerbaijan, Belarus, Bulgaria, Egypt, the Russian Federation, Finland, France, Georgia, Greece, Kazakhstan, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Syrian Arab Republic, Slovakia, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 137-138 MHz to the aeronautical mobile (OR) service is on a primary basis (see No. 5.33). (WRC-2000)

5.207 Additional allocation: in Australia, the band 137-144 MHz is also allocated to the broadcasting service on a primary basis until that service can be accommodated within regional broadcasting allocations.

The use of the band 137-138 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-97)

5.208A In making assignments to space stations in the mobile-satellite service in the bands 137-138 MHz, 387-390 MHz and 400.15-401 MHz, administrations shall take all practicable steps to protect the radio astronomy service in the bands 150.05-153 MHz, 322-328.6 MHz, 406.1-410 MHz and 608-614 MHz from harmful interference from unwanted emissions. The threshold levels of interference detrimental to the radio astronomy service are shown in the relevant ITU-R Recommendation. (WRC-07)

5.208B 1* In the bands:

137-138 MHz, 387-390 MHz, 400.15-401 MHz, 1 452-1 492 MHz, 1 525-1 610 MHz, 1 613.8-1 626.5 MHz, 2 655-2 690 MHz, 21.4-22 GHz,

Resolution 739 (Rev.WRC-07) applies. (WRC-07)

5.209 The use of the bands 137-138 MHz, 148-150.05 MHz, 399.9-400.05 MHz, 400.15-401 MHz, 454-456 MHz and 459-460 MHz by the mobile-satellite service is limited to non-geostationary-satellite systems. (WRC-97)

5.210 Additional allocation: in Italy, the Czech Rep. and the United Kingdom, the bands 138-143.6 MHz and 143.65-144 MHz are also allocated to the space research service (space-to-Earth) on a secondary basis. (WRC-07)

^{1*}This provision was previously numbered as No. 5.347A. It was renumbered to preserve the sequential order.

- 5.211 Additional allocation: in Germany, Saudi Arabia, Austria, Bahrain, Belgium, Denmark, the United Arab Emirates, Spain, Finland, Greece, Ireland, Israel, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lebanon, Liechtenstein, Luxembourg, Mali, Malta, Montenegro, Norway, the Netherlands, Qatar, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sweden, Switzerland, Tanzania, Tunisia and Turkey, the band 138-144 MHz is also allocated to the maritime mobile and land mobile services on a primary basis. (WRC-12)
- Alternative allocation: in Angola, Botswana, , Cameroon, the Central African Rep., Congo (Rep. of the), Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Lesotho, Liberia, Libya, Malawi, Mozambique, Namibia, Niger, Oman, Uganda, Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sierra Leone, South Africa, Swaziland, Chad, Togo, Zambia and Zimbabwe, the band 138-144 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-12
- **5.213** Additional allocation: in China, the band 138-144 MHz is also allocated to the radiolocation service on a primary basis.
- 5.214 Additional allocation: in Eritrea, Ethiopia, Kenya, The Former Yugoslav Republic of Macedon, Montenegro, Serbia, Somalia, Sudan, South Sudan, and Tanzania, the band 138-144 MHz is also allocated to the fixed service on a primary basis. (WRC-12)
- 5.225A Additional allocation: in Algeria, Armenia, Azerbaijan, Belarus, China, the Russian Federation, France, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and Viet Nam, the frequency band 154-156 MHz is also allocated to the radiolocation service on a primary basis. The usage of the frequency band 154-156 MHz by the radiolocation service shall be limited to space-object detection systems operating from terrestrial locations. The operation of stations in the radiolocation service in the frequency band 154-156 MHz shall be subject to agreement obtained under No. 9.21. For the identification of potentially affected administrations in Region 1, the instantaneous field-strength value of 12 dB(μV/m) for 10% of the time produced at 10 m above ground level in the 25 kHz

reference frequency band at the border of the territory of any other administration shall be used. For the identification of potentially affected administrations in Region 3, the interference-to-noise ratio (I/N) value of $-6 \, \mathrm{dB} \, (\mathrm{N} = -161 \, \mathrm{dBW/4 \, kHz})$, or $-10 \, \mathrm{dB} \, \mathrm{for}$ applications with greater protection requirements, such as public protection and disaster relief (PPDR (N = $-161 \, \mathrm{dBW/4 \, kHz})$), for 1% of the time produced at 60 m above ground level at the border of the territory of any other administration shall be used. In the frequency bands 156.7625-156.8375 MHz, 156.5125-156.5375 MHz, 161.9625-161.9875 MHz, 162.0125-162.0375 MHz, out-of-band e.i.r.p. of space surveillance radars shall not exceed $-16 \, \mathrm{dBW}$. Frequency assignments to the radiolocation service under this allocation in Ukraine shall not be used without the agreement of Moldova.

5.228 The use of the frequency bands 156.7625-156.7875 MHz and 156.8125-156.8375 MHz by the mobile-satellite service (Earth-to-space) is limited to the reception of automatic identification system (AIS) emissions of long-range AIS broadcast messages (Message 27, see the most recent version of Recommendation ITU-R M.1371). With the exception of AIS emissions, emissions in these frequency bands by systems operating in the maritime mobile service for communications shall not exceed 1 W.

- **5.228A** The frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz may be used by aircraft stations for the purpose of search and rescue operations and other safety-related communications.
- 5.228B The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the fixed and land mobile services shall not cause harmful interference to, or claim protection from, the maritime mobile service.
- 5.228C The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the maritime mobile service and the mobile-satellite (Earth-to-space) service is limited to the automatic identification system (AIS). The use of these frequency bands by the aeronautical mobile (OR) service is limited to AIS emissions from search and rescue aircraft operations. The AIS operations in these frequency bands shall not constrain the development and use of the fixed and mobile services operating in the adjacent frequency bands.
- The frequency bands 161.9625-161.9875 MHz (AIS 1) and 162.0125-162.0375 MHz (AIS 2) may continue to be used by the fixed and mobile services on a primary basis until 1 January 2025, at which time this allocation shall no longer be valid. Administrations are encouraged to make all practicable efforts to discontinue the use of these bands by the fixed and mobile services prior to the transition date. During this transition period, the maritime mobile service in these frequency bands has priority over the fixed, land mobile and aeronautical mobile services.
- The use of the automatic identification system in the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the aeronautical mobile (OR) service is limited to aircraft stations for the purpose of search and rescue operations and other safety-related communications.
- The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the mobile-satellite service (Earth-to-space) is limited to the reception of automatic identification system emissions from stations operating in the maritime mobile service.
- **5.215** Not used.
- **5.216** Additional allocation: in China, the band 144-146 MHz is also allocated to the aeronautical mobile (OR) service on a secondary basis.
- **5.217** Alternative allocation: in Afghanistan, Bangladesh, Cuba, Guyana and India, the band 146-148 MHz is allocated to the fixed and mobile services on a primary basis.
- 5.218 Additional allocation: the band 148-149.9 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21. The bandwidth of any individual transmission shall not exceed \pm 25 kHz.
- The use of the band 148-149.9 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. The mobile-satellite service shall not constrain the development and use of the fixed, mobile and space operation services in the band 148-149.9 MHz.
- The use of the bands 149.9-150.05 MHz and 399.9-400.05 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. The mobile-satellite service shall not constrain the development and use of the radionavigation-satellite service in the bands 149.9-150.05 MHz and 399.9-400.05 MHz. (WRC-97)

- 5.221 Stations of the mobile-satellite service in the band 148-149.9 MHz shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations in the following countries: Albania, Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Benin, Bosnia and Herzegovina, Botswana, Brunei Darussalam, Bulgaria, Cameroon, China, Cyprus, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Croatia, Cuba, Denmark, Egypt, the United Arab Emirates, Eritrea, Spain, Estonia, Ethiopia, the Russian Federation, Finland, France, Gabon, Ghana, Greece, Guinea, Guinea Bissau, Hungary, India, Iran (Islamic Republic of), Ireland, Iceland, Israel, Italy, , Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lesotho, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, Malaysia, Mali, Malta, Mauritania, Moldova, Mongolia, Montenegro, Mozambique, Namibia, Norway, New Zealand, Oman, Uganda, Uzbekistan, Pakistan, Panama, Papua New Guinea, Paraguay, the Netherlands, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Kyrgyzstan, Dem. People's Rep. of Korea, Slovakia, Romania, the United Kingdom, Senegal, Serbia, Sierra Leone, Singapore, Slovenia, Sri Lanka, South Africa, Sweden, Switzerland, Swaziland, Tanzania, Chad, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Ukraine, Viet Nam, Yemen, Zambia and Zimbabwe. (WRC-12)
- Emissions of the radionavigation-satellite service in the bands 149.9-150.05 MHz and 399.9-400.05 MHz may also be used by receiving earth stations of the space research service.
- **5.223** Recognizing that the use of the band 149.9-150.05 MHz by the fixed and mobile services may cause harmful interference to the radionavigation-satellite service, administrations are urged not to authorize such use in application of No. **4.4**.
- **5.224** (SUP WRC-97)
- **5.224A** The use of the bands 149.9-150.05 MHz and 399.9-400.05 MHz by the mobile-satellite service (Earth-to-space) is limited to the land mobile-satellite service (Earth-to-space) until 1 January 2015. (WRC-97)
- **5.224B** The allocation of the bands 149.9-150.05 MHz and 399.9-400.05 MHz to the radionavigation-satellite service shall be effective until 1 January 2015. (WRC-97)
- **5.225** Additional allocation: in Australia and India, the band 150.05-153 MHz is also allocated to the radio astronomy service on a primary basis.
- The frequency 156.525 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service using digital selective calling (DSC). The conditions for the use of this frequency and the band 156.4875-156.5625 MHz are contained in Articles 31 and 52, and in Appendix 18.

 The frequency 156.8 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotalephone service. The conditions for the use of

for the maritime mobile VHF radiotelephone service. The conditions for the use of this frequency and the band 156.7625-156.8375 MHz are contained in Article 31 and Appendix 18.

In the bands 156-156.4875 MHz, 156.5625-156.7625 MHz, 156.8375-157.45 MHz, 160.6-160.975 MHz and 161.475-162.05 MHz, each administration shall give priority to the maritime mobile service on only such frequencies as are assigned to stations of the maritime mobile service by the administration (see Articles 31 and 52, and Appendix 18).

Any use of frequencies in these bands by stations of other services to which they are allocated should be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service.

However, the frequencies 156.8 MHz and 156.525 MHz and the frequency bands in which priority is given to the maritime mobile service may be used for radiocommunications on inland waterways subject to agreement between interested and affected administrations and taking into account current frequency usage and existing agreements. (WRC-07)

Additional allocation: the bands 156.4875-156.5125 MHz and 156.5375-156.5625 MHz are also allocated to the fixed and land mobile services on a primary basis. The use of these bands by the fixed and land mobile services shall not cause harmful interference to nor claim protection from the maritime mobile VHF radiocommunication service. (WRC-07)

- **5.227A** (Sup WRC-12)
- **5.228** Not used.
- Alternative allocation: in Morocco, the band 162-174 MHz is allocated to the broad-casting service on a primary basis. The use of this band shall be subject to agreement with administrations having services, operating or planned, in accordance with the Table which are likely to be affected. Stations in existence on 1 January 1981, with their technical characteristics as of that date, are not affected by such agreement.
- 5.230 Additional allocation: in China, the band 163-167 MHz is also allocated to the space operation service (space-to-Earth) on a primary basis, subject to agreement obtained under No. 9.21.
- 5.231 Additional allocation: in Afghanistan, and China, the band 167-174 MHz is also allocated to the broadcasting service on a primary basis. The introduction of the broadcasting service into this band shall be subject to agreement with the neighbouring countries in Region 3 whose services are likely to be affected. (WRC 12)
- 5.232 Additional allocation: in Japan, the band 170-174 MHz is also allocated to the broadcasting service on a primary basis.
- 5.233 Additional allocation: in China, the band 174-184 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis, subject to agreement obtained under No. 9.21. These services shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations.
- 5.234 Different category of service: in Mexico, the allocation of the band 174-216 MHz to the fixed and mobile services is on a primary basis (see No. 5.33).
- 5.235 Additional allocation: in Germany, Austria, Belgium, Denmark, Spain, Finland, France, Israel, Italy, Liechtenstein, Malta, Monaco, Norway, the Netherlands, the United Kingdom, Sweden and Switzerland, the band 174-223 MHz is also allocated to the land mobile service on a primary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, broadcasting stations, existing or planned, in countries other than those listed in this footnote.
- 5.237 Additional allocation: in Congo (Rep. of the), Egypt, Eritrea, Ethiopia, Gambia, Guinea, the Libya, Mali, Sierra Leone, Somalia and Chad, the band 174-223 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-12

- **5.238** Additional allocation: in Bangladesh, India, Pakistan and the Philippines, the band 200-216 MHz is also allocated to the aeronautical radionavigation service on a primary basis.
- **5.239** Not used.
- **5.240** Additional allocation: in China and India, the band 216-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.
- 5.241 In Region 2, no new stations in the radiolocation service may be authorized in the band 216-225 MHz. Stations authorized prior to 1 January 1990 may continue to operate on a secondary basis.
- 5.242 Additional allocation: in Canada, the band 216-220 MHz is also allocated to the land mobile service on a primary basis.
- 5.243 Additional allocation: in Somalia, the band 216-225 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to not causing harmful interference to existing or planned broadcasting services in other countries.
- **5.244** (SUP WRC-97)
- **5.245** Additional allocation: in Japan, the band 222-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.
- 5.246 Alternative allocation: in Spain, France, Israel and Monaco, the band 223-230 MHz is allocated to the broadcasting and land mobile services on a primary basis (see No. 5.33) on the basis that, in the preparation of frequency plans, the broadcasting service shall have prior choice of frequencies; and allocated to the fixed and mobile, except land mobile, services on a secondary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations in Morocco and Algeria.
- 5.247 Additional allocation: in Saudi Arabia, Bahrain, the United Arab Emirates, Jordan, Oman, Qatar and Syrian Arab Republic, the band 223-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis.
- **5.248** and **5.249** Not used.
- **5.250** Additional allocation: in China, the band 225-235 MHz is also allocated to the radio astronomy service on a secondary basis.
- **5.251** Additional allocation: in Nigeria, the band 230-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to agreement obtained under No. **9.21**.
- 5.252 Alternative allocation: in Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia and Zimbabwe, the bands 230-238 MHz and 246-254 MHz are allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21.
- **5.253** Not used.

- The bands 235-322 MHz and 335.4-399.9 MHz may be used by the mobile-satellite service, subject to agreement obtained under No. 9.21, on condition that stations in this service do not cause harmful interference to those of other services operating or planned to be operated in accordance with the Table of Frequency Allocations except for the additional allocation made in footnote No. 5.256A. (WRC-03)
- 5.255 The bands 312-315 MHz (Earth-to-space) and 387-390 MHz (space-to-Earth) in the mobile-satellite service may also be used by non-geostationary-satellite systems. Such use is subject to coordination under No. 9.11A.
- The frequency 243 MHz is the frequency in this band for use by survival craft stations and equipment used for survival purposes. (WRC-07)
- Additional allocation: in China, the Russian Federation, Kazakhstan and Ukraine, the band 258-261 MHz is also allocated to the space research service (Earth-to-space) and space operation service (Earth-to-space) on a primary basis. Stations in the space research service (Earth-to-space) and space operation service (Earth-to-space) shall not cause harmful interference to, nor claim protection from, nor constrain the use and development of the mobile service systems and mobile-satellite service systems operating in the band. Stations in space research service (Earth-to-space) and space operation service (Earth-to-space) shall not constrain the future development of fixed service systems of other countries. (WRC-03)
- The band 267-272 MHz may be used by administrations for space telemetry in their countries on a primary basis, subject to agreement obtained under No. **9.21**.
- 5.258 The use of the band 328.6-335.4 MHz by the aeronautical radionavigation service is limited to Instrument Landing Systems (glide path).
- 5.259 Additional allocation: in Egypt, and the Syrian Arab Republic, the band 328.6-335.4 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. 9.21. (WRC-12
- Recognizing that the use of the band 399.9-400.05 MHz by the fixed and mobile services may cause harmful interference to the radionavigation satellite service, administrations are urged not to authorize such use in application of No. 4.4.
- Emissions shall be confined in a band of \pm 25 kHz about the standard frequency 400.1 MHz.
- Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Botswana, Colombia, , Cuba, Egypt, the United Arab Emirates, Ecuador, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Liberia, Malaysia, Moldova, Uzbekistan, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Kyrgyzstan, Romania, Singapore, Somalia, Tajikistan, Chad, Turkmenistan and Ukraine, the band 400.05-401 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)
- 5.263 The band 400.15-401 MHz is also allocated to the space research service in the space-to-space direction for communications with manned space vehicles. In this application, the space research service will not be regarded as a safety service.

- The use of the band 400.15-401 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. The power flux-density limit indicated in Annex 1 of Appendix 5 shall apply until such time as a competent world radiocommunication conference revises it.
- **5.265** Not used.
- The use of the band 406-406.1 MHz by the mobile-satellite service is limited to low power satellite emergency position-indicating radiobeacons (see also Article 31). (WRC-07)
- Any emission capable of causing harmful interference to the authorized uses of the band 406-406.1 MHz is prohibited.
- Use of the band 410-420 MHz by the space research service is limited to communications within 5 km of an orbiting, manned space vehicle. The power flux-density at the surface of the Earth produced by emissions from extra-vehicular activities shall not exceed -153 dB(W/m²) for $0^{\circ} \le \delta \le 5^{\circ}$, -153 + 0.077 (d -5) dB(W/m²) for $5^{\circ} \le \delta \le 70^{\circ}$ and -148 dB(W/m²) for $70^{\circ} \le \delta \le 90^{\circ}$, where δ is the angle of arrival of the radio-frequency wave and the reference bandwidth is 4 kHz. No. **4.10** does not apply to extra-vehicular activities. In this frequency band the space research (space-to-space) service shall not claim protection from, nor constrain the use and development of, stations of the fixed and mobile services. (WRC-97)
- 5.269 Different category of service: in Australia, the United States, India, Japan and the United Kingdom, the allocation of the bands 420-430 MHz and 440-450 MHz to the radiolocation service is on a primary basis (see No. 5.33).
- 5.270 Additional allocation: in Australia, the United States, Jamaica and the Philippines, the bands 420-430 MHz and 440-450 MHz are also allocated to the amateur service on a secondary basis.
- **5.271** Additional allocation: in Belarus, China, India, Kyrgyzstan and Turkmenistan, the band 420-460 MHz is also allocated to the aeronautical radionavigation service (radio altimeters) on a secondary basis. (WRC-07)(Sup WRC12)
- **5.272** (Sup WRC-12)
- **5.273** (Sup WRC-12)
- 5.274 Alternative allocation: in Denmark, Norway, , Sweden, and Chad the bands 430-432 MHz and 438-440 MHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC12)
- 5.275 Additional allocation: in Croatia, Estonia, Finland, Libyan Arab Jamahiriya, The Former Yugoslav Republic of Macedonia, Montenegro, Serbia and Slovenia, the bands 430-432 MHz and 438-440 MHz are also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)
- Additional allocation: in Afghanistan, Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burkina Faso, , Djibouti, Egypt, the United Arab Emirates, Ecuador, Eritrea, Ethiopia, Greece, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Italy, , Jordan, Kenya, Kuwait, , Malaysia, ,Niger, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Switzerland, Tanzania, Thailand, Togo, Turkey and

Yemen, the band 430-440 MHz is also allocated to the fixed service on a primary basis and the bands 430-435 MHz and 438-440 MHz are also allocated to the mobile, except aeronautical mobile, service on a primary basis. (WRC-12)

- 5.277 Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, Cameroon, Congo (Rep. of the), Djibouti, the Russian Federation, Georgia, Hungary, Israel, Kazakhstan, Mali, , Mongolia, Uzbekistan, Poland, Kyrgyzstan, Slovakia, Romania, Rwanda, Tajikistan, Chad, Turkmenistan and Ukraine, the band 430-440 MHz is also allocated to the fixed service on a primary basis. (WRC-12)
- 5.312A In Region 1, the use of the band 694-790 MHz by the mobile, except aeronautical mobile, service is subject to the provisions of Resolution 232 (WRC-12). See also Resolution 224 (Rev.WRC-12).
- 5.278 Different category of service: in Argentina, Colombia, Costa Rica, Cuba, Guyana, Honduras, Panama and Venezuela, the allocation of the band 430-440 MHz to the amateur service is on a primary basis (see No. 5.33).
- **5.279** Additional allocation: in Mexico, the bands 430-435 MHz and 438-440 MHz are also allocated on a primary basis to the land mobile service, subject to agreement obtained under No. **9.21**.
- 5.279A The use of this band by sensors in the Earth exploration-satellite service (active) shall be in accordance with Recommendation ITU-R RS.1260-1. Additionally, the Earth exploration-satellite service (active) in the band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation service in China. The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. 5.29 and 5.30. (WRC-03)
- 5.280 In Germany, Austria, Bosnia and Herzegovina, Croatia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Montenegro, Portugal, Serbia, Slovenia and Switzerland, the band 433.05-434.79 MHz (centre frequency 433.92 MHz) is designated for industrial, scientific and medical (ISM) applications. Radiocommunication services of these countries operating within this band must accept harmful interference which may be caused by these applications. ISM equipment operating in this band is subject to the provisions of No. 15.13. (WRC-07)
- **5.281** Additional allocation: in the French overseas departments and communities in Region 2 and India, the band 433.75-434.25 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis. In France and in Brazil, the band is allocated to the same service on a secondary basis.
- 5.282 In the bands 435-438 MHz, 1 260-1 270 MHz, 2 400-2 450 MHz, 3 400-3 410 MHz (in Regions 2 and 3 only) and 5 650-5 670 MHz, the amateur-satellite service may operate subject to not causing harmful interference to other services operating in accordance with the Table (see No. 5.43). Administrations authorizing such use shall ensure that any harmful interference caused by emissions from a station in the amateur-satellite service is immediately eliminated in accordance with the provisions of No. 25.11. The use of the bands 1 260-1 270 MHz and 5 650-5 670 MHz by the amateur-satellite service is limited to the Earth-to-space direction.
- **5.283** Additional allocation: in Austria, the band 438-440 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

- **5.284** *Additional allocation:* in Canada, the band 440-450 MHz is also allocated to the amateur service on a secondary basis.
- 5.285 Different category of service: in Canada, the allocation of the band 440-450 MHz to the radiolocation service is on a primary basis (see No. 5.33).
- 5.286 The band 449.75-450.25 MHz may be used for the space operation service (Earthto-space) and the space research service (Earth-to-space), subject to agreement obtained under No. 9.21.
- **5.286A** The use of the bands 454-456 MHz and 459-460 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-97)
- The band 450-470 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). See Resolution 224 (Rev. WRC-07). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-07)
- 5.286B The use of the band 454-455 MHz in the countries listed in No. **5.286D**, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. **5.286E**, by stations in the mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)
- The use of the band 454-455 MHz in the countries listed in No. **5.286D**, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. **5.286E**, by stations in the mobile-satellite service, shall not constrain the development and use of the fixed and mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)
- **5.286D** Additional allocation: in Canada, the United States and Panama, the band 454-455 MHz is also allocated to the mobile-satellite service (Earth-to-space) on a primary basis. (WRC-07)
- **5.286E** Additional allocation: in Cape Verde, Nepal and Nigeria, the bands 454-456 MHz and 459-460 MHz are also allocated to the mobile-satellite (Earth-to-space) service on a primary basis. (WRC-07)
- In the maritime mobile service, the frequencies 457.525 MHz, 457.550 MHz, 457.575 MHz, 467.525 MHz, 467.525 MHz, 467.550 MHz and 467.575 MHz may be used by on-board communication stations. Where needed, equipment designed for 12.5 kHz channel spacing using also the additional frequencies 457.5375 MHz, 457.5625 MHz, 467.5375 MHz and 467.5625 MHz may be introduced for on-board communications. The use of these frequencies in territorial waters may be subject to the national regulations of the administration concerned. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174-2. (WRC-07)
- In the territorial waters of the United States and the Philippines, the preferred frequencies for use by on-board communication stations shall be 457.525 MHz, 457.550 MHz, 457.575 MHz and 457.600 MHz paired, respectively, with 467.750 MHz, 467.775 MHz, 467.800 MHz and 467.825 MHz. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174-2. (WRC-03)

- Earth exploration-satellite service applications, other than the meteorological-satellite service, may also be used in the bands 460-470 MHz and 1 690-1 710 MHz for space-to-Earth transmissions subject to not causing harmful interference to stations operating in accordance with the Table.
- 5.290 Different category of service: in Afghanistan, Azerbaijan, Belarus, China, the Russian Federation, Japan, Kyrgyzstan, Tajikistan and, Turkmenistan the allocation of the band 460-470 MHz to the meteorological-satellite service (space-to-Earth) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. (WRC-12
- 5.291 Additional allocation: in China, the band 470-485 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis subject to agreement obtained under No. 9.21 and subject to not causing harmful interference to existing and planned broadcasting stations.
- 5.291A Additional allocation: in Germany, Austria, Denmark, Estonia, Finland, Liechtenstein, Norway, Netherlands, the Czech Rep. and Switzerland, the band 470-494 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (WRC-97). (WRC-97)
- 5.292 Different category of service: in Mexico, the allocation of the band 470-512 MHz to the fixed and mobile services, and in Argentina, Uruguay and Venezuela to the mobile service, is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. (WRC-07)
- 5.293 Different category of service: in Canada, Chile, , Cuba, the United States, Guyana, Honduras, Jamaica, Mexico, Panama and Peru, the allocation of the bands 470-512 MHz and 614-806 MHz to the fixed service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. In Canada, Chile, , Cuba, the United States, Guyana, Honduras, Jamaica, Mexico, Panama and Peru, the allocation of the bands 470-512 MHz and 614-698 MHz to the mobile service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. In Argentina and Ecuador, the allocation of the band 470-512 MHz to the fixed and mobile services is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. (WRC-12)
- 5.294 Additional allocation: in Saudi Arabia, , Cameroon, Côte d'Ivoire, Egypt, Ethiopia, Israel, Kenya, Libya, , the Syrian Arab Republic, South Sudan, Chad and Yemen, the band 470-582 MHz is also allocated to the fixed service on a secondary basis. (WRC-12)
- **5.295** Not used.
- Additional allocation: in Albania, Germany, Saudi Arabia, Austria, Bahrain, Belgium, Benin, Bosnia and Herzegovina, Burkina Faso, Cameroon, Congo (Rep. of the), Côte d'Ivoire, Croatia ,Denmark, Egypt, Spain, Finland, France, Gabon ,Ghana, Ireland Iceland Israel, Italy, , Jordan, Kuwait, Latvia The Former Yugoslav Republic of Macedonia, Libya, Liechtenstein, Luxembourg Lithuania, Mali, Malta, Morocco, Moldova, Monaco, Norway, Oman, the Netherlands, Portugal, the Syrian Arab Republic, the United Kingdom, Sweden, Switzerland, Swaziland, Chad, Togo and Tunisia, and Turkey, in Angola, Botswana, Lesotho, Malawi, Mauritius, Mozambique, Namibia, Nigeria, South Africa, Tanzania, Zambia and Zimbabwe, the band 470-698 MHz are also allocated on a secondary basis to the land mobile service, intended for applications ancillary to broadcasting. Stations of the land

mobile service in the countries listed in this footnote shall not cause harmful interference to existing or planned stations operating in accordance with the Table in countries other than those listed in this footnote. (WRC-12)

- 5.297 Additional allocation: in Canada, Costa Rica, Cuba, El Salvador, the United States, Guatemala, Guyana, Honduras, Jamaica and Mexico, the band 512-608 MHz is also allocated to the fixed and mobile services on a primary basis, subject to agreement obtained under No. 9.21. (WRC-07)
- **5.298** *Additional allocation:* in India, the band 549.75-550.25 MHz is also allocated to the space operation service (space-to-Earth) on a secondary basis.
- **5.299** Not used.
- 5.300 Additional allocation: in Saudi Arabia, Cameroon, Egypt, United Arab Emirates, Israel, , Jordan, Libya, Oman, Qatar, the Syrian Arab Republic Sudan, and South Sudan the band 582-790 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-12)
- **5.301** Not used.
- **5.302** (Sup WRC12)
- **5.303** Not used.
- **5.304** Additional allocation: in the African Broadcasting Area (see Nos. **5.10** to **5.13**), the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.
- **5.305** Additional allocation: in China, the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.
- **5.306** Additional allocation: in Region 1, except in the African Broadcasting Area (see Nos. **5.10** to **5.13**), and in Region 3, the band 608-614 MHz is also allocated to the radio astronomy service on a secondary basis.
- **5.307** *Additional allocation:* in India, the band 608-614 MHz is also allocated to the radio astronomy service on a primary basis.
- **5.308** Not used.
- 5.309 Different category of service: in Costa Rica, El Salvador and Honduras, the allocation of the band 614-806 MHz to the fixed service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21.
- **5.310** (SUP WRC-97)
- **5.311** (SUP WRC-07)
- **5.311A** For the frequency band 620-790 MHz, see also Resolution **549** (WRC-07). (WRC-07)
- 5.312 Additional allocation: in Armenia, Azerbaijan, Belarus, , the Russian Federation,
 Georgia, Hungary, Kazakhstan, , Mongolia, Uzbekistan, , Kyrgyzstan, , Tajikistan,
 Turkmenistan and Ukraine, the band 645-862 MHz in Bulgaria the bands 646-686

MHz, 726-758 MHz, 766-814 MHz and 822-862 MHz, in Romania the band 830-862 MHz, and in Poland, the band 830-860 MHz until 31 December 2012 and the band 860-862 MHz until 31 December 2017, are also allocated to the aeronautical radionavigation service on a primary basis. (WRC-12)

5.313 (SUP - WRC-97)

5.313A The band, or portions of the band 698-790 MHz, in Bangladesh, China, Korea (Rep. of), India, Japan, New Zealand, Pakistan, Papua New Guinea, Philippines and Singapore are identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. In China, the use of IMT in this band will not start until 2015. (WRC-12)

5.313B Different category of service: in Brazil, the allocation of the band 698-806 MHz to the mobile service is on a secondary basis (see No. **5.32**). (WRC-07)

5.314 Additional allocation: in Austria, Italy, Moldova, Uzbekistan, Kyrgyzstan, and the United Kingdom, the band 790-862 MHz is also allocated to the land mobile service on a secondary basis. (WRC-12)

5.315 Alternative allocation: in Greece, the band 790-838 MHz is allocated to the broadcasting service on a primary basis. (WRC-12)

Faso, Cameroon, Côte d'Ivoire, Croatia, Denmark, Egypt, Finland, Greece, Israel, the Libyan Arab Jamahiriya, Jordan, Kenya, The Former Yugoslav Republic of Macedonia, Liechtenstein, Mali, Monaco, Montenegro, Norway, the Netherlands, Portugal, the United Kingdom, the Syrian Arab Republic, Serbia, Sweden and Switzerland, the band 790-830 MHz, and in these same countries and in Spain, France, Gabon and Malta, the band 830-862 MHz, are also allocated to the mobile, except aeronautical mobile, service on a primary basis. However, stations of the mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause harmful interference to, or claim protection from, stations of services operating in accordance with the Table in countries other than those mentioned in connection with the band. This allocation is effective until 16 June 2015. (WRC-07)

5.316A

Additional allocation: in Spain, France, Gabon and Malta, the band 790-830 MHz, in Angola, Albania, Bahrain, Benin, Botswana, Burundi, Congo (Rep. of the), Eygpt, United Arab of Emirates , Estonia, Gambia, Ghana, Guinea, Guinea Bissau, Hungary, Iraq, Kuwait, Lesotho, Latvia, Lebanon, Lithuania , Luxembourg , Malawi, Morocco, Mauritania, Mozambique, Namibia, Niger, Oman, Uganda, Poland, Qatar, Slovakia, Czech Rep, Romania , Rwanda, Senegal, Sudan, South Sudan, South Africa, Swaziland, Tanzania, Chad, Togo, Yemen, Zambia and Zimbabwe, and French overseas departments and communities of Region 1, the band 790-862 MHz, in Georgia, the band 806-862 MHz, and are also allocated to the mobile, except aeronautical mobile, service on a primary basis subject to the agreement by the administrations concerned obtained under No. 9.21 and under the GE06 Agreement, as appropriate, including those administrations mentioned in No. 5.312 where appropriate. See resolution 224 REV (WRC12) and 749 (REV WRC 12) This allocation is effective until 16 June 2015. (WRC 12)

5.316B In Region 1, the allocation to the mobile, except aeronautical mobile, service on a primary basis in the frequency band 790-862 MHz shall come into effect from 17

June 2015 and shall be subject to agreement obtained under No. **9.21** with respect to the aeronautical radionavigation service in countries mentioned in No. **5.312**. For countries party to the GE06 Agreement, the use of stations of the mobile service is also subject to the successful application of the procedures of that Agreement. Resolutions **224** (**Rev.WRC-12**) and **749** (**WRC-12**) shall apply. (WRC-12)

- **5.317**Additional allocation: in Region 2 (except Brazil and the United States), the band 806-890 MHz is also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. **9.21**. The use of this service is intended for operation within national boundaries.
- Those parts of the band 698-960 MHz in Region 2 and the band 790-960 MHz in Regions 1 and 3 which are allocated to the mobile service on a primary basis are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). See Resolutions 224 (Rev.WRC-12) and 749 (WRC-12). This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-12)
- 5.318 Additional allocation: in Canada, the United States and Mexico, the bands 849-851 MHz and 894-896 MHz are also allocated to the aeronautical mobile service on a primary basis, for public correspondence with aircraft. The use of the band 849-851 MHz is limited to transmissions from aeronautical stations and the use of the band 894-896 MHz is limited to transmissions from aircraft stations.
- Additional allocation: in Belarus, the Russian Federation and Ukraine, the bands 806-840 MHz (Earth-to-space) and 856-890 MHz (space-to-Earth) are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service. The use of these bands by this service shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations and is subject to special agreements between the administrations concerned.
- Additional allocation: in Region 3, the bands 806-890 MHz and 942-960 MHz are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service on a primary basis, subject to agreement obtained under No. 9.21. The use of this service is limited to operation within national boundaries. In seeking such agreement, appropriate protection shall be afforded to services operating in accordance with the Table, to ensure that no harmful interference is caused to such services.
- **5.321** (SUP WRC-07)
- In Region 1, in the band 862-960 MHz, stations of the broadcasting service shall be operated only in the African Broadcasting Area (see Nos. **5.10** to **5.13**) excluding Algeria, Burundi, Egypt, Spain, Lesotho, Libya, Morocco, Malawi, Namibia, Nigeria, South Africa, Tanzania, Zimbabwe and Zambia, subject to agreement obtained under No. **9.21**. (WRC-12)
- Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Hungary,Uzbekistan Kyrgyzstan, ,Tajikistan, Turkmenistan and Ukraine, the band 862-960 MHz in Bulgaria the bands 862-890.2 MHz and 900-935.2 MHz, in Poland the band 862-876 MHz until 31 December 2017, and in Romania the bands 862-880 MHz and 915-925 MHz,, are also allocated to the aeronautical radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-12)

- **5.324** Not used.
- 5.325 Different category of service: in the United States, the allocation of the band 890-942 MHz to the radiolocation service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21.
- **5.325A** Different category of service: in Cuba, the allocation of the band 902-915 MHz to the land mobile service is on a primary basis. (WRC-2000)
- **5.326** Different category of service: in Chile, the band 903-905 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. **9.21**.
- 5.327 Different category of service: in Australia, the allocation of the band 915-928 MHz to the radiolocation service is on a primary basis (see No. 5.33).
- The use of the band 960-1 164 MHz by the aeronautical mobile (R) service is limited to systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 417 (WRC-12). (WRC-12)
- 5.328 The use of the band 960-1 215 MHz by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic aids to air navigation and any directly associated ground-based facilities. (WRC-2000)
- 5.328A Stations in the radionavigation-satellite service in the band 1 164-1 215 MHz shall operate in accordance with the provisions of Resolution 609 (Rev.WRC-07) and shall not claim protection from stations in the aeronautical radionavigation service in the band 960-1 215 MHz. No. 5.43A does not apply. The provisions of No. 21.18 shall apply. (WRC-07)
- 5.328B The use of the bands 1 164-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. 9.12, 9.12A and 9.13. Resolution 610 (WRC-03) shall also apply; however, in the case of radionavigation-satellite service (space-to-space) networks and systems, Resolution 610 (WRC-03) shall only apply to transmitting space stations. In accordance with No. 5.329A, for systems and networks in the radionavigation-satellite service (space-to-space) in the bands 1 215-1 300 MHz and 1 559-1 610 MHz, the provisions of Nos. 9.7, 9.12, 9.12A and 9.13 shall only apply with respect to other systems and networks in the radionavigation-satellite service (space-to-space). (WRC-07)
- Use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under No. **5.331**. Furthermore, the use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. No. **5.43** shall not apply in respect of the radiolocation service. Resolution **608** (WRC-03) shall apply. (WRC-03)
- **5.329A** Use of systems in the radionavigation-satellite service (space-to-space) operating in the bands 1 215-1 300 MHz and 1 559-1 610 MHz is not intended to provide safety service applications, and shall not impose any additional constraints on radionav-

igation-satellite service (space-to-Earth) systems or on other services operating in accordance with the Table of Frequency Allocations. (WRC-07)

5.330 A

Additional allocation: in Angola, Saudi Arabia, Bahrain, Bangladesh, Cameroon, China, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, , Nepal, Oman , Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the band 1 215-1 300 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)

5.331

Additional allocation: in Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Belarus, Belgium, Benin, Bosnia and Herzegovina, Brazil, Burkina Faso, Burundi, Cameroon, China, Korea (Rep. of), Croatia, Denmark, Egypt, the United Arab Emirates, Estonia, the Russian Federation, Finland, France, Ghana, Greece, Guinea, Equatorial Guinea, Hungary, India, Indonesia, Iran (Islamic Republic of), Iraq, Ireland, Israel, Jordan, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Madagascar, Mali, Mauritania, Montenegro, Nigeria, Norway, Oman, Pakistan, the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sudan, South Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Thailand, Togo, Turkey, Venezuela and Viet Nam, the band 1 215-1 300 MHz is also allocated to the radionavigation service on a primary basis. In Canada and the United States, the band 1 240-1 300 MHz is also allocated to the radionavigation service shall be limited to the aeronautical radionavigation service. (WRC-12)

5.332

In the band 1 215-1 260 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service, the radionavigation-satellite service and other services allocated on a primary basis. (WRC-2000)

5.333 (SUP - WRC-97)

5.334

Additional allocation: in Canada and the United States, the band 1 350-1_370 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)

5.335

In Canada and the United States in the band 1 240-1 300 MHz, active spaceborne sensors in the earth exploration-satellite and space research services shall not cause interference to, claim protection from, or otherwise impose constraints on operation or development of the aeronautical radionavigation service. (WRC-97)

5.335A

In the band 1 260-1 300 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service and other services allocated by footnotes on a primary basis. (WRC-2000)

5.336 Not used.

5.337

The use of the bands 1 300-1 350 MHz, 2 700-2 900 MHz and 9 000-9 200 MHz by the aeronautical radionavigation service is restricted to ground-based radars and to associated airborne transponders which transmit only on frequencies in these bands and only when actuated by radars operating in the same band.

5.337A The use of the band 1 300-1 350 MHz by earth stations in the radionavigation-satellite service and by stations in the radiolocation service shall not cause harmful interference to, nor constrain the operation and development of, the aeronautical-radionavigation service. (WRC-2000)

5.338 In Kyrgyzstan, Slovakia, . and Turkmenistan, existing installations of the radionavigation service may continue to operate in the band 1 350-1 400 MHz. (WRC-12)

5.338A In the bands 1 350-1 400 MHz, 1 427-1 452 MHz, 22.55-23.55 GHz, 30-31.3 GHz, 49.7-50.2 GHz, 50.4-50.9 GHz and 51.4-52.6 GHz, Resolution **750** (**WRC-12**) applies. (WRC-12)

5.339 The bands 1 370-1 400 MHz, 2 640-2 655 MHz, 4 950-4 990 MHz and 15.20-15.35 GHz are also allocated to the space research (passive) and Earth exploration-satellite (passive) services on a secondary basis.

5.339A (SUP - WRC-07)

5.340 All emissions are prohibited in the following bands:

1 400-1 427 MHz, 2 690-2 700 MHz, except those provided for by No. **5.422**, 10.68-10.7 GHz, except those provided for by No. **5.483**, 15.35-15.4 GHz, except those provided for by No. **5.511**,

23.6-24 GHz, 31.3-31.5 GHz,

31.5-31.8 GHz, in Region 2,

48.94-49.04 GHz, from airborne stations

50.2-50.4 GHz², 52.6-54.25 GHz, 86-92 GHz,

100-102 GHz, 109.5-111.8 GHz,

114.25-116 GHz, 148.5-151.5 GHz, 164-167 GHz, 182-185 GHz, 190-191.8 GHz, 200-209 GHz, 226-231.5 GHz, 250-252 GHz. (WRC-03)

- 5.341 In the bands 1 400-1 727 MHz, 101-120 GHz and 197-220 GHz, passive research is being conducted by some countries in a programme for the search for intentional emissions of extraterrestrial origin.
- 5.342 Additional allocation: in Armenia, Azerbaijan, Belarus, , the Russian Federation, Uzbekistan, Kyrgystan and Ukraine, the band 1 429-1 535 MHz and in Bulgaria the band 1 525-1 535 MHz, are also allocated to the aeronautical mobile service on a primary basis exclusively for the purposes of aeronautical telemetry within the

²**5.340.1** The allocation to the Earth exploration-satellite service (passive) and the space research service (passive) in the band 50.2-50.4 GHz should not impose undue constraints on the use of the adjacent bands by the primary allocated services in those bands. (WRC-97)

national territory. As of 1 April 2007, the use of the band 1 452-1 492 MHz is subject to agreement between the administrations concerned. (WRC-12)

- 5.343 In Region 2, the use of the band 1 435-1 535 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service.
- 5.344 Alternative allocation: in the United States, the band 1 452-1 525 MHz is allocated to the fixed and mobile services on a primary basis (see also No. 5.343).
- 5.345 Use of the band 1 452-1 492 MHz by the broadcasting-satellite service, and by the broadcasting service, is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (WARC-92)^{3*}.
- 5.348 The use of the band 1 518-1 525 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from the stations in the fixed service. No. 5.43A does not apply. (WRC-03)
- 5.348A In the band 1 518-1 525 MHz, the coordination threshold in terms of the power flux-density levels at the surface of the Earth in application of No. 9.11A for space stations in the mobile-satellite (space-to-Earth) service, with respect to the land mobile service use for specialized mobile radios or used in conjunction with public switched telecommunication networks (PSTN) operating within the territory of Japan, shall be –150 dB(W/m²) in any 4 kHz band for all angles of arrival, instead of those given in Table 5-2 of Appendix 5. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from stations in the mobile service in the territory of Japan. No. 5.43A does not apply. (WRC-03)
- **5.348B** In the band 1 518-1 525 MHz, stations in the mobile-satellite service shall not claim protection from aeronautical mobile telemetry stations in the mobile service in the territory of the United States (see Nos. **5.343** and **5.344**) and in the countries listed in No. **5.342**. No. **5.43A** does not apply. (WRC-03)
- 5.349 Different category of service: in Saudi Arabia, Azerbaijan, Bahrain, Cameroon, Egypt, France, Iran (Islamic Republic of), Iraq, Israel, Kazakhstan, Kuwait, The Former Yugoslav Republic of Macedonia, Lebanon, Morocco, Qatar, Syrian Arab Republic, Kyrgyzstan, Turkmenistan and Yemen, the allocation of the band 1 525-1 530 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-07)
- **5.350** Additional allocation: in Azerbaijan, Kyrgyzstan and Turkmenistan, the band 1 525-1 530 MHz is also allocated to the aeronautical mobile service on a primary basis. (WRC-2000)
- 5.351 The bands 1 525-1 544 MHz, 1 545-1 559 MHz, 1 626.5-1 645.5 MHz and 1 646.5-1 660.5 MHz shall not be used for feeder links of any service. In exceptional circumstances, however, an earth station at a specified fixed point in any of the mobile-satellite services may be authorized by an administration to communicate via space stations using these bands.
- **5.351A** For the use of the bands 1 518-1 544 MHz, 1 545-1 559 MHz, 1 610-1 645.5 MHz, 1 646.5-1 660.5 MHz, 1 668-1 675 MHz, 1 980-2 010 MHz, 2 170-2 200 MHz, 2 483.5-2 520 MHz and 2 670-2 690 MHz by the mobile-satellite service, see Resolutions **212** (**Rev.WRC-07**) and **225** (**Rev.WRC-07**). (WRC-07)

 $^{^{3\}ast}$ Note by the Secretariat: This Resolution was revised by WRC-03.

5.352 (SUP - WRC-97)

5.352A In the band 1 525-1 530 MHz, stations in the mobile-satellite service, except stations in the maritime mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed service in France and French overseas communities of Region 3, Algeria, Saudi Arabia, Egypt, Guinea, India, Israel, Italy, Jordan, Kuwait, Mali, Morocco, Mauritania, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Tanzania, Viet Nam and Yemen notified prior to 1 April 1998. (WRC-12)

5.353 (SUP - WRC-97)

In applying the procedures of Section II of Article 9 to the mobile-satellite service in the bands 1 530-1 544 MHz and 1 626.5-1 645.5 MHz, priority shall be given to accommodating the spectrum requirements for distress, urgency and safety communications of the Global Maritime Distress and Safety System (GMDSS). Maritime mobile-satellite distress, urgency and safety communications shall have priority access and immediate availability over all other mobile satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, distress, urgency and safety communications of the GMDSS. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution 222 (WRC-2000)^{4*} shall apply.) (WRC-2000)

5.354 The use of the bands 1 525-1 559 MHz and 1 626.5-1 660.5 MHz by the mobile-satellite services is subject to coordination under No. 9.11A.

5.355 Additional allocation: in Bahrain, Bangladesh, Congo (Rep. of the), Djibouti, Egypt, Eritrea, Iraq, Israel, Kuwait, , Qatar, Syrian Arab Republic, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the bands 1 540-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a secondary basis. (WRC-12)

The use of the band 1 544-1 545 MHz by the mobile-satellite service (space-to-Earth) is limited to distress and safety communications (see Article 31).

5.357 Transmissions in the band 1 545-1 555 MHz from terrestrial aeronautical stations directly to aircraft stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorized when such transmissions are used to extend or supplement the satellite-to-aircraft links.

In applying the procedures of Section II of Article 9 to the mobile-satellite service in the bands 1 545-1 555 MHz and 1 646.5-1 656.5 MHz, priority shall be given to accommodating the spectrum requirements of the aeronautical mobile-satellite (R) service providing transmission of messages with priority 1 to 6 in Article 44. Aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44 shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution 222 (WRC-12)* shall apply.) (WRC-12)

^{4*} Note by the Secretariat: This Resolution was revised by WRC-07.

5.359

Additional allocation: in Germany, Saudi Arabia, Armenia, Austria, Azerbaijan, Belarus, Benin, Cameroon, the Russian Federation, France, Georgia, Greece, Guinea, Guinea-Bissau, , Jordan, Kazakhstan, Kuwait, , Lithuania, Mauritania, , Uganda, Uzbekistan, Pakistan, Poland, the Syrian Arab Republic, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, , Tajikistan, Tanzania, Tunisia, Turkmenistan and Ukraine, the bands 1 550-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a primary basis. Administrations are urged to make all practicable efforts to avoid the implementation of new fixed-service stations in these bands. (WRC-12)

5.362A

In the United States, in the bands 1 555-1 559 MHz and 1 656.5-1 660.5 MHz, the aeronautical mobile-satellite (R) service shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (WRC-97)

5.362B

Additional allocation: The band 1 559-1 610 MHz is also allocated to the fixed service on a primary basis until 1 January 2010 in Algeria, Saudi Arabia, Cameroon, , Jordan, Mali, Mauritania, Syrian Arab Republic and Tunisia. After this date, the fixed service may continue to operate on a secondary basis until 1 January 2015, at which time this allocation shall no longer be valid. The band 1 559-1 610 MHz is also allocated to the fixed service on a secondary basis in Algeria, , Armenia, Azerbaijan, Belarus, Benin, Russian Federation, , Gabon, Georgia, Guinea, Guinea-Bissau, Kazakhstan, Lithuania, Nigeria, , Uzbekistan, Pakistan, Poland, Kyrgyzstan, Dem. People's Rep. of Korea, Romania, Senegal, Swaziland, Tajikistan, Tanzania, Turkmenistan and Ukraine until 1 January 2015, at which time this allocation shall no longer be valid. Administrations are urged to take all practicable steps to protect the radionavigation-satellite service and the aeronautical radionavigation service and not authorize new frequency assignments to fixed-service systems in this band. (WRC-12)

5.362C

Additional allocation: in Congo (Rep. of the), , Eritrea, Iraq, Israel, Jordan, Malta, Qatar, the Syrian Arab Republic, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the band 1 559-1 610 MHz is also allocated to the fixed service on a secondary basis until 1 January 2015, at which time this allocation shall no longer be valid. Administrations are urged to take all practicable steps to protect the radionavigation-satellite service and not authorize new frequency assignments to fixed-service systems in this band. (WRC-12)

5.364

The use of the band 1 610-1 626.5 MHz by the mobile-satellite service (Earth-to-space) and by the radiodetermination-satellite service (Earth-to-space) is subject to coordination under No. 9.11A. A mobile earth station operating in either of the services in this band shall not produce a peak e.i.r.p. density in excess of -15 dB(W/4 kHz) in the part of the band used by systems operating in accordance with the provisions of No. 5.366 (to which No. 4.10 applies), unless otherwise agreed by the affected administrations. In the part of the band where such systems are not operating, the mean e.i.r.p. density of a mobile earth station shall not exceed -3 dB(W/4 kHz). Stations of the mobile-satellite service shall not claim protection from stations in the aeronautical radionavigation service, stations operating in accordance with the provisions of No. 5.366 and stations in the fixed service operating in accordance with the provisions of No. 5.359. Administrations responsible for the coordination of mobile-satellite networks shall make all practicable efforts to ensure protection of stations operating in accordance with the provisions of No. 5.366.

- **5.365** The use of the band 1 613.8-1 626.5 MHz by the mobile-satellite service (space-to-Earth) is subject to coordination under No. **9.11A**.
- 5.366 The band 1 610-1 626.5 MHz is reserved on a worldwide basis for the use and development of airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. Such satellite use is subject to agreement obtained under No. 9.21.
- 5.367 Additional allocation: The frequeny bands 1 610-1 626.5 MHz is also allocated to the aeronautical mobile-satellite (R) service on a primary basis, subject to agreement obtained under No. 9.21.
- **5.368** With respect to the radiodetermination-satellite and mobile-satellite services the provisions of No. **4.10** do not apply in the band 1 610-1 626.5 MHz, with the exception of the aeronautical radionavigation-satellite service.
- 5.369 Different category of service: in Angola, Australia, , China, Eritrea, Ethiopia, India, Iran (Islamic Republic of), Israel, , Lebanon, Liberia, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, the Dem. Rep. of the Congo, Sudan, South Sudan ,, Togo and Zambia, the allocation of the band 1 610-1 626.5 MHz to the radiodetermination-satellite service (Earth-to-space) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 from countries not listed in this provision. (WRC-12)
- 5.370 Different category of service: in Venezuela, the allocation to the radiodetermination-satellite service in the band 1 610-1 626.5 MHz (Earth-to-space) is on a secondary basis.
- 5.371 Additional allocation: in Region 1, the bands 1 610-1 626.5 MHz (Earth-to-space) (space-to-Earth) is also allocated to the radiodetermination-satellite service on a secondary basis, subject to agreement obtained under No. 9.21.(WRC 12)
- Harmful interference shall not be caused to stations of the radio astronomy service using the band 1 610.6-1 613.8 MHz by stations of the radiodetermination-satellite and mobile-satellite services (No. **29.13** applies).
- Mobile earth stations in the mobile-satellite service operating in the bands 1 631.5-1 634.5 MHz and 1 656.5-1 660 MHz shall not cause harmful interference to stations in the fixed service operating in the countries listed in No. **5.359**. (WRC-97)
- 5.375 The use of the band 1 645.5-1 646.5 MHz by the mobile-satellite service (Earth-to-space) and for inter-satellite links is limited to distress and safety communications (see Article 31).
- 5.376 Transmissions in the band 1 646.5-1 656.5 MHz from aircraft stations in the aeronautical mobile (R) service directly to terrestrial aeronautical stations, or between aircraft stations, are also authorized when such transmissions are used to extend or supplement the aircraft-to-satellite links.
- **5.376A** Mobile earth stations operating in the band 1 660-1 660.5 MHz shall not cause harmful interference to stations in the radio astronomy service. (WRC-97)
- **5.379** Additional allocation: in Bangladesh, India, Indonesia, Nigeria and Pakistan, the band 1 660.5-1 668.4 MHz is also allocated to the meteorological aids service on a secondary basis.

- Administrations are urged to give all practicable protection in the band 1 660.5-1 668.4 MHz for future research in radio astronomy, particularly by eliminating air-to-ground transmissions in the meteorological aids service in the band 1 664.4-1 668.4 MHz as soon as practicable.
- **5.379B** The use of the band 1 668-1 675 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. In the band 1 668-1 668.4 MHz, Resolution **904** (WRC-07) shall apply. (WRC-07)
- 5.379C In order to protect the radio astronomy service in the band 1 668-1 670 MHz, the aggregate power flux-density values produced by mobile earth stations in a network of the mobile-satellite service operating in this band shall not exceed –181 dB(W/m²) in 10 MHz and -194 dB(W/m²) in any 20 kHz at any radio astronomy station recorded in the Master International Frequency Register, for more than 2% of integration periods of 2 000 s. (WRC-03)
- **5.379D** For sharing of the band 1 668.4-1 675 MHz between the mobile-satellite service and the fixed and mobile services, Resolution **744** (**Rev.WRC-07**) shall apply. (WRC-07)
- 5.379E In the band 1 668.4-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to stations in the meteorological aids service in China, Iran (Islamic Republic of), Japan and Uzbekistan. In the band 1 668.4-1 675 MHz, administrations are urged not to implement new systems in the meteorological aids service and are encouraged to migrate existing meteorological aids service operations to other bands as soon as practicable. (WRC-03)
- 5.380A In the band 1 670-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to, nor constrain the development of, existing earth stations in the meteorological-satellite service notified before 1 January 2004. Any new assignment to these earth stations in this band shall also be protected from harmful interference from stations in the mobile-satellite service. (WRC-07)
- **5.381** Additional allocation: in Afghanistan, , Cuba, India, Iran (Islamic Republic of) and Pakistan, the band 1 690-1 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- 5.382 Different category of service: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, the Russian Federation, Guinea, Iraq, Israel, Jordan, Kazakhstan, Kuwait, the Former Yugoslav Republic of Macedonia, Lebanon, Mauritania, Moldova, Mongolia, Oman, Uzbekistan, Poland, Qatar, the Syrian Arab Republic, Kyrgyzstan, Somalia, Tajikistan, Tanzania, Turkmenistan, Ukraine and Yemen, the allocation of the band 1 690-1 700 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33), and in the Dem. People's Rep. of Korea, the allocation of the band 1 690-1 700 MHz to the fixed service is on a primary basis (see No. 5.33) and to the mobile, except aeronautical mobile, service on a secondary basis. (WRC-12
- **5.384** Additional allocation: in India, Indonesia and Japan, the band 1 700-1 710 MHz is also allocated to the space research service (space-to-Earth) on a primary basis. (WRC-97)
- 5.384A The bands, or portions of the bands, 1 710-1 885 MHz, 2 300-2 400 MHz and 2 500-2 690 MHz, are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223

(Rev.WRC-07). This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-07)

5.385 Additional allocation: the band 1 718.8-1 722.2 MHz is also allocated to the radio astronomy service on a secondary basis for spectral line observations. (WRC-2000)

5.386 Additional allocation: the band 1 750-1 850 MHz is also allocated to the space operation (Earth-to-space) and space research (Earth-to-space) services in Region 2, in Australia, Guam, India, Indonesia and Japan on a primary basis, subject to agreement obtained under No. 9.21, having particular regard to troposcatter systems. (WRC-03)

5.387 Additional allocation: in Belarus, Georgia, Kazakhstan, , Kyrgyzstan, , Romania, Tajikistan and Turkmenistan, the band 1 770-1 790 MHz is also allocated to the meteorological-satellite service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-12)

5.388 The bands 1 885-2 025 MHz and 2 110-2 200 MHz are intended for use, on a worldwide basis, by administrations wishing to implement International Mobile Telecommunications-2000 (IMT-2000). Such use does not preclude the use of these bands by other services to which they are allocated. The bands should be made available for IMT-2000 in accordance with Resolution 212 (Rev.WRC-97)^{5*}. (See also Resolution **223** (WRC-2000)*.) (WRC-2000)

5.388A In Regions 1 and 3, the bands 1 885-1 980 MHz, 2 010-2 025 MHz and 2 110-2 170 MHz and, in Region 2, the bands 1 885-1 980 MHz and 2 110-2 160 MHz may be used by high altitude platform stations as base stations to provide International

> Mobile Telecommunications-2000 (IMT-2000), in accordance with Resolution 221 (**Rev.WRC-03**)*. Their use by IMT-2000 applications using high altitude platform stations as base stations does not preclude the use of these bands by any station in the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-03)

In Algeria, Saudi Arabia, Bahrain, Benin, Burkina Faso, Cameroon, Comoros, Côte d'Ivoire, China, Cuba, Djibouti, Egypt, United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, India, Iran (Islamic Republic of), Israel, , Jordan, Kenya, Kuwait, Libya, Mali, Morocco, Mauritania, Nigeria, Oman, Uganda, Qatar, the Syrian Arab Republic, Senegal, Singapore, Sudan, South Sudan, Tanzania, Chad, Togo, Tunisia, Yemen, Zambia and Zimbabwe, for the purpose of protecting fixed and mobile services, including IMT-2000 mobile stations, in their territories from co-channel interference, a high altitude platform station (HAPS) operating as an IMT-2000 base station in neighbouring countries, in the bands referred to in No. 5.388A, shall not exceed a co-channel power flux-density of -127 dB(W/(m² · MHz)) at the Earth's surface outside a country's borders unless explicit agreement of the affected administration is provided at the time of the notification of HAPS. (WRC-12)

5.398A Different category of service: In Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan and Ukraine, the band 2 483.5-2 500 MHz is allocated on a primary basis to the radiolocation service. The

5.388B

^{5*} Note by the Secretariat: This Resolution was revised by WRC-07.

radiolocation stations in these countries shall not cause harmful interference to, or claim protection from, stations of the fixed, mobile and mobile-satellite services operating in accordance with the Radio Regulations in the frequency band 2 483.5-2 500 MHz. (WRC-12)

5.401

In Angola, Australia, Bangladesh, Burundi, China, Eritrea, Ethiopia, India, Iran (Islamic Republic of), Lebanon, Liberia, Libya, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, Dem. Rep. of the Congo, Sudan, Swaziland, Togo and Zambia, the band 2 483.5-2 500 MHz was already allocated on a primary basis to the radiodetermination-satellite service before WRC-12, subject to agreement obtained under No. **9.21** from countries not listed in this provision. Systems in the radiodetermination-satellite service for which complete coordination information has been received by the Radiocommunication Bureau before 18 February 2012 will retain their regulatory status, as of the date of receipt of the coordination request information. (WRC-12)

5.389A

The use of the bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service is subject to coordination under No. **9.11A** and to the provisions of Resolution **716** (Rev.WRC-2000). (WRC-07)

5.389B

The use of the band 1 980-1 990 MHz by the mobile-satellite service shall not cause harmful interference to or constrain the development of the fixed and mobile services in Argentina, Brazil, Canada, Chile, Ecuador, the United States, Honduras, Jamaica, Mexico, Peru, Suriname, Trinidad and Tobago, Uruguay and Venezuela.

5.389C

The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz in Region 2 by the mobile-satellite service is subject to coordination under No. **9.11A** and to the provisions of Resolution **716** (**Rev.WRC-2000**). (WRC-07)

5.389E

The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz by the mobile-satellite service in Region 2 shall not cause harmful interference to or constrain the development of the fixed and mobile services in Regions 1 and 3.

5.389F

In Algeria, Benin, Cape Verde, Egypt, Iran (Islamic Republic of), Mali, Syrian Arab Republic and Tunisia, the use of the bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service shall neither cause harmful interference to the fixed and mobile services, nor hamper the development of those services prior to 1 January 2005, nor shall the former service request protection from the latter services. (WRC-2000)

5.390

(SUP - WRC-07)

5.391

In making assignments to the mobile service in the bands 2 025-2 110 MHz and 2 200-2 290 MHz, administrations shall not introduce high-density mobile systems, as described in Recommendation ITU-R SA.1154, and shall take that Recommendation into account for the introduction of any other type of mobile system. (WRC-97)

5.392

Administrations are urged to take all practicable measures to ensure that space-to-space transmissions between two or more non-geostationary satellites, in the space research, space operations and Earth exploration-satellite services in the bands 2 025-2 110 MHz and 2 200-2 290 MHz, shall not impose any constraints on Earth-to-space, space-to-Earth and other space-to-space transmissions of those services and in those bands between geostationary and non-geostationary satellites.

5.393

Additional allocation: in Canada, the United States, India and Mexico, the band 2 310-2 360 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial sound broadcasting service on a primary basis. Such use

is limited to digital audio broadcasting and is subject to the provisions of Resolution **528** (**Rev.WRC-03**), with the exception of *resolves* 3 in regard to the limitation on broadcasting-satellite systems in the upper 25 MHz. (WRC-07)

- 5.394 In the United States, the use of the band 2 300-2 390 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. In Canada, the use of the band 2 360-2 400 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. (WRC-07)
- 5.395 In France and Turkey, the use of the band 2 310-2 360 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service. (WRC-03)
- 5.396 Space stations of the broadcasting-satellite service in the band 2 310-2 360 MHz operating in accordance with No. 5.393 that may affect the services to which this band is allocated in other countries shall be coordinated and notified in accordance with Resolution 33 (Rev.WRC-97)^{6*}. Complementary terrestrial broadcasting stations shall be subject to bilateral coordination with neighbouring countries prior to their bringing into use (Sup WRC-12)
- **5.398** In respect of the radiodetermination-satellite service in the band 2 483.5-2 500 MHz, the provisions of No. **4.10** do not apply.
- 5.399 Except for cases referred to in No. 5.401, stations of the radiodetermination-satellite service operating in the frequency band 2 483.5-2 500 MHz for which notification information is received by the Bureau after 17 February 2012, and the service area of which includes Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan and Ukraine, shall not cause harmful interference to, and shall not claim protection from stations of the radiolocation service operating in these countries in accordance with No. 5.398A
- **5.401** (Sup WRC-12)
- The use of the band 2 483.5-2 500 MHz by the mobile-satellite and the radiodetermination-satellite services is subject to the coordination under No. **9.11A**. Administrations are urged to take all practicable steps to prevent harmful interference to the radio astronomy service from emissions in the 2 483.5-2 500 MHz band, especially those caused by second-harmonic radiation that would fall into the 4 990-5 000 MHz band allocated to the radio astronomy service worldwide.
- 5.403 Subject to agreement obtained under No. 9.21, the band 2 520-2 535 MHz may also be used for the mobile-satellite (space-to-Earth), except aeronautical mobile-satellite, service for operation limited to within national boundaries. The provisions of No. 9.11A apply. (WRC-07)
- 5.404 Additional allocation: in India and Iran (Islamic Republic of), the band 2 500-2 516.5 MHz may also be used for the radiodetermination-satellite service (space-to-Earth) for operation limited to within national boundaries, subject to agreement obtained under No. 9.21 (Sup WRC-12)
- 5.407 In the band 2 500-2 520 MHz, the power flux-density at the surface of the Earth from space stations operating in the mobile-satellite (space-to-Earth) service shall not exceed -152 dB(W/(m² · 4 kHz)) in Argentina, unless otherwise agreed by the administrations concerned.

^{6*} Note by the Secretariat: This Resolution was revised by WRC-03.

- The band 2 500-2 690 MHz may be used for tropospheric scatter systems in Region 1, subject to agreement obtained under No. 9.21. No. 9.21 does not apply to tropospheric scatter links situated entirely outside Region 1. Administrations shall make all practicable efforts to avoid developing new tropospheric scatter systems in this band. When planning new tropospheric scatter radio-relay links in this band, all possible measures shall be taken to avoid directing the antennas of these links towards the geostationary-satellite orbit. (WRC-12)
- 5.412 Alternative allocation: in , Kyrgyzstan and Turkmenistan, the band 2 500-2 690 MHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12
- 5.413 In the design of systems in the broadcasting-satellite service in the bands between 2 500 MHz and 2 690 MHz, administrations are urged to take all necessary steps to protect the radio astronomy service in the band 2 690-2 700 MHz.
- The allocation of the frequency band 2 500-2 520 MHz to the mobile-satellite service (space-to-Earth) is subject to coordination under No. **9.11A**. (WRC-07)
- In Japan and India, the use of the bands 2 500-2 520 MHz and 2 520-2 535 MHz, under No. **5.403**, by a satellite network in the mobile-satellite service (space-to-Earth) is limited to operation within national boundaries and subject to the application of No. **9.11A**. The following pfd values shall be used as a threshold for coordination under No. **9.11A**, for all conditions and for all methods of modulation, in an area of 1 000 km around the territory of the administration notifying the mobile-satellite service network:

```
\begin{array}{lll} -136 & dB(W/(m^2 \cdot MHz)) & \text{for } 0^{\circ} \leq \Theta \leq 5^{\circ} \\ -136 + 0.55 & (\Theta - 5) & dB(W/(m^2 \cdot MHz)) & \text{for } 5^{\circ} < \Theta \leq 25^{\circ} \\ -125 & dB(W/(m^2 \cdot MHz)) & \text{for } 25^{\circ} < \Theta \leq 90^{\circ} \end{array}
```

where q is the angle of arrival of the incident wave above the horizontal plane, in degrees. Outside this area Table **21-4** of Article **21** shall apply. Furthermore, the coordination thresholds in Table 5-2 of Annex 1 to Appendix **5** of the Radio Regulations (Edition of 2004), in conjunction with the applicable provisions of Articles **9** and **11** associated with No. **9.11A**, shall apply to systems for which complete notification information has been received by the Radicommunication Bureau by 14 November 2007 and that have been brought into use by that date. (WRC-07)

- 5.415 The use of the bands 2 500-2 690 MHz in Region 2 and 2 500-2 535 MHz and 2 655-2 690 MHz in Region 3 by the fixed-satellite service is limited to national and regional systems, subject to agreement obtained under No. 9.21, giving particular attention to the broadcasting-satellite service in Region 1. (WRC-07)
- 5.415A Additional allocation: in India and Japan, subject to agreement obtained under No.
 9.21, the band 2 515-2 535 MHz may also be used for the aeronautical mobile-satellite service (space-to-Earth) for operation limited to within their national boundaries. (WRC-2000)
- The use of the band 2 520-2 670 MHz by the broadcasting-satellite service is limited to national and regional systems for community reception, subject to agreement obtained under No. 9.21. The provisions of No. 9.19 shall be applied by administrations in this band in their bilateral and multilateral negotiations. (WRC-07)
- **5.417** (SUP WRC-2000)

5.417A

In applying provision No. **5.418**, in Korea (Rep. of) and Japan, *resolves* 3 of Resolution **528** (Rev.WRC-03) is relaxed to allow the broadcasting-satellite service (sound) and the complementary terrestrial broadcasting service to additionally operate on a primary basis in the band 2 605-2 630 MHz. This use is limited to systems intended for national coverage. An administration listed in this provision shall not have simultaneously two overlapping frequency assignments, one under this provision and the other under No. **5.416**. The provisions of No. **5.416** and Table **21-4** of Article **21** do not apply. Use of non-geostationary-satellite systems in the broadcasting-satellite service (sound) in the band 2 605-2 630 MHz is subject to the provisions of Resolution **539** (Rev.WRC-03). The power flux-density at the Earth's surface produced by emissions from a geostationary broadcasting-satellite service (sound) space station operating in the band 2 605-2 630 MHz for which complete Appendix 4 coordination information, or notification information, has been received after 4 July 2003, for all conditions and for all methods of modulation, shall not exceed the following limits:

```
\begin{array}{lll} -130 & dB(W/(m^2 \cdot MHz)) & \text{for } 0^{\circ} \leq \Theta \leq 5^{\circ} \\ -130 + 0.4 \ (\Theta - 5) \ dB(W/(m^2 \cdot MHz)) & \text{for } 5^{\circ} < \Theta \leq 25^{\circ} \\ -122 & dB(W/(m^2 \cdot MHz)) & \text{for } 25^{\circ} < \Theta \leq 90^{\circ} \end{array}
```

where q is the angle of arrival of the incident wave above the horizontal plane, in degrees. These limits may be exceeded on the territory of any country whose administration has so agreed. In the case of the broadcasting-satellite service (sound) networks of Korea (Rep. of), as an exception to the limits above, the power flux-density value of -122 dB(W/($m^2 \cdot MHz$)) shall be used as a threshold for coordination under No. **9.11** in an area of 1 000 km around the territory of the administration notifying the broadcasting-satellite service (sound) system, for angles of arrival greater than 35°. (WRC-03)

5.417B

In Korea (Rep. of) and Japan, use of the band 2 605-2 630 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.417A**, for which complete Appendix **4** coordination information, or notification information, has been received after 4 July 2003, is subject to the application of the provisions of No. **9.12A**, in respect of geostationary-satellite networks for which complete Appendix **4** coordination information, or notification information, is considered to have been received after 4 July 2003, and No. **22.2** does not apply. No. **22.2** shall continue to apply with respect to geostationary-satellite networks for which complete Appendix **4** coordination information, or notification information, is considered to have been received before 5 July 2003. (WRC-03)

5.417C

Use of the band 2 605-2 630 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.417A**, for which complete Appendix **4** coordination information, or notification information, has been received after 4 July 2003, is subject to the application of the provisions of No. **9.12**. (WRC-03)

5.417D

Use of the band 2 605-2 630 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 4 July 2003 is subject to the application of the provisions of No. 9.13 with respect to non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.417A, and No. 22.2 does not apply. (WRC-03)

5.418

Additional allocation: in Korea (Rep. of), India, Japan, and Thailand, the band 2 535-2 655 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution **528**

(Rev.WRC-03). The provisions of No. 5.416 and Table 21-4 of Article 21, do not apply to this additional allocation. Use of non-geostationary-satellite systems in the broadcasting-satellite service (sound) is subject to Resolution 539 (Rev.WRC-03). Geostationary broadcasting-satellite service (sound) systems for which complete Appendix 4 coordination information has been received after 1 June 2005 are limited to systems intended for national coverage. The power flux-density at the Earth's surface produced by emissions from a geostationary broadcasting-satellite service (sound) space station operating in the band 2 630-2 655 MHz, and for which complete Appendix 4 coordination information has been received after 1 June 2005, shall not exceed the following limits, for all conditions and for all methods of modulation:

```
\begin{array}{lll} -130 & dB(W/(m^2 \cdot MHz)) & \text{for } 0^{\circ} \leq \Theta \leq 5^{\circ} \\ -130 + 0.4 \ (\Theta - 5) \ dB(W/(m^2 \cdot MHz)) & \text{for } 5^{\circ} < \Theta \leq 25^{\circ} \\ -122 & dB(W/(m^2 \cdot MHz)) & \text{for } 25^{\circ} < \Theta \leq 90^{\circ} \end{array}
```

where q is the angle of arrival of the incident wave above the horizontal plane, in degrees. These limits may be exceeded on the territory of any country whose administration has so agreed. As an exception to the limits above, the pfd value of $-122 \ dB(W/(m^2 \cdot MHz))$ shall be used as a threshold for coordination under No. **9.11** in an area of 1 500 km around the territory of the administration notifying the broadcasting-satellite service (sound) system.

In addition, an administration listed in this provision shall not have simultaneously two overlapping frequency assignments, one under this provision and the other under No. **5.416** for systems for which complete Appendix **4** coordination information has been received after 1 June 2005. (WRC-12)

5.418A

In certain Region 3 countries listed in No. **5.418**, use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound) for which complete Appendix **4** coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. **9.12A**, in respect of geostationary-satellite networks for which complete Appendix **4** coordination information, or notification information, is considered to have been received after 2 June 2000, and No. **22.2** does not apply. No. **22.2** shall continue to apply with respect to geostationary-satellite networks for which complete Appendix **4** coordination information, or notification information, is considered to have been received before 3 June 2000. (WRC-03)

5.418B

Use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.418**, for which complete Appendix **4** coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. **9.12**. (WRC-03)

5.418C

Use of the band 2 630-2 655 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000 is subject to the application of the provisions of No. **9.13** with respect to non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.418** and No. **22.2** does not apply. (WRC-03)

5.419

When introducing systems of the mobile-satellite service in the band 2 670-2 690 MHz, administrations shall take all necessary steps to protect the satellite systems operating in this band prior to 3 March 1992. The coordination of mobile-satellite systems in the band shall be in accordance with No. **9.11A**. (WRC-07)

- 5.420 The band 2 655-2 670 MHz may also be used for the mobile-satellite (Earth-to-space), except aeronautical mobile-satellite, service for operation limited to within national boundaries, subject to agreement obtained under No. 9.21. The coordination under No. 9.11A applies. (WRC-07)
- Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Brunei Darussalam, Congo (Rep. of the), Côte d'Ivoire, Cuba, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Georgia, Guinea, Guinea-Bissau, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Mauritania, , Mongolia, Montenegro, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, the Dem. Rep. of the Congo, Romania, Somalia, Tajikistan, Tunisia, Turkmenistan, Ukraine and Yemen, the band 2 690-2 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-12)
- 5.423 In the band 2 700-2 900 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the aeronautical radionavigation service.
- **5.424** Additional allocation: in Canada, the band 2 850-2 900 MHz is also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars.
- 5.424A In the band 2 900-3 100 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the radionavigation service. (WRC-03)
- 5.425 In the band 2 900-3 100 MHz, the use of the shipborne interrogator-transponder (SIT) system shall be confined to the sub-band 2 930 -2 950 MHz.
- The use of the band 2 900-3 100 MHz by the aeronautical radionavigation service is limited to ground-based radars.
- 5.427 In the bands 2 900-3 100 MHz and 9 300-9 500 MHz, the response from radar transponders shall not be capable of being confused with the response from radar beacons (racons) and shall not cause interference to ship or aeronautical radars in the radionavigation service, having regard, however, to No. 4.9.
- **5.428** Additional allocation: in Azerbaijan, Mongolia, Kyrgyzstan, and Turkmenistan, the band 3 100-3 300 MHz is also allocated to the radionavigation service on a primary basis. (WRC-12)
- Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, , Japan, Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Oman, Uganda, Pakistan, Qatar, the Syrian Arab Republic ,the Dem. People's Rep. Of Congo., the Dem. People's Rep. of Korea and Yemen, the band 3 300-3 400 MHz is also allocated to the fixed and mobile services on a primary basis. The countries bordering the Mediterranean shall not claim protection for their fixed and mobile services from the radiolocation service. (WRC-12)
- **5.430** Additional allocation: in Azerbaijan, Mongolia, Kyrgyzstan, and Turkmenistan, the band 3 300-3 400 MHz is also allocated to the radionavigation service on a primary basis. (WRC-07)

5.430A

Different category of service: in Albania, Algeria, Germany, Andorra, Saudi Arabia, Austria, Azerbaijan, Bahrain, Belgium, Benin, Bosnia and Herzegovina, Botswana, Bulgaria, Burkina Faso, Cameroon, Cyprus, Vatican, Congo (Rep. of the), Côte d'Ivoire, Croatia, Denmark, Egypt, Spain, Estonia, Finland, France and French overseas departments and communities in Region 1, Gabon, Georgia, Greece, Guinea, Hungary, Ireland, Iceland, Israel, Italy, Jordan, Kuwait, Lesotho, Latvia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Lithuania, Malawi, Mali, Malta, Morocco, Mauritania, Moldova, Monaco, Mongolia, Montenegro, Mozambique, Namibia, Niger, Norway, Oman, Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Slovakia, Czech Rep., Romania, United Kingdom, San Marino, Senegal, Serbia, Sierra Leone, Slovenia, South Africa, Sweden, Switzerland, Swaziland, Chad, Togo, Tunisia, Turkey, Ukraine, Zambia and Zimbabwe, the band 3 400-3 600 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis subject to agreement obtained under No. 9.21 with other administrations and is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. **9.17** and **9.18** also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this band, it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed -154.5 dB(W/(m² × 4 kHz)) for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3 400-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). This allocation is effective from 17 November 2010. (WRC-12)5.431 Additional allocation: in Germany, Israel and the United Kingdom, the band 3 400-3 475 MHz is also allocated to the amateur service on a secondary basis. (WRC-03)

5.431A Different category of service: in Argentina, Brazil, Chile, Costa Rica, Cuba, Dominican Republic, El Salvador, Guatemala, Mexico, Paraguay, Suriname, Uruguay, Venezuela and French overseas departments and communities in Region 2, the band 3 400-3 500 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. 9.21. Stations of the mobile service in the band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-07)

- 5.432 Different category of service: in Korea (Rep. of), Japan and Pakistan, the allocation of the band 3 400-3 500 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-2000)
- In Korea (Rep. of), Japan and Pakistan, the band 3 400-3 500 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this band it shall ensure that

the power flux-density (pfd) produced at 3 m above ground does not exceed -154.5 dB(W/(m² × 4 kHz)) for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-07)

5.432B

Different category of service: in Bangladesh, China, India, Iran (Islamic Republic of), New Zealand, Singapore and French overseas communities in Region 3, the band 3 400-3 500 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. 9.21 with other administrations and is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB}(\text{W}/(\text{m}^2 \times 4 \text{ kHz}))$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station) with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). This allocation is effective from 17 November 2010. (WRC-07)

5.433

In Regions 2 and 3, in the band 3 400-3 600 MHz the radiolocation service is allocated on a primary basis. However, all administrations operating radiolocation systems in this band are urged to cease operations by 1985. Thereafter, administrations shall take all practicable steps to protect the fixed-satellite service and coordination requirements shall not be imposed on the fixed-satellite service.

5.433A

In Bangladesh, China, Korea (Rep. of), India, Iran (Islamic Republic of), Japan, New Zealand, Pakistan and French overseas communities in Region 3, the band 3 500-3 600 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. **9.17** and **9.18** also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed –154.5 dB(W/(m² × 4 kHz)) for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order

to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3 500-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-07)

5.438

Use of the band 4 200-4 400 MHz by the aeronautical radionavigation service is reserved exclusively for radio altimeters installed on board aircraft and for the associated transponders on the ground. However, passive sensing in the Earth exploration-satellite and space research services may be authorized in this band on a secondary basis (no protection is provided by the radio altimeters).

5.439

Additional allocation: in Iran (Islamic Republic of), the band 4 200-4 400 MHz is also allocated to the fixed service on a secondary basis. (WRC-12)

5.443AA

In the frequency bands 5 000-5 030 MHz and 5 091-5 150 MHz, the aeronautical mobile-satellite (R) service is subject to agreement obtained under No. **9.21**. The use of these bands by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems.

5.443C

The use of the frequency band 5 030-5 091 MHz by the aeronautical mobile (R) service is limited to internationally standardized aeronautical systems. Unwanted emissions from the aeronautical mobile (R) service in the frequency band 5 030-5 091 MHz shall be limited to protect RNSS system downlinks in the adjacent 5 010-5 030 MHz band. Until such time that an appropriate value is established in a relevant ITU-R Recommendation, the e.i.r.p. density limit of -75 dBW/MHz in the frequency band 5 010-5 030 MHz for any AM(R)S station unwanted emission should be used. (WRC-12)

5.443D

In the frequency band 5 030-5 091 MHz, the aeronautical mobile-satellite (R) service is subject to coordination under No. 9.11A. The use of this frequency band by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems.

5.440

The standard frequency and time signal-satellite service may be authorized to use the frequency 4 202 MHz for space-to-Earth transmissions and the frequency 6 427 MHz for Earth-to-space transmissions. Such transmissions shall be confined within the limits of \pm 2 MHz of these frequencies, subject to agreement obtained under No. 9.21.

5.440A

In Region 2 (except Brazil, Cuba, French overseas departments and communities, Guatemala, Paraguay, Uruguay and Venezuela), and in Australia, the band 4 400-4 940 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. 1.83). Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to, nor claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of these bands by other mobile service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-07)

5.441

The use of the bands 4 500-4 800 MHz (space-to-Earth), 6 725-7 025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of

Appendix 30B. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed-satellite service shall be in accordance with the provisions of Appendix 30B. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixedsatellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixedsatellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

- 5.442 In the bands 4 825-4 835 MHz and 4 950-4 990 MHz, the allocation to the mobile service is restricted to the mobile, except aeronautical mobile, service. In Region 2 (except Brazil, Cuba, Guatemala, Paraguay, Uruguay and Venezuela), and in Australia, the band 4 825-4 835 MHz is also allocated to the aeronautical mobile service, limited to aeronautical mobile telemetry for flight testing by aircraft stations. Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to the fixed service. (WRC-07)
- 5.443 Different category of service: in Argentina, Australia and Canada, the allocation of the bands 4 825-4 835 MHz and 4 950-4 990 MHz to the radio astronomy service is on a primary basis (see No. 5.33).
- **5.443A** (SUP WRC-03)
- In order not to cause harmful interference to the microwave landing system operating above 5 030 MHz, the aggregate power flux-density produced at the Earth's surface in the band 5 030-5 150 MHz by all the space stations within any radionavigation-satellite service system (space-to-Earth) operating in the band 5 010-5 030 MHz shall not exceed -124.5 dB(W/m²) in a 150 kHz band. In order not to cause harmful interference to the radio astronomy service in the band 4 990-5 000 MHz, radionavigation-satellite service systems operating in the band 5 010-5 030 MHz shall comply with the limits in the band 4 990-5 000 MHz defined in Resolution 741 (WRC-12). (WRC-12)
- 5.444 The band 5 030-5 150 MHz is to be used for the operation of the international standard system (microwave landing system) for precision approach and landing. In the band 5 030-5 091 MHz, the requirements of this system shall take precedence over other uses of this band. For the use of the band 5 091-5 150 MHz, No. 5.444A and Resolution 114 (Rev.WRC-12) apply. (WRC-12)
- **5.444A**Additional allocation: the band 5 091-5 150 MHz is also allocated to the fixed-satellite service (Earth-to-space) on a primary basis. This allocation is limited to feeder links of non-geostationary satellite systems in the mobile-satellite service and is subject to coordination under No. **9.11A**.

In the band 5 091-5 150 MHz, the following conditions also apply:

prior to 1 January 2018, the use of the band 5 091-5 150 MHz by feeder links of non-geostationary-satellite systems in the mobile-satellite service shall be made in accordance with Resolution 114 (Rev.WRC-03);

- after 1 January 2016, no new assignments shall be made to earth stations providing feeder links of non-geostationary mobile-satellite systems;
- after 1 January 2018, the fixed-satellite service will become secondary to the aeronautical radionavigation service. (WRC-07)
- **5.444B** The use of the band 5 091-5 150 MHz by the aeronautical mobile service is limited to:
 - systems operating in the aeronautical mobile (R) service and in accordance with international aeronautical standards, limited to surface applications at airports. Such use shall be in accordance with Resolution 748 (WRC-12);
 - aeronautical telemetry transmissions from aircraft stations (see No. 1.83) in accordance with Resolution 418 (WRC-12);
 - aeronautical security transmissions. Such use shall be in accordance with Resolution 419 (WRC-12). (WRC-07)
- 5.446

 Additional allocation: in the countries listed in Nos. 5.369 and 5.400, the band 5 150-5 216 MHz is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis, subject to agreement obtained under No. 9.21. In Region 2, the band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis. In Regions 1 and 3, except those countries listed in Nos. 5.369 and Bangaladesh, the band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a secondary basis. The use by the radiodetermination-satellite service is limited to feeder links in conjunction with the radiodetermination-satellite service operating in the bands 1 610-1 626.5 MHz and/or 2 483.5-2 500 MHz. The total power flux-density at the Earth's surface shall in no case exceed –159 dB(W/m²) in any 4 kHz band for all angles of arrival.(WRC12)
- **5.446A** The use of the bands 5 150-5 350 MHz and 5 470-5 725 MHz by the stations in the mobile, except aeronautical mobile, service shall be in accordance with Resolution **229 (WRC-12)**. (WRC-12
- 5.446B In the band 5 150-5 250 MHz, stations in the mobile service shall not claim protection from earth stations in the fixed-satellite service. No. 5.43A does not apply to the mobile service with respect to fixed-satellite service earth stations. (WRC-03)
- 5.446C Additional allocation: in Region 1 (except in Algeria, Saudi Arabia, Bahrain, Egypt, United Arab Emirates, Jordan, Kuwait, Lebanon, Morocco, Oman, Qatar, Syrian Arab Republic, Sudan, South Sudan, and Tunisia) and in Brazil, the band 5 150-5 250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. 1.83), in accordance with Resolution 418 (WRC-07). These stations shall not claim protection from other stations operating in accordance with Article 5. No. 5.43A does not apply. (WRC-12)
- 5.447 Additional allocation: in Côte d'Ivoire, Egypt, Israel, Lebanon, Pakistan, the Syrian Arab Republic and Tunisia, the band 5 150-5 250 MHz is also allocated to the mobile service, on a primary basis, subject to agreement obtained under No. 9.21. In this case, the provisions of Resolution 229 (WRC-12) do not apply. (WRC-12)
- **5.447A** The allocation to the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to coordination under No. **9.11A**.
- **5.447B** Additional allocation: the band 5 150-5 216 MHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. This allocation is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is

subject to provisions of No. **9.11A**. The power flux-density at the Earth's surface produced by space stations of the fixed-satellite service operating in the space-to-Earth direction in the band 5 150-5 216 MHz shall in no case exceed –164 dB(W/m²) in any 4 kHz band for all angles of arrival.

5.447C

Administrations responsible for fixed-satellite service networks in the band 5 150-5 250 MHz operated under Nos. **5.447A** and **5.447B** shall coordinate on an equal basis in accordance with No. **9.11A** with administrations responsible for non-geostation-ary-satellite networks operated under No. **5.446** and brought into use prior to 17 November 1995. Satellite networks operated under No. **5.446** brought into use after 17 November 1995 shall not claim protection from, and shall not cause harmful interference to, stations of the fixed-satellite service operated under Nos. **5.447A** and **5.447B**.

5.447D

The allocation of the band 5 250-5 255 MHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)

5.447E

Additional allocation: The band 5 250-5 350 MHz is also allocated to the fixed service on a primary basis in the following countries in Region 3: Australia, Korea (Rep. of), India, Indonesia, Iran (Islamic Republic of), Japan, Malaysia, Papua New Guinea, the Philippines, Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam. The use of this band by the fixed service is intended for the implementation of fixed wireless access systems and shall comply with Recommendation ITU-R F.1613. In addition, the fixed service shall not claim protection from the radiodetermination, Earth exploration-satellite (active) and space research (active) services, but the provisions of No. **5.43A** do not apply to the fixed service with respect to the Earth exploration-satellite (active) and space research (active) services. After implementation of fixed wireless access systems in the fixed service with protection for the existing radiodetermination systems, no more stringent constraints should be imposed on the fixed wireless access systems by future radiodetermination implementations. (WRC-07)

5.447F

In the band 5 250-5 350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). These services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendations ITU-R M.1638 and ITU-R RS.1632. (WRC-03)

5.448

Additional allocation: in Azerbaijan,, Kyrgyzstan, Slovakia, Romania and Turkmenistan, the band 5 250-5 350 MHz is also allocated to the radionavigation service on a primary basis. (WRC-12)

5.448A

The Earth exploration-satellite (active) and space research (active) services in the frequency band 5 250-5 350 MHz shall not claim protection from the radiolocation service. No. **5.43A** does not apply. (WRC-03)

5.448B

The Earth exploration-satellite service (active) operating in the band 5 350-5 570 MHz and space research service (active) operating in the band 5 460-5 570 MHz shall not cause harmful interference to the aeronautical radionavigation service in the band 5 350-5 460 MHz, the radionavigation service in the band 5 460-5 470 MHz and the maritime radionavigation service in the band 5 470-5 570 MHz. (WRC-03)

5.448C

The space research service (active) operating in the band 5 350-5 460 MHz shall not cause harmful interference to nor claim protection from other services to which this band is allocated. (WRC-03)

- **5.448D** In the frequency band 5 350-5 470 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the aeronautical radionavigation service operating in accordance with No. **5.449**. (WRC-03)
- The use of the band 5 350-5 470 MHz by the aeronautical radionavigation service is limited to airborne radars and associated airborne beacons.
- **5.450** Additional allocation: in Austria, Azerbaijan, Iran (Islamic Republic of), , Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 5 470-5 650 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-12)
- In Australia, Burkina Faso, Cote d'Ivoire, Mali and Nigeria, the allocation to the fixed service in the bands 6 440-6 520 MHz (HAPS-to-ground direction) and 6 560-6 640 MHz (ground-to-HAPS direction) may also be used by gateway links for high-altitude platform stations (HAPS) within the territory of these countries. Such use is limited to operation in HAPS gateway links and shall not cause harmful interference to, and shall not claim protection from, existing services, and shall be in compliance with Resolution 150 (WRC-12). Existing services shall not be constrained in future development by HAPS gateway links. The use of HAPS gateway links in these bands requires explicit agreement with other administrations whose territories are located within 1 000 kilometres from the border of an administration intending to use the HAPS gateway links.
- 5.450A In the band 5 470-5 725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. Radiodetermination services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendation ITU-R M.1638. (WRC-03)
- 5.450B In the frequency band 5 470-5 650 MHz, stations in the radiolocation service, except ground-based radars used for meteorological purposes in the band 5 600-5 650 MHz, shall not cause harmful interference to, nor claim protection from, radar systems in the maritime radionavigation service. (WRC-03)
- 5.451 Additional allocation: in the United Kingdom, the band 5 470-5 850 MHz is also allocated to the land mobile service on a secondary basis. The power limits specified in Nos. 21.2, 21.3, 21.4 and 21.5 shall apply in the band 5 725-5 850 MHz.
- **5.452** Between 5 600 MHz and 5 650 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the maritime radionavigation service.
- 5.453 Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, Gabon, Guinea, Equatorial Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, , Japan, Jordan, Kenya, Kuwait, Lebanon, Libya, Madagascar, Malaysia, Nigeria, Oman, Uganda, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Sri Lanka, Swaziland, Tanzania, Chad, Thailand, Togo, Viet Nam and Yemen, the band 5 650-5 850 MHz is also allocated to the fixed and mobile services on a primary basis. In this case, the provisions of Resolution 229 (WRC-12) do not apply. (WRC-12)
- 5.454 Different category of service: in Azerbaijan, the Russian Federation, Georgia, , Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 5 670-5 725 MHz to the space research service is on a primary basis (see No. 5.33). (WRC-12

- 5.455 Additional allocation: in Armenia, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 5 670-5 850 MHz is also allocated to the fixed service on a primary basis. (WRC-07)
- **5.456** Additional allocation: in Cameroon, the band 5 755-5 850 MHz is also allocated to the fixed service on a primary basis. (WRC-03)
- **5.457A** In the bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may communicate with space stations of the fixed-satellite service. Such use shall be in accordance with Resolution **902** (WRC-03). (WRC-03)
- 5.457B In the bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may operate with the characteristics and under the conditions contained in Resolution 902 (WRC-03) in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Jordan, Kuwait, Libya, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, South Sudan, Tunisia and Yemen, in the maritime mobile-satellite service on a secondary basis. Such use shall be in accordance with Resolution 902 (WRC-03). (WRC-12)
- 5.457C In Region 2 (except Brazil, Cuba, French overseas departments and communities, Guatemala, Paraguay, Uruguay and Venezuela), the band 5 925-6 700 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. 1.83). Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to, nor claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of these bands by other mobile service applications or by other services to which these bands are allocated on a coprimary basis and does not establish priority in the Radio Regulations. (WRC-07)
- 5.458 In the band 6 425-7 075 MHz, passive microwave sensor measurements are carried out over the oceans. In the band 7 075-7 250 MHz, passive microwave sensor measurements are carried out. Administrations should bear in mind the needs of the Earth exploration-satellite (passive) and space research (passive) services in their future planning of the bands 6 425-7 025 MHz and 7 075-7 250 MHz.
- 5.458A In making assignments in the band 6 700-7 075 MHz to space stations of the fixed-satellite service, administrations are urged to take all practicable steps to protect spectral line observations of the radio astronomy service in the band 6 650-6 675.2 MHz from harmful interference from unwanted emissions.
- The space-to-Earth allocation to the fixed-satellite service in the band 6 700-7 075 MHz is limited to feeder links for non-geostationary satellite systems of the mobile-satellite service and is subject to coordination under No. 9.11A. The use of the band 6 700-7 075 MHz (space-to-Earth) by feeder links for non-geostationary satellite systems in the mobile-satellite service is not subject to No. 22.2.
- 5.458C Administrations making submissions in the band 7 025-7 075 MHz (Earth-to-space) for geostationary-satellite systems in the fixed-satellite service after 17 November 1995 shall consult on the basis of relevant ITU-R Recommendations with the administrations that have notified and brought into use non-geostationary-satellite systems in this frequency band before 18 November 1995 upon request of the latter administrations. This consultation shall be with a view to facilitating shared operation of both geostationary-satellite systems in the fixed-satellite service and non-geostationary-satellite systems in this band.

- 5.459 Additional allocation: in the Russian Federation, the frequency bands 7 100-7 155 MHz and 7 190-7 235 MHz are also allocated to the space operation service (Earthto-space) on a primary basis, subject to agreement obtained under No. 9.21. (WRC-97)
- 5.460 The use of the band 7 145-7 190 MHz by the space research service (Earth-to-space) is restricted to deep space; no emissions to deep space shall be effected in the band 7 190-7 235 MHz. Geostationary satellites in the space research service operating in the band 7 190-7 235 MHz shall not claim protection from existing and future stations of the fixed and mobile services and No. 5.43A does not apply. (WRC-03)
- 5.461 Additional allocation: the bands 7 250-7 375 MHz (space-to-Earth) and 7 900-8 025 MHz (Earth-to-space) are also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. 9.21.
- The use of the band 7 450-7 550 MHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary-satellite systems. Non-geostationary meteorological-satellite systems in this band notified before 30 November 1997 may continue to operate on a primary basis until the end of their lifetime. (WRC-97)
- **5.461B** The use of the band 7 750-7 900 MHz by the meteorological-satellite service (space-to-Earth) is limited to non-geostationary satellite systems. (WRC-12)
- **5.462** (SUP WRC-97)
- 5.462A In Regions 1 and 3 (except for Japan), in the band 8 025-8 400 MHz, the Earth exploration-satellite service using geostationary satellites shall not produce a power flux-density in excess of the following provisional values for angles of arrival (q), without the consent of the affected administration:

```
-135 dB(W/m²) in a 4 kHz band for 0^{\circ} \le \Theta < 5^{\circ}

-135 + 0.5 (\Theta - 5) dB(W/m²) in a 4 kHz band for 5^{\circ} \le \Theta < 25^{\circ}

-125 dB(W/m²) in a 1 MHz band for 25^{\circ} \le \Theta \le 90^{\circ}

(WRC-12)
```

- Aircraft stations are not permitted to transmit in the band 8 025-8 400 MHz. (WRC-97)
- **5.465** In the space research service, the use of the band 8 400-8 450 MHz is limited to deep space.
- 5.466 Different category of service: in , Singapore and Sri Lanka, the allocation of the band 8 400-8 500 MHz to the space research service is on a secondary basis (see No. 5.32). (WRC-12)
- Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burundi, Cameroon, China, Congo (Rep. of the), Costa Rica, Djibouti Egypt, the United Arab Emirates, Gabon, Guyana, Indonesia, Iran (Islamic Republic of), Iraq, , Jamaica, Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Uganda, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Senegal, Singapore, Somalia, Sudan, Swaziland, Tanzania, Chad, Togo, Tunisia and Yemen, the band 8 500-8 750 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)

- 5.469 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Lithuania, , Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the band 8 500-8 750 MHz is also allocated to the land mobile and radionavigation services on a primary basis. (WRC-12)
- 5.469A In the band 8 550-8 650 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radiolocation service. (WRC-97)
- The use of the band 8 750-8 850 MHz by the aeronautical radionavigation service is limited to airborne Doppler navigation aids on a centre frequency of 8 800 MHz.
- 5.471 Additional allocation: in Algeria, Germany, Bahrain, Belgium, China, Egypt, the United Arab Emirates, France, Greece, Indonesia, Iran (Islamic Republic of), Libya the Netherlands, Qatar,Sudan and South Sudan, the bands 8 825-8 850 MHz and 9 000-9 200 MHz are also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars only. (WRC-12)
- 5.472 In the bands 8 850-9 000 MHz and 9 200-9 225 MHz, the maritime radionavigation service is limited to shore-based radars.
- 5.473 Additional allocation: in Armenia, Austria, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the bands 8 850-9 000 MHz and 9 200-9 300 MHz are also allocated to the radionavigation service on a primary basis. (WRC-07)
- 5.473A In the band 9 000-9 200 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, systems identified in No. 5.337 operating in the aeronautical radionavigation service, or radar systems in the maritime radionavigation service operating in this band on a primary basis in the countries listed in No. 5.471. (WRC-07)
- 5.474 In the band 9 200-9 500 MHz, search and rescue transponders (SART) may be used, having due regard to the appropriate ITU-R Recommendation (see also Article 31).
- 5.475 The use of the band 9 300-9 500 MHz by the aeronautical radionavigation service is limited to airborne weather radars and ground-based radars. In addition, ground-based radar beacons in the aeronautical radionavigation service are permitted in the band 9 300-9 320 MHz on condition that harmful interference is not caused to the maritime radionavigation service. (WRC-07)
- 5.475A The use of the band 9 300-9 500 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 300 MHz that cannot be fully accommodated within the 9 500-9 800 MHz band. (WRC-07)
- 5.475B In the band 9 300-9 500 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, radars operating in the radionavigation service in conformity with the Radio Regulations. Ground-based radars used for meteorological purposes have priority over other radiolocation uses. (WRC-07)

- **5.476** (SUP WRC-07)
- 5.476A In the band 9 300-9 800 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from, stations of the radionavigation and radiolocation services. (WRC-07)
- 5.477 Different category of service: in Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Japan, Jordan, Kuwait, Lebanon, Liberia, Malaysia, Nigeria, Oman, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan South Sudan Trinidad and Tobago, and Yemen, the allocation of the band 9 800-10 000 MHz to the fixed service is on a primary basis (see No. 5.33). (WRC-12)
- **5.478** Additional allocation: in Azerbaijan, Mongolia, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 9 800-10 000 MHz is also allocated to the radionavigation service on a primary basis. (WRC-07)
- 5.478A The use of the band 9 800-9 900 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 500 MHz that cannot be fully accommodated within the 9 300-9 800 MHz band. (WRC-07)
- **5.478B** In the band 9 800-9 900 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from stations of the fixed service to which this band is allocated on a secondary basis. (WRC-07)
- 5.479 The band 9 975-10 025 MHz is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars.
- Additional allocation: in Argentina, Brazil, Chile, Costa Rica, Cuba, El Salvador, Ecuador, Guatemala, Honduras, Mexico, Paraguay, the Netherlands Antilles, Peru and Uruguay, the band 10-10.45 GHz is also allocated to the fixed and mobile services on a primary basis. In Venezuela, the band 10-10.45 GHz is also allocated to the fixed service on a primary basis. (WRC-07)
- 5.481 Additional allocation: in Germany, Angola, Brazil, China, Costa Rica, Côte d'Ivoire, El Salvador, Ecuador, Spain, Guatemala, Hungary, Japan, Kenya, Morocco, Nigeria, Oman, Uzbekistan, Pakistan, Paraguay, Peru, the Dem. People's Rep. of Korea, Romania, Tanzania, Thailand and Uruguay, the band 10.45-10.5 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)
- In the band 10.6-10.68 GHz, the power delivered to the antenna of stations of the fixed and mobile, except aeronautical mobile, services shall not exceed –3 dBW. This limit may be exceeded, subject to agreement obtained under No. 9.21. However, in Algeria, Saudi Arabia, Armenia, Azerbaijan, Bahrain, Bangladesh, Belarus, Egypt, United Arab Emirates, Georgia, India, Indonesia, Iran (Islamic Republic of), Iraq, Jordan, Libyan Arab Jamahiriya, Kazakhstan, Kuwait, Lebanon, Morocco, Mauritania, Moldova, Nigeria, Oman, Uzbekistan, Pakistan, Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, Singapore, Tajikistan, Tunisia, Turkmenistan and Viet Nam, this restriction on the fixed and mobile, except aeronautical mobile, service is not applicable. (WRC-07)

5.482A For sharing of the band 10.6-10.68 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile, except aeronautical mobile, services, Resolution **751** (WRC-07) applies. (WRC-07)

5.483 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, China, Colombia, Korea (Rep. of), Costa Rica, Egypt, the United Arab Emirates, Georgia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Mongolia, Qatar, Kyrgyzstan, the Dem. People's Rep. of Korea, Tajikistan, Turkmenistan and Yemen, the band 10.68-10.7 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-12)

In Region 1, the use of the band 10.7-11.7 GHz by the fixed-satellite service (Earthto-space) is limited to feeder links for the broadcasting-satellite service.

5.484A The use of the bands 10.95-11.2 GHz (space-to-Earth), 11.45-11.7 GHz (space-to-Earth), 11.7-12.2 GHz (space-to-Earth) in Region 2, 12.2-12.75 GHz (space-to-Earth) in Region 3, 12.5-12.75 GHz (space-to-Earth) in Region 1, 13.75-14.5 GHz (Earth-to-space), 17.8-18.6 GHz (space-to-Earth), 19.7-20.2 GHz (space-to-Earth), 27.5-28.6 GHz (Earth-to-space), 29.5-30 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixedsatellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixedsatellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

In Region 2, in the band 11.7-12.2 GHz, transponders on space stations in the fixed-satellite service may be used additionally for transmissions in the broadcasting-satellite service, provided that such transmissions do not have a maximum e.i.r.p. greater than 53 dBW per television channel and do not cause greater interference or require more protection from interference than the coordinated fixed-satellite service frequency assignments. With respect to the space services, this band shall be used principally for the fixed-satellite service.

5.486 Different category of service: in Mexico and the United States, the allocation of the band 11.7-12.1 GHz to the fixed service is on a secondary basis (see No. 5.32).

In the band 11.7-12.5 GHz in Regions 1 and 3, the fixed, fixed-satellite, mobile, except aeronautical mobile, and broadcasting services, in accordance with their respective allocations, shall not cause harmful interference to, or claim protection from, broadcasting-satellite stations operating in accordance with the Regions 1 and 3 Plan in Appendix 30. (WRC-03)

5.487AAdditional allocation: in Region 1, the band 11.7-12.5 GHz, in Region 2, the band 12.2-12.7 GHz and, in Region 3, the band 11.7-12.2 GHz, are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis, limited to non-geostationary systems and subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim

protection from geostationary-satellite networks in the broadcasting-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-03)

- The use of the band 11.7-12.2 GHz by geostationary-satellite networks in the fixed-satellite service in Region 2 is subject to application of the provisions of No. **9.14** for coordination with stations of terrestrial services in Regions 1, 2 and 3. For the use of the band 12.2-12.7 GHz by the broadcasting-satellite service in Region 2, see Appendix **30**. (WRC-03)
- **5.489** Additional allocation: in Peru, the band 12.1-12.2 GHz is also allocated to the fixed service on a primary basis.
- In Region 2, in the band 12.2-12.7 GHz, existing and future terrestrial radiocommunication services shall not cause harmful interference to the space services operating in conformity with the broadcasting-satellite Plan for Region 2 contained in Appendix 30.
- Assignments to stations of the broadcasting-satellite service which are in conformity with the appropriate regional Plan or included in the Regions 1 and 3 List in Appendix 30 may also be used for transmissions in the fixed-satellite service (space-to-Earth), provided that such transmissions do not cause more interference, or require more protection from interference, than the broadcasting-satellite service transmissions operating in conformity with the Plan or the List, as appropriate. (WRC-2000)
- 5.493 The broadcasting-satellite service in the band 12.5-12.75 GHz in Region 3 is limited to a power flux-density not exceeding –111 dB(W/(m² · 27 MHz)) for all conditions and for all methods of modulation at the edge of the service area. (WRC-97)
- Additional allocation: in Algeria, Angola, Saudi Arabia, Bahrain, Cameroon, the Central African Rep., Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Iraq, Israel, , Jordan, Kuwait, Lebanon, Libya, Madagascar, Mali, Morocco, Mongolia, Nigeria, Oman, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- **5.495** Additional allocation: in , France, Greece, , Monaco, Montenegro, Uganda, Romania,, Tanzania and Tunisia, the band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-12)
- Additional allocation: in Austria, Azerbaijan, Kyrgyzstan and Turkmenistan, the band 12.5-12.75 GHz is also allocated to the fixed service and the mobile, except aeronautical mobile, service on a primary basis. However, stations in these services shall not cause harmful interference to fixed-satellite service earth stations of countries in Region 1 other than those listed in this footnote. Coordination of these earth stations is not required with stations of the fixed and mobile services of the countries listed in this footnote. The power flux-density limit at the Earth's surface given in

Table **21-4** of Article **21**, for the fixed-satellite service shall apply on the territory of the countries listed in this footnote. (WRC-2000)

The use of the band 13.25-13.4 GHz by the aeronautical radionavigation service is limited to Doppler navigation aids.

5.498 (SUP - WRC-97)

5.498A The Earth exploration-satellite (active) and space research (active) services operating in the band 13.25-13.4 GHz shall not cause harmful interference to, or constrain the use and development of, the aeronautical radionavigation service. (WRC-97)

5.499 Additional allocation: in Bangladesh, and India, the band 13.25-14 GHz is also allocated to the fixed service on a primary basis. In Pakistan, the band 13.25-13.75 GHz is allocated to the fixed service on a primary basis. (WRC 12)

5.500 Additional allocation: in Algeria, Angola, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Madagascar, Malaysia, Mali, , Morocco, Mauritania, Nigeria, Oman, Qatar, the Syrian Arab Republic, Singapore, Sudan, South Sudan, Chad and Tunisia, the band 13.4-14 GHz is also allocated to the fixed and mobile services on a primary basis. In Pakistan, the band 13.4-13.75 GHz is also allocated to the fixed and mobile services on a primarybasis. (WRC-12)

5.501 Additional allocation: in Azerbaijan, Hungary, Japan, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 13.4-14 GHz is also allocated to the radionavigation service on a primary basis. (WRC-12

5.501A The allocation of the band 13.4-13.75 GHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)

5.501B In the band 13.4-13.75 GHz, the Earth exploration-satellite (active) and space research (active) services shall not cause harmful interference to, or constrain the use and development of, the radiolocation service. (WRC-97)

5.502 In the band 13.75-14 GHz, an earth station of a geostationary fixed-satellite service network shall have a minimum antenna diameter of 1.2 m and an earth station of a non-geostationary fixed-satellite service system shall have a minimum antenna diameter of 4.5 m. In addition, the e.i.r.p., averaged over one second, radiated by a station in the radiolocation or radionavigation services shall not exceed 59 dBW for elevation angles above 2° and 65 dBW at lower angles. Before an administration brings into use an earth station in a geostationary-satellite network in the fixed-satellite service in this band with an antenna diameter smaller than 4.5 m, it shall ensure that the power flux-density produced by this earth station does not exceed:

- $-115 \text{ dB(W/(m}^2 \cdot 10 \text{ MHz))}$ for more than 1% of the time produced at 36 m above sea level at the low water mark, as officially recognized by the coastal State;
- 115 dB(W/(m² · 10 MHz)) for more than 1% of the time produced 3 m above ground at the border of the territory of an administration deploying or planning to deploy land mobile radars in this band, unless prior agreement has been obtained.

For earth stations within the fixed-satellite service having an antenna diameter greater than or equal to 4.5 m, the e.i.r.p. of any emission should be at least 68 dBW and should not exceed 85 dBW. (WRC-03)

5.503 In the band 13.75-14 GHz, geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 shall operate on an equal basis with stations in the fixed-satellite service; after that date, new geostationary space stations in the space research service will operate on a secondary basis. Until those geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 cease to operate in this band:

- in the band 13.77-13.78 GHz, the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in geostationary-satellite orbit shall not exceed:
 - i) 4.7D + 28 dB(W/40 kHz), where *D* is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 1.2 m and less than 4.5 m;
 - ii) $49.2 + 20 \log(D/4.5) dB(W/40 \text{ kHz})$, where *D* is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 4.5 m and less than 31.9 m;
 - iii) 66.2 dB(W/40 kHz) for any fixed-satellite service earth station for antenna diameters (m) equal to or greater than 31.9 m;
 - iv) 56.2 dB(W/4 kHz) for narrow-band (less than 40 kHz of necessary bandwidth) fixed-satellite service earth station emissions from any fixed-satellite service earth station having an antenna diameter of 4.5 m or greater;
- the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in non-geostationary-satellite orbit shall not exceed 51 dBW in the 6 MHz band from 13.772 to 13.778 GHz. Automatic power control may be used to increase the e.i.r.p. density in these frequency ranges to compensate for rain attenuation, to the extent that the power flux-density at the fixed-satellite service space station does not exceed the value resulting from use by an earth station of an e.i.r.p. meeting the above limits in clear-sky conditions. (WRC-03)
- The use of the band 14-14.3 GHz by the radionavigation service shall be such as to provide sufficient protection to space stations of the fixed-satellite service.
- **5.504A** In the band 14-14.5 GHz, aircraft earth stations in the secondary aeronautical mobile-satellite service may also communicate with space stations in the fixed-satellite service. The provisions of Nos. **5.29**, **5.30** and **5.31** apply. (WRC-03)
- Aircraft earth stations operating in the aeronautical mobile-satellite service in the band 14-14.5 GHz shall comply with the provisions of Annex 1, Part C of Recommendation ITU-R M.1643, with respect to any radio astronomy station performing observations in the 14.47-14.5 GHz band located on the territory of Spain, France, India, Italy, the United Kingdom and South Africa. (WRC-03)
- 5.504C In the band 14-14.25 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, Côte d'Ivoire, Egypt, Guinea, India, Iran (Islamic Republic of), Kuwait, , Nigeria, Oman, the Syrian Arab Republic and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29. (WRC-12)
- 5.505 Additional allocation: in Algeria, Angola, Saudi Arabia, Bahrain, Botswana, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Egypt, the United Arab Emirates, Gabon, Guinea, India, Indonesia, Iran (Islamic Republic of),

Iraq, Israel, Japan, Jordan, Kuwait, , Lebanon, Malaysia, Mali, Morocco, Mauritania, Oman, , the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Swaziland, Tanzania, Chad, Viet Nam and Yemen, the band 14-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-12)

5.506

The band 14-14.5 GHz may be used, within the fixed-satellite service (Earth-to-space), for feeder links for the broadcasting-satellite service, subject to coordination with other networks in the fixed-satellite service. Such use of feeder links is reserved for countries outside Europe.

5.506A

In the band 14-14.5 GHz, ship earth stations with an e.i.r.p. greater than 21 dBW shall operate under the same conditions as earth stations located on board vessels, as provided in Resolution **902** (WRC-03). This footnote shall not apply to ship earth stations for which the complete Appendix 4 information has been received by the Bureau prior to 5 July 2003. (WRC-03)

5.506B

Earth stations located on board vessels communicating with space stations in the fixed-satellite service may operate in the frequency band 14-14.5 GHz without the need for prior agreement from Cyprus, Greece and Malta, within the minimum distance given in Resolution **902** (WRC-03) from these countries. (WRC-03)

5.508

Additional allocation: in Germany, France, Italy, Libya, The Former Yugoslav Rep. of Macedonia and the United Kingdom, the band 14.25-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-12

5.508A

In the band 14.25-14.3 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, China, Côte d'Ivoire, Egypt, France, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. **5.29**. (WRC-12)

5.509

(SUP - WRC-07)

5.509A

In the band 14.3-14.5 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, Cameroon, China, Côte d'Ivoire, Egypt, France, Gabon, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, , Morocco, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom, Sri Lanka, Tunisia and Viet Nam by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. **5.29**. (WRC-12)

5.510

The use of the band 14.5-14.8 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. This use is reserved for countries outside Europe.

5.511

Additional allocation: in Saudi Arabia, Bahrain, Cameroon, Egypt, the United Arab Emirates, Guinea, Iran (Islamic Republic of), Iraq, Israel, , Kuwait, Lebanon, Pakistan, Qatar, the Syrian Arab Republic and Somalia, the band 15.35-15.4 GHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-12

5.511E

In the frequency band 15.4-15.7 GHz, stations operating in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the aeronautical radionavigation service.

5.511F

In order to protect the radio astronomy service in the frequency band 15.35-15.4 GHz, radiolocation stations operating in the frequency band 15.4-15.7 GHz shall not exceed the power flux-density level of –156 dB(W/m2) in a 50 MHz bandwidth in the frequency band 15.35-15.4 GHz, at any radio astronomy observatory site for more than 2 per cent of the time.

5.511A

The band 15.43-15.63 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. Use of the band 15.43-15.63 GHz by the fixed-satellite service (space-to-Earth and Earth-to-space) is limited to feeder links of non-geostationary systems in the mobile-satellite service, subject to coordination under No. **9.11A**. The use of the frequency band 15.43-15.63 GHz by the fixed-satellite service (space-to-Earth) is limited to feeder links of non-geostationary systems in the mobile-satellite service for which advance publication information has been received by the Bureau prior to 2 June 2000. In the space-to-Earth direction, the minimum earth station elevation angle above and gain towards the local horizontal plane and the minimum coordination distances to protect an earth station from harmful interference shall be in accordance with Recommendation ITU-R S.1341. In order to protect the radio astronomy service in the band 15.35-15.4 GHz, the aggregate power flux-density radiated in the 15.35-15.4 GHz band by all the space stations within any feeder-link of a non-geostationary system in the mobile-satellite service (space-to-Earth) operating in the 15.43-15.63 GHz band shall not exceed the level of -156 dB(W/m²) in a 50 MHz bandwidth, into any radio astronomy observatory site for more than 2% of the time. (WRC-2000)

5.511C

Stations operating in the aeronautical radionavigation service shall limit the effective e.i.r.p. in accordance with Recommendation ITU-R S.1340. The minimum coordination distance required to protect the aeronautical radionavigation stations (No. **4.10** applies) from harmful interference from feeder-link earth stations and the maximum e.i.r.p. transmitted towards the local horizontal plane by a feeder-link earth station shall be in accordance with Recommendation ITU-R S.1340. (WRC-97)

5.511D

Fixed-satellite service systems for which complete information for advance publication has been received by the Bureau by 21 November 1997 may operate in the bands 15.4-15.43 GHz and 15.63-15.7 GHz in the space-to-Earth direction and 15.63-15.65 GHz in the Earth-to-space direction. In the bands 15.4-15.43 GHz and 15.65-15.7 GHz, emissions from a non-geostationary space station shall not exceed the power flux-density limits at the Earth's surface of –146 dB(W/(m²·MHz)) for any angle of arrival. In the band 15.63-15.65 GHz, where an administration plans emissions from a non-geostationary space station that exceed –146 dB(W/(m²·MHz)) for any angle of arrival, it shall coordinate under No. 9.11A with the affected administrations. Stations in the fixed-satellite service operating in the band 15.63-15.65 GHz in the Earth-to-space direction shall not cause harmful interference to stations in the aeronautical radionavigation service (No. 4.10 applies). (WRC-97)

5.512

Additional allocation: in Algeria, Angola, Saudi Arabia, Austria, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Congo (Rep. of the), Costa Rica, Egypt, El Salvador, the United Arab Emirates, Eritrea, Finland, Guatemala, India, Indonesia, Iran (Islamic Republic of), , Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Montenegro, Mozambique, Nepal, Nicaragua, Oman, Pakistan, Qatar, Syrian Arab Republic, the Dem. Rep. of the Congo, Serbia, Singapore, Somalia, Sudan, South Sudan, Swaziland, Tanzania, Chad, Togo and Yemen,

the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)

5.513 Additional allocation: in Israel, the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. These services shall not claim protection from or cause harmful interference to services operating in accordance with the Table in countries other than those included in No. 5.512.

5.513A Spaceborne active sensors operating in the band 17.2-17.3 GHz shall not cause harmful interference to, or constrain the development of, the radiolocation and other services allocated on a primary basis. (WRC-97)

5.514 Additional allocation: in Algeria, Angola, Saudi Arabia, Bahrain, Bangladesh, Cameroon, , El Salvador, the United Arab Emirates, Guatemala, India, Iran (Islamic Republic of), Iraq, Israel, Italy, , Japan, Jordan, Kuwait, Libya, Lithuania, Nepal, Nicaragua, Nigeria, Oman, Uzbekistan, Pakistan, Qatar, Kyrgyzstan, Sudan and South Sudan, the band 17.3-17.7 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits given in Nos. 21.3 and 21.5 shall apply. (WRC-12)

5.530A Unless otherwise agreed between the administrations concerned, any station in the fixed or mobile services of an administration shall not produce a power flux-density in excess of -120.4 dB(W/(m2 · MHz)) at 3 m above the ground of any point of the territory of any other administration in Regions 1 and 3 for more than 20% of the time. In conducting the calculations, administrations should use the most recent version of Recommendation ITU-R P.452 (see Recommendation ITU-R BO.1898). (WRC 12)

5.530B In the band 21.4-22 GHz, in order to facilitate the development of the broadcasting satellite service, administrations in Regions 1 and 3 are encouraged not to deploy stations in the mobile service and are encouraged to limit the deployment of stations in the fixed service to point to-point links. (WRC-12)

5.530C The use of the band 21.4-22 GHz is subject to the provisions of Resolution **755(WRC-12)**. (WRC-12)

5.530D See Resolution **555** (WRC-**12**).(WRC 12)

5.515 In the band 17.3-17.8 GHz, sharing between the fixed-satellite service (Earth-to-space) and the broadcasting-satellite service shall also be in accordance with the provisions of § 1 of Annex 4 of Appendix 30A.

5.516 The use of the band 17.3-18.1 GHz by geostationary-satellite systems in the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. The use of the band 17.3-17.8 GHz in Region 2 by systems in the fixed-satellite service (Earth-to-space) is limited to geostationary satellites. For the use of the band 17.3-17.8 GHz in Region 2 by feeder links for the broadcasting-satellite service in the band 12.2-12.7 GHz, see Article 11. The use of the bands 17.3-18.1 GHz (Earth-to-space) in Regions 1 and 3 and 17.8-18.1 GHz (Earth-to-space) in Region 2 by non-geostationary-satellite systems in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete

coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

5.516A

In the band 17.3-17.7 GHz, earth stations of the fixed-satellite service (space-to-Earth) in Region 1 shall not claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix 30A, nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link. (WRC-03)

5.516B The following bands are identified for use by high-density applications in the fixed-satellite service:

```
17.3-17.7 GHz
                       (space-to-Earth) in Region 1,
18.3-19.3 GHz
                       (space-to-Earth) in Region 2,
19.7-20.2 GHz
                       (space-to-Earth) in all Regions,
39.5-40 GHz
                       (space-to-Earth) in Region 1,
40-40.5 GHz
                       (space-to-Earth) in all Regions,
40.5-42 GHz
                       (space-to-Earth) in Region 2,
47.5-47.9 GHz
                       (space-to-Earth) in Region 1,
48.2-48.54 GHz
                       (space-to-Earth) in Region 1,
49.44-50.2 GHz
                       (space-to-Earth) in Region 1,
and
27.5-27.82 GHz
                       (Earth-to-space) in Region 1,
28.35-28.45 GHz
                       (Earth-to-space) in Region 2,
28.45-28.94 GHz
                       (Earth-to-space) in all Regions,
28.94-29.1 GHz
                       (Earth-to-space) in Region 2 and 3,
29.25-29.46 GHz
                       (Earth-to-space) in Region 2,
29.46-30 GHz
                       (Earth-to-space) in all Regions,
48.2-50.2 GHz
                       (Earth-to-space) in Region 2.
```

This identification does not preclude the use of these bands by other fixed-satellite service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in these Radio Regulations among users of the bands. Administrations should take this into account when considering regulatory provisions in relation to these bands. See Resolution **143** (WRC-03)^{7*}. (WRC-03)

- 5.517 In Region 2, use of the fixed-satellite (space-to-Earth) service in the band 17.7-17.8 GHz shall not cause harmful interference to nor claim protection from assignments in the broadcasting-satellite service operating in conformity with the Radio Regulations. (WRC-07)
- **5.518** (SUP WRC-07)
- **5.519** Additional allocation: the bands 18-18.3 GHz in Region 2 and 18.1-18.4 GHz in Regions 1 and 3 are also allocated to the meteorological-satellite service (space-to-Earth) on a primary basis. Their use is limited to geostationary satellites. (WRC-07)
- 5.520 The use of the band 18.1-18.4 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of geostationary-satellite systems in the broadcasting-satellite service. (WRC-2000)

^{7*} Note by the Secretariat: This Resolution was revised by WRC-07.

- 5.521 Alternative allocation: in Germany, Denmark, the United Arab Emirates and Greece, the band 18.1-18.4 GHz is allocated to the fixed, fixed-satellite (space-to-Earth) and mobile services on a primary basis (see No. 5.33). The provisions of No. 5.519 also apply. (WRC-03)
- **5.522** (SUP WRC-2000)
- The emissions of the fixed service and the fixed-satellite service in the band 18.6-18.8 GHz are limited to the values given in Nos. 21.5A and 21.16.2, respectively. (WRC-2000)
- 5.522B The use of the band 18.6-18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km. (WRC-2000)
- 5.522C In the band 18.6-18.8 GHz, in Algeria, Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, the Libyan Arab Jamahiriya, Jordan, Lebanon, Morocco, Oman, Qatar, the Syrian Arab Republic, Tunisia and Yemen, fixed-service systems in operation at the date of entry into force of the Final Acts of WRC-2000 are not subject to the limits of No. 21.5A. (WRC-2000)
- **5.523** (SUP WRC-2000)
- The use of the bands 18.8-19.3 GHz (space-to-Earth) and 28.6-29.1 GHz (Earth-to-space) by geostationary and non-geostationary fixed-satellite service networks is subject to the application of the provisions of No. 9.11A and No. 22.2 does not apply. Administrations having geostationary-satellite networks under coordination prior to 18 November 1995 shall cooperate to the maximum extent possible to coordinate pursuant to No. 9.11A with non-geostationary-satellite networks for which notification information has been received by the Bureau prior to that date, with a view to reaching results acceptable to all the parties concerned. Non-geostationary-satellite networks shall not cause unacceptable interference to geostationary fixed-satellite service networks for which complete Appendix 4 notification information is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)
- **5.523B** The use of the band 19.3-19.6 GHz (Earth-to-space) by the fixed-satellite service is limited to feeder links for non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. **9.11A**, and No. **22.2** does not apply.
- 5.523C No. 22.2 shall continue to apply in the bands 19.3-19.6 GHz and 29.1-29.4 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)
- The use of the band 19.3-19.7 GHz (space-to-Earth) by geostationary fixed-satellite service systems and by feeder links for non-geostationary-satellite systems in the mobile-satellite service is subject to the application of the provisions of No. 9.11A, but not subject to the provisions of No. 22.2. The use of this band for other non-geostationary fixed-satellite service systems, or for the cases indicated in Nos. 5.523C and 5.523E, is not subject to the provisions of No. 9.11A and shall continue to be subject to Articles 9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2. (WRC-97)

- 5.523E No. 22.2 shall continue to apply in the bands 19.6-19.7 GHz and 29.4-29.5 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau by 21 November 1997. (WRC-97)
- Additional allocation: in Afghanistan, Algeria, Angola, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Costa Rica, Egypt, the United Arab Emirates, Gabon, Guatemala, Guinea, India, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Tanzania, Chad, Togo and Tunisia, the band 19.7-21.2 GHz is also allocated to the fixed and mobile services on a primary basis. This additional use shall not impose any limitation on the power flux-density of space stations in the fixed-satellite service in the band 19.7-21.2 GHz and of space stations in the mobile-satellite service is on a primary basis in the latter band. (WRC-12)
- 5.525 In order to facilitate interregional coordination between networks in the mobile-satellite and fixed-satellite services, carriers in the mobile-satellite service that are most susceptible to interference shall, to the extent practicable, be located in the higher parts of the bands 19.7-20.2 GHz and 29.5-30 GHz.
- 5.526 In the bands 19.7-20.2 GHz and 29.5-30 GHz in Region 2, and in the bands 20.1-20.2 GHz and 29.9-30 GHz in Regions 1 and 3, networks which are both in the fixed-satellite service and in the mobile-satellite service may include links between earth stations at specified or unspecified points or while in motion, through one or more satellites for point-to-point and point-to-multipoint communications.
- 5.527 In the bands 19.7-20.2 GHz and 29.5-30 GHz, the provisions of No. **4.10** do not apply with respect to the mobile-satellite service.
- The allocation to the mobile-satellite service is intended for use by networks which use narrow spot-beam antennas and other advanced technology at the space stations. Administrations operating systems in the mobile-satellite service in the band 19.7-20.1 GHz in Region 2 and in the band 20.1-20.2 GHz shall take all practicable steps to ensure the continued availability of these bands for administrations operating fixed and mobile systems in accordance with the provisions of No. 5.524.
- 5.529 The use of the bands 19.7-20.1 GHz and 29.5-29.9 GHz by the mobile-satellite service in Region 2 is limited to satellite networks which are both in the fixed-satellite service and in the mobile-satellite service as described in No. 5.526. (Sup WRC-12)
- The location of earth stations in the space research service shall maintain a separation distance of at least 54 km from the respective border(s) of neighbouring countries to protect the existing and future deployment of fixed and mobile services unless a shorter distance is otherwise agreed between the corresponding administrations. Nos. 9.17 and 9.18 do not apply. (WRC 12)
- **5.532B** Use of the band 24.65-25.25 GHz in Region 1 and the band 24.65-24.75 GHz in Region 3 by the fixed-satellite service (Earth-to-space) is limited to earth stations using a minimum antenna diameter of 4.5 m. (WRC-12)
- **5.531** Additional allocation: in Japan, the band 21.4-22 GHz is also allocated to the broadcasting service on a primary basis.

- 5.532 The use of the band 22.21-22.5 GHz by the Earth exploration-satellite (passive) and space research (passive) services shall not impose constraints upon the fixed and mobile, except aeronautical mobile, services.
- 5.533 The inter-satellite service shall not claim protection from harmful interference from airport surface detection equipment stations of the radionavigation service.
- **5.534** (SUP WRC-03)
- **5.535** In the band 24.75-25.25 GHz, feeder links to stations of the broadcasting-satellite service shall have priority over other uses in the fixed-satellite service (Earth-to-space). Such other uses shall protect and shall not claim protection from existing and future operating feeder-link networks to such broadcasting satellite stations.
- 5.535A The use of the band 29.1-29.5 GHz (Earth-to-space) by the fixed-satellite service is limited to geostationary-satellite systems and feeder links to non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. 9.11A, but not subject to the provisions of No. 22.2, except as indicated in Nos. 5.523C and 5.523E where such use is not subject to the provisions of No. 9.11A and shall continue to be subject to Articles 9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2. (WRC-97)
- 5.536 Use of the 25.25-27.5 GHz band by the inter-satellite service is limited to space research and Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space.
- Administrations operating earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account Recommendations ITU-R SA. 1862 respectively. (WRC-12)
- In , Saudi Arabia, Austria, Belgium, Brazil, Bulgaria, China, Korea (Rep. of), Denmark, Egypt, United Arab Emirates, , Estonia, Finland, France, Hungary, India, Iran (Islamic Republic of), Ireland, Israel, Italy,, Jordan, Kenya, Kuwait, Lebanon, Libya, Liechtenstein, Lithuania, Moldova, Norway, Oman, Uganda, Pakistan, the Philippines, Poland, Portugal, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the Czech Rep., Romania, the United Kingdom, Singapore, Sweden, Switzerland, Tanzania, Turkey, Viet Nam and Zimbabwe, earth stations operating in the Earth exploration-satellite service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC-12)
- 5.536C In Algeria, Saudi Arabia, Bahrain, Botswana, Brazil, Cameroon, Comoros, Cuba, Djibouti, Egypt, United Arab Emirates, Estonia, Finland, Iran (Islamic Republic of), Israel, Jordan, Kenya, Kuwait, Lithuania, Malaysia, Morocco, Nigeria, Oman, Qatar, Syrian Arab Republic, Somalia, Sudan, South Sudan, Tanzania, Tunisia, Uruguay, Zambia and Zimbabwe, earth stations operating in the space research service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC-12)
- 5.537 Space services using non-geostationary satellites operating in the inter-satellite service in the band 27-27.5 GHz are exempt from the provisions of No. 22.2.

- In Bhutan, Cameroon, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Japan, Kazakhstan, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sudan, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 27.9-28.2 GHz may also be used by high altitude platform stations (HAPS) within the territory of these countries. Such use of 300 MHz of the fixed-service allocation by HAPS in the above countries is further limited to operation in the HAPS-to-ground direction and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems or other co-primary services. Furthermore, the development of these other services shall not be constrained by HAPS. See Resolution 145 (Rev.WRC-12). (WRC-07)
- Additional allocation: the bands 27.500-27.501 GHz and 29.999-30.000 GHz are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis for the beacon transmissions intended for up-link power control. Such space-to-Earth transmissions shall not exceed an equivalent isotropically radiated power (e.i.r.p.) of +10 dBW in the direction of adjacent satellites on the geostationary-satellite orbit. (WRC-07)
- 5.539 The band 27.5-30 GHz may be used by the fixed-satellite service (Earth-to-space) for the provision of feeder links for the broadcasting-satellite service.
- **5.540** *Additional allocation:* the band 27.501-29.999 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis for beacon transmissions intended for up-link power control.
- **5.541** In the band 28.5-30 GHz, the earth exploration-satellite service is limited to the transfer of data between stations and not to the primary collection of information by means of active or passive sensors.
- 5.541A Feeder links of non-geostationary networks in the mobile-satellite service and geostationary networks in the fixed-satellite service operating in the band 29.1-29.5 GHz (Earth-to-space) shall employ uplink adaptive power control or other methods of fade compensation, such that the earth station transmissions shall be conducted at the power level required to meet the desired link performance while reducing the level of mutual interference between both networks. These methods shall apply to networks for which Appendix 4 coordination information is considered as having been received by the Bureau after 17 May 1996 and until they are changed by a future competent world radiocommunication conference. Administrations submitting Appendix 4 information for coordination before this date are encouraged to utilize these techniques to the extent practicable. (WRC-2000)
- 5.542 Additional allocation: in Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Oman, Pakistan, Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Somalia, Sudan, South Sudan Sri Lanka and Chad, the band 29.5-31 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits specified in Nos. 21.3 and 21.5 shall apply. (WRC-12)
- 5.543 The band 29.95-30 GHz may be used for space-to-space links in the Earth exploration-satellite service for telemetry, tracking, and control purposes, on a secondary basis.

- 5.543A In Bhutan, Cameroon, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Japan, Kazakhstan, , Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sudan, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 31-31.3 GHz may also be used by systems using high altitude platform stations (HAPS) in the ground-to-HAPS direction. The use of the band 31-31.3 GHz by systems using HAPS is limited to the territory of the countries listed above and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems, systems in the mobile service and systems operated under No. 5.545. Furthermore, the development of these services shall not be constrained by HAPS. Systems using HAPS in the band 31-31.3 GHz shall not cause harmful interference to the radio astronomy service having a primary allocation in the band 31.3-31.8 GHz, taking into account the protection criterion as given in Recommendation ITU-R RA.769. In order to ensure the protection of satellite passive services, the level of unwanted power density into a HAPS ground station antenna in the band 31.3-31.8 GHz shall be limited to -106 dB(W/MHz) under clear-sky conditions, and may be increased up to -100 dB(W/MHz) under rainy conditions to mitigate fading due to rain, provided the effective impact on the passive satellite does not exceed the impact under clear-sky conditions. See Resolution 145 (Rev.WRC-12). (WRC-12
- 5.544 In the band 31-31.3 GHz the power flux-density limits specified in Article 21, Table 21-4 shall apply to the space research service.
- **5.545** Different category of service: in Armenia, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 31-31.3 GHz to the space research service is on a primary basis (see No. **5.33**). (WRC-07)
- 5.546 Different category of service: in Saudi Arabia, Armenia, Azerbaijan, Belarus, Egypt, the United Arab Emirates, Spain, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Israel, Jordan, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Romania, the United Kingdom, South Africa, Tajikistan, Turkmenistan and Turkey, the allocation of the band 31.5-31.8 GHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33). (WRC-07)
- 5.547 The bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service (see Resolution 75 (WRC-2000)). Administrations should take this into account when considering regulatory provisions in relation to these bands. Because of the potential deployment of high-density applications in the fixed-satellite service in the bands 39.5-40 GHz and 40.5-42 GHz (see No. 5.516B), administrations should further take into account potential constraints to high-density applications in the fixed service, as appropriate. (WRC-07)
- Administrations should take practical measures to minimize the potential interference between stations in the fixed service and airborne stations in the radionavigation service in the 31.8-33.4 GHz band, taking into account the operational needs of the airborne radar systems. (WRC-2000)
- **5.547B** Alternative allocation: in the United States, the band 31.8-32 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-97)
- **5.547C** Alternative allocation: in the United States, the band 32-32.3 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-03)

- **5.547D** Alternative allocation: in the United States, the band 32.3-33 GHz is allocated to the inter-satellite and radionavigation services on a primary basis. (WRC-97)
- **5.547E** Alternative allocation: in the United States, the band 33-33.4 GHz is allocated to the radionavigation service on a primary basis. (WRC-97)
- 5.548 In designing systems for the inter-satellite service in the band 32.3-33 GHz, for the radionavigation service in the band 32-33 GHz, and for the space research service (deep space) in the band 31.8-32.3 GHz, administrations shall take all necessary measures to prevent harmful interference between these services, bearing in mind the safety aspects of the radionavigation service (see Recommendation 707). (WRC-03)
- Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, , Jordan, Kuwait, Lebanon, Libya, Malaysia, Mali, , Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Singapore, Somalia, Sudan, South Sudan Sri Lanka, Togo, Tunisia and Yemen, the band 33.4-36 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)
- 5.549A In the band 35.5-36.0 GHz, the mean power flux-density at the Earth's surface, generated by any spaceborne sensor in the Earth exploration-satellite service (active) or space research service (active), for any angle greater than 0.8° from the beam centre shall not exceed -73.3 dB(W/m²) in this band. (WRC-03)
- **5.550** Different category of service: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, , Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 34.7-35.2 GHz to the space research service is on a primary basis (see No. **5.33**). (WRC-12)
- **5.550A** For sharing of the band 36-37 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile services, Resolution **752** (WRC-07) shall apply. (WRC-07)
- **5.551B** (SUP WRC-2000)
- **5.551C** (SUP WRC-2000)
- **5.551D** (SUP WRC-2000)
- **5.551E** (SUP WRC-2000)
- **5.551F** Different category of service: in Japan, the allocation of the band 41.5-42.5 GHz to the mobile service is on a primary basis (see No. **5.33**). (WRC-97)
- **5.551G** (SUP WRC-03)
- 5.551H The equivalent power flux-density (epfd) produced in the band 42.5-43.5 GHz by all space stations in any non-geostationary-satellite system in the fixed-satellite service (space-to-Earth), or in the broadcasting-satellite service operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station for more than 2% of the time:
 - 230 dB(W/m²) in 1 GHz and -246 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and

 209 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These epfd values shall be evaluated using the methodology given in Recommendation ITU-R S.1586-1 and the reference antenna pattern and the maximum gain of an antenna in the radio astronomy service given in Recommendation ITU-R RA.1631 and shall apply over the whole sky and for elevation angles higher than the minimum operating angle θ_{min} of the radiotelescope (for which a default value of 5° should be adopted in the absence of notified information).

These values shall apply at any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution **743** (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-07)

5.551I The power flux-density in the band 42.5-43.5 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth), or the broadcasting-satellite service operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station:

- 137 dB(W/m²) in 1 GHz and -153 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and
- 116 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These values shall apply at the site of any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution **743** (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-03)

- 5.552 The allocation of the spectrum for the fixed-satellite service in the bands 42.5-43.5 GHz and 47.2-50.2 GHz for Earth-to-space transmission is greater than that in the band 37.5-39.5 GHz for space-to-Earth transmission in order to accommodate feeder links to broadcasting satellites. Administrations are urged to take all practicable steps to reserve the band 47.2-49.2 GHz for feeder links for the broadcasting-satellite service operating in the band 40.5-42.5 GHz.
- **5.552A** The allocation to the fixed service in the bands 47.2-47.5 GHz and 47.9-48.2 GHz is designated for use by high altitude platform stations. The use of the bands 47.2-47.5 GHz and 47.9-48.2 GHz is subject to the provisions of Resolution **122** (**Rev.WRC-07**). (WRC-07)

- 5.553 In the bands 43.5-47 GHz and 66-71 GHz, stations in the land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services to which these bands are allocated (see No. 5.43). (WRC-2000)
- 5.554 In the bands 43.5-47 GHz, 66-71 GHz, 95-100 GHz, 123-130 GHz, 191.8-200 GHz and 252-265 GHz, satellite links connecting land stations at specified fixed points are also authorized when used in conjunction with the mobile-satellite service or the radionavigation-satellite service. (WRC-2000)
- **5.554A** The use of the bands 47.5-47.9 GHz, 48.2-48.54 GHz and 49.44-50.2 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary satellites. (WRC-03)
- **5.555** Additional allocation: the band 48.94-49.04 GHz is also allocated to the radio astronomy service on a primary basis. (WRC-2000)
- **5.555A** (SUP WRC-03)
- 5.55B The power flux-density in the band 48.94-49.04 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth) operating in the bands 48.2-48.54 GHz and 49.44-50.2 GHz shall not exceed -151.8 dB(W/m²) in any 500 kHz band at the site of any radio astronomy station. (WRC-03)
- 5.556 In the bands 51.4-54.25 GHz, 58.2-59 GHz and 64-65 GHz, radio astronomy observations may be carried out under national arrangements. (WRC-2000)
- 5.556A Use of the bands 54.25-56.9 GHz, 57-58.2 GHz and 59-59.3 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, shall not exceed –147 dB(W/(m²-100 MHz)) for all angles of arrival. (WRC-97)
- **5.556B** Additional allocation: in Japan, the band 54.25-55.78 GHz is also allocated to the mobile service on a primary basis for low-density use. (WRC-97)
- **5.557** Additional allocation: in Japan, the band 55.78-58.2 GHz is also allocated to the radiolocation service on a primary basis. (WRC-97)
- **5.557A** In the band 55.78-56.26 GHz, in order to protect stations in the Earth exploration-satellite service (passive), the maximum power density delivered by a transmitter to the antenna of a fixed service station is limited to –26 dB(W/MHz). (WRC-2000)
- **5.558** In the bands 55.78-58.2 GHz, 59-64 GHz, 66-71 GHz, 122.25-123 GHz, 130-134 GHz, 167-174.8 GHz and 191.8-200 GHz, stations in the aeronautical mobile service may be operated subject to not causing harmful interference to the inter-satellite service (see No. **5.43**). (WRC-2000)
- 5.558A Use of the band 56.9-57 GHz by inter-satellite systems is limited to links between satellites in geostationary-satellite orbit and to transmissions from non-geostationary satellites in high-Earth orbit to those in low-Earth orbit. For links between satellites in the geostationary-satellite orbit, the single entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface, for all conditions and for all methods of modulation, shall not exceed –147 dB(W/(m² · 100 MHz)) for all angles of arrival. (WRC-97)

- **5.559** In the band 59-64 GHz, airborne radars in the radiolocation service may be operated subject to not causing harmful interference to the inter-satellite service (see No. **5.43**). (WRC-2000)
- **5.559A** (SUP WRC-07)
- 5.560 In the band 78-79 GHz radars located on space stations may be operated on a primary basis in the Earth exploration-satellite service and in the space research service.
- 5.561 In the band 74-76 GHz, stations in the fixed, mobile and broadcasting services shall not cause harmful interference to stations of the fixed-satellite service or stations of the broadcasting-satellite service operating in accordance with the decisions of the appropriate frequency assignment planning conference for the broadcasting-satellite service. (WRC-2000)
- **5.561A** The 81-81.5 GHz band is also allocated to the amateur and amateur-satellite services on a secondary basis. (WRC-2000)
- **5.561B** In Japan, use of the band 84-86 GHz, by the fixed-satellite service (Earth-to-space) is limited to feeder links in the broadcasting-satellite service using the geostation-ary-satellite orbit. (WRC-2000)
- The use of the band 94-94.1 GHz by the Earth exploration-satellite (active) and space research (active) services is limited to spaceborne cloud radars. (WRC-97)
- 5.562A In the bands 94-94.1 GHz and 130-134 GHz, transmissions from space stations of the Earth exploration-satellite service (active) that are directed into the main beam of a radio astronomy antenna have the potential to damage some radio astronomy receivers. Space agencies operating the transmitters and the radio astronomy stations concerned should mutually plan their operations so as to avoid such occurrences to the maximum extent possible. (WRC-2000)

COMMUNICATIONS REGULATORY AUTHORITY OF NAMIBIA

No. 192

NOTICE OF INTENTION TO MAKE REGULATIONS IN RESPECT OF TYPE APPROVAL AND TECHNICAL STANDARDS FOR ELECTRONIC TELECOMMUNICATIONS EQUIPMENT: COMMUNICATIONS ACT, 2009

The Communications Regulatory Authority of Namibia, in terms of regulation 4(3) of the Regulations Regarding Rule-Making Procedures published as General Notice No. 334 of 17 December 2010 publishes this Notice of Intention to Make Regulations in respect of Telecommunications Equipment Requiring Type Approval, which contains the following:

- 1. A draft of the proposed Regulations as set out in Schedule 1;
- 2. A concise statement of the purpose for the proposed Regulations as set out in Schedule 2.

The public may make oral submissions on the proposed regulations to the Authority, at a time, date and place notified by the Authority by subsequent notice in the *Gazette*.

The public may also make written submissions to the Authority within thirty (30) days from the date of publication of this notice in the *Gazette*, in the manner set out below for making written submissions.

Reply comments to written submissions may be submitted to the Authority-

- (a) Within a period of fourteen (14) days from the date of notification of written comments by the Authority; or
- (b) if the opportunity for the submission of reply comments is published in a subsequent *Gazette*, after the lapse of fourteen (14) days from the date of such publication.

All written submissions must-

- (a) contain the name and contact details of the person making the written submissions and the name and contact details of the person for whom the written submission is made, if different; and
- (b) be clear and concise.

All written submissions must be send or given in any of the following manner:

- 1. By hand to the head offices of the Authority, namely Communication House, No 56 Robert Mugabe Avenue, Windhoek.
- 2. By post to the head offices of the Authority; namely Private Bag 13309, Windhoek, 9000;
- 3. By electronic mail to the following address: legal@cran.na;
- 4. By facsimile to the following facsimile number: + 264 61 222 790

L. N. JACOBS CHAIRPERSON OF THE BOARD COMMUNICATIONS REGULATORY AUTHORITY

SCHEDULE 1

PROPOSED REGULATIONS IN RESPECT OF TELECOMMUNICATIONS EQUIPMENT REQUIRING TYPE APPROVAL: COMMUNICATIONS ACT, 2009

The Communications Regulatory Authority, in terms of section 80 read with section 129 of the Communications Act, 2009 (Act No. 8 of 2009), makes the regulations set out in the Schedule.

Definitions

1. In these regulations, any word or expression to which a meaning is assigned in the Act, shall have the same meaning and –

"accredited test laboratory" means any laboratory accredited by its own national accreditation body or another recognised accreditation body in terms of ISO/IEC 17025 requirements;

"Act" means the Communications Act, 2009 (Act No. 8 of 2009);

"applicant" means a person applying for type approval in accordance with these regulations;

"declaration of conformity" means a written declaration issued by an applicant or manufacturer or supplier of telecommunications equipment in accordance with ISO/IEC 17050 that telecommunications equipment for which type approval is sought conforms to these regulations and applicable technical standards;

"electronic communications" means any emission, transmission or reception of sound, pictures, text or any other information by wire, radio waves, optical media, electromagnetic systems or any other means of a like nature:

"electronic communications network" means any system of electronic communications facilities, including without limitation—

- (a) satellite systems;
- (b) fixed systems (circuit- and packet-switched);
- (c) mobile systems;
- (d) fibre optic cables (undersea and land-based);
- (e) electricity cable systems (to the extent used for electronic communications services); and
- (f) other transmission systems, used for conveyance of electronic communications;

"electronic communications service" means a service provided to the public, sections of the public, the State, or the subscribers to such service, which consists wholly or mainly of the conveyance by any means of electronic communications over an electronic communications network;

"foreign regulatory authority" means a regulatory authority outside Namibia, which performs the same or substantially the same functions as the Authority and whose standards are acceptable to the Authority;

"telecommunications Communications equipment" means telecommunications equipment, telecommunications terminal equipment, information technology equipment, radio communication equipment power by means of electrical AC/DC energy, the source being internal or external or electronic communications network.

"the website" means the website of the Authority with URL: www.cran.na.

"type approval" means -

- (a) The process undertaken by the Authority of authorising the use of telecommunications equipment in Namibia, involving the verification of such equipment's conformity to and compatibility with the Act, applicable technical standards and other regulatory requirements; or
- (b) the process undertaken by the Authority of examination and testing telecommunications equipment so as to determine whether such equipment has passed performance tests and quality assurance tests, and meets qualification criteria in accordance with applicable technical standards and other regulatory requirements.

"type approval fees" means fees relating to type approval as set out in Annexure 2 of these regulations;

"type approval certificate" means a certificate issued by the Authority to an applicant confirming that such applicant's telecommunications equipment has been type approved;

"type approval register" means a register that contains basic technical and compliance information on all type approved telecommunications equipment, including any conditions the Authority attached to such type approval.

Purpose

- **2.** (1) The purpose of these regulations is to establish a type approval procedure to ensure that-
 - (a) telecommunications equipment used in Namibia comply with international standards applicable in Namibia;
 - (b) no sub-standard equipment which may represent health and safety hazards to consumers in general are operated in Namibia;
 - (c) consumers are protected from products that are incompatible with local networks;
 - (d) the operating frequency of telecommunications equipment, generally and radio apparatus in particular are in conformance with the national frequency band plan in Namibia so that no harmful interference is caused to essential services.

Applicability

- **3.** (1) These regulations apply to-
- (a) all persons (whether legal or natural persons) who use, sell, offer for sale or connect telecommunications equipment to an electronic communications network in Namibia; and
- (b) all telecommunications equipment used, sold, offered for sale or connected to an electronic communications network in Namibia.

Telecommunication equipment requiring type approval

- **4.** (1) Any person or entity who intends to -
- (a) connect telecommunications equipment to an electronic communication network in Namibia for purposes of electronic communications;
- (b) use, sell or offer for sale telecommunications equipment in Namibia, except where such person purchased such equipment outside Namibia and personally imported it for own use,

must apply for type approval from the Authority in respect of such equipment prior to the use thereof in Namibia.

- (2) Notwithstanding sub-regulation (1), telecommunications equipment that is temporarily imported into Namibia for re-export does not require type approval.
- (3) All telecommunications equipment used, sold, or offered for sale or connected to an electronic communication network before these regulations enter into force, which require type approval, must be type approved in accordance with these regulations.

Registration of supplier

5. (1) An applicant will be registered as a supplier of telecommunications equipment on the database of the Authority upon approval of such Applicant's application for type approval.

- (2) Registration of an applicant as supplier will happen once suppliers of telecommunications equipment apply for type approval for such equipment.
- (3) Suppliers must inform the Authority forthwith if any of their registration details change.

Application procedures

- **6.** (1) An applicant must submit an application on Form 1 set out in Annexure 1 in respect of telecommunications equipment requiring type approval.
 - (2) An application for type approval must be accompanied by-
 - (a) personal identification, a certificate of incorporation or a valid trade licence in the name of the applicant;
 - (b) a declaration of conformity in accordance with regulation 6;
 - (c) technical, physical, operational, installation and user information;

software and firmware numbers of the telecommunications equipment being type approved;

- (d) all other documentation as required by Part5 5 of the application form;
- (e) proof of payment of the applicable type approval fees as stipulated in Annexure 2.
- (3) The Authority may require an applicant to submit additional information as proof of complying with the applicable technical standards.
- (4) An application form is not complete unless accompanied by the documents required in terms of sub-regulation (1) and where applicable, sub-regulation (2).
- (5) In addition to the requirements of sub-regulation (2), the Authority may request an applicant for a sample of the telecommunications equipment requiring type approval for examination and testing to determine whether such equipment has passed performance tests and quality assurance tests, and meets qualification criteria in accordance with applicable technical standards and other regulatory requirements.
- (6) Samples of telecommunications communications equipment referred to in subregulation (5) must be-
 - (a) in good and proper working condition;
 - (b) properly configured for testing complete with the necessary test adaptors, and
 - (c) clearly marked with trade name, model and serial number.
- (7) If the Authority requires clarification in respect of technical details or other specifications of the telecommunications equipment requiring type approval, the Authority must require the applicant to provide such clarification within the timeframe specified by the Authority.
- (8) An application for type approval may be rejected by the Authority if the applicant fails to respond to a request for clarification contemplated by sub-regulation (7) or fails to respond within the timeframe specified.

- (9) If the Authority is not satisfied regarding any aspect of an application for type approval, the Authority must reject the application and notify the applicant in which respects the application is non-compliant.
- (10) An unsuccessful applicant may address any non-compliance and submit a new application for type approval.
- (11) If the Authority is satisfied that all the requirements of these regulations have been met, the Authority may issue a type approval certificate to the successful applicant, subject to such conditions that the Authority may impose.
- (12) The type approval certificate referred to in sub-regulation (11) must contain a registration number.
- (13) All type approved telecommunications equipment must be entered on the type approval register which the Authority will publish on the website from time to time.
- (14) If type approved telecommunications equipment undergoes a change of model, design, function or specifications, the type approval certificate will not be valid for the telecommunications equipment that experienced such change of model, design or specifications.
- (15) If in terms of sub-regulation (14) a type approval certificate is no longer valid, the telecommunications equipment that experienced a change of model, design, function or specifications requires type approval in terms of these regulations.

Declaration of conformity

- 7. (1) The Authority may accept a declaration of conformity by an applicant if accompanied by test reports and data issued by an accredited test laboratory confirming conformity of the telecommunications equipment for which type approval is sought with the applicable technical standards.
- (2) In an application for type approval, the applicant must submit the test reports and data referred to in sub-regulation (1) without any modification whatsoever.
- (3) In assessing an application for type approval, the Authority will take into account whether the test reports and data referred to in sub-regulation (1) were submitted and accepted by a foreign regulatory authority.
- (4) The Authority shall not have regard to any test report and data accompanying a declaration of conformity in terms of sub-regulation (1) if such report and data are older than 5 years.
- (5) The Authority may regard a declaration of conformity and its accompanying test reports and data as valid if such declaration, test report and data were prepared for the telecommunications equipment for which application for type approval is made and if no modification to the equipment was made following the completion of the test reports.

Effect of successful application for type approval

- 8. (1) The exclusive right to use the registration number for type approved telecommunications equipment belongs to the person or entity to whom a type approval certificate has been issued.
- (2) Any other person may import or sell telecommunications equipment of the same brand name and model number as type approved telecommunications equipment only if such person

obtained the prior written consent of the holder of the type approval certificate in respect of such type approved equipment or such person obtained a type approval certificate therefor.

- (3) The holder of a type approval certificate may only use, sell, offer for sale or connect telecommunications equipment to an electronic communications network which are identical in all material respects to the type approved telecommunications equipment in respect of which the type approval certificate has been issued.
- (4) A type approval certificate is not transferable to any other person except with the prior written approval of the Authority.
- (5) After registration, any telecommunications equipment sample submitted at the request of the Authority may be returned to the applicant but the Authority may retain any related documents for reference purposes.
- (6) A type approval certificate is ordinarily valid for a period of three years and may be renewed by the Authority at the written request of the holder of such certificate upon the submission of such documents as the Authority may require subject thereto that-
 - (a) no modification in respect of the model, design, function, or other information recorded in the type approval certificate or type approval register is made to the type approved telecommunications equipment;
 - no significant changes are made to the technical specifications of the type approved telecommunications equipment, including but not limited to –
 - (i) the operating frequency band; and
 - (ii) RF power and technical standards upon which the telecommunications equipment was type approved.
- (7) The grant of type approval in terms of these regulations may not be construed as a guarantee by the Authority for the proper functioning, performance or quality of the type approved telecommunications equipment.
- (8) The holder of a type approval certificate must ensure that the type approved telecommunications equipment inter-connects properly with electronic communication networks in Namibia.
- (9) The Authority shall not be liable for interference caused to other equipment, injury, loss of life or damage to property arising from the direct or indirect use of the type approved telecommunications equipment.
- (10) A network operator may not refuse connection of type approved telecommunications equipment.

Monitoring compliance and inspections

- **9.** (1) The Authority may perform market surveillance activities from time to time in accordance with the provisions of Chapter X of the Act.
- (2) The holders of type approval certificates must cooperate in such activities and may be required by the Authority to provide without charge to the Authority samples of telecommunications equipment and documentation.

- (3) If any person is found to be in non-compliance with these regulations or the applicable technical standards, the person must forthwith cease to use, sell or offer for sell or connect the telecommunications equipment to an electronic communications network or type of telecommunications equipment concerned and dispose thereof at their own expense as directed by the Authority.
- (4) The Authority may seize type approved telecommunications equipment that does not comply with applicable technical standards or these regulations or that belongs to a category of telecommunications equipment for which type approval is required as contemplated in these regulations and that has not been so approved.

Cancellation of type approval certificate

- **10.** (1) Where the Authority is satisfied upon an investigation conducted in terms of Chapter X of the Act that-
 - (a) any information provided to the Authority by the holder of a type approval certificate is found to be counterfeited or false;
 - (b) type approved telecommunications equipment does not comply with applicable technical standards or these regulations;
 - (c) there is a breach of any condition endorsed on the type approval certificate;
 - (d) type approved telecommunications equipment is causing or likely to cause harmful interference to an electronic communications network or is a risk to human health or the environment,

the Authority may by written notice to the holder of a type approval certificate inform such holder that the Authority intends to cancel the type approval certificate, and in such notice state the grounds for such intended action.

- (2) A holder of a type approval certificate may, within 15 days from the date of receipt of a notice referred to in sub-regulation (1), make written representations to the Authority in connection with the matter.
- (3) After consideration of the representations referred to in sub-regulation (2) or, if no such representations have been made, upon the expiry of the period mentioned in that sub-regulation, the Authority may-
 - (a) if the Authority is satisfied that it is just and equitable to do so in the particular case, by written notice to the registered insurer or reinsurer withdraw the notice referred to in sub-regulation (1); or
 - (b) by written notice to the holder of the type approval certificate cancel the certificate.
- (4) All telecommunications equipment that is the subject of a cancelled type approval certificate must be withdrawn from the market at the costs of the holder of the cancelled certificate within 30 days of the written notice referred to in paragraph (b) of sub-regulation (3).

Fees

11. (1) The Authority will charge type approval fees in accordance with Annexure 2 to these regulations.

- (2) All fees are payable in advance and are non-refundable.
- (3) The fees set out in Annexure 2 will be adjusted in accordance with the Consumer Price Index as published by the Namibia Statistics Agency from time to time or such other percentage determined by the Authority.
- (4) Fees adjusted annually as contemplated in sub-regulation (3) must be published annually in the Government Gazette by the Authority.

Prohibited telecommunications equipment

- **12.** (1) The Authority may from time to time publish a list of prohibited communications equipment on the website.
- (2) No person may import, sell, offer for sale or connect telecommunications equipment appearing on the list referred to in sub-regulation (1).
- (3) The Authority may in conjunction with relevant Government agencies restrict the importation of any telecommunications equipment into Namibia, where the Authority is satisfied that such equipment may cause damage or harmful interference to electronic communications networks or poses a risk to public health and safety or the environment.

Amendment of technical standards

- 13. (1) Whenever technical standards are amended, the holder of type approved telecommunications equipment must ensure that such equipment are reassessed to determine if due to the amended standard, the equipment requires further type approval in terms of these regulations.
- (2) If the equipment referred to in sub-regulation (1) requires a new application for type approval, such application must be made before the date when the amended technical standard comes into operation.

Offence and Penalties

- 14. (1) It shall be the duty of every person who uses, sells, offers for sale or connects to an electronic communication network any telecommunications equipment requiring type approval in terms of these regulations to ensure that such equipment is type approved by the Authority.
- (2) If a person fails to comply with the duty referred to in sub-regulation (1), the Authority may enforce such duty in the manner provided for in section 116 of the Act.
- (3) Any person who uses, sells, offers for sale or connects to an electronic communication network any telecommunications equipment requiring type approval in terms of these regulations without the Authority having type approved such equipment commits an offence and is on conviction liable to imprisonment for a period not exceeding 2 years or a fine not exceeding N\$100 000 or both such fine and such imprisonment.
- (4) Any duty imposed in terms of these regulations upon any person to do something or to omit from doing something shall be a duty enforceable by the Authority in accordance with section 116 of the Act.
- (5) Any person who contravenes any provision of these regulations imposing a duty upon such person as contemplated in sub-regulation (4) commits an offence and is on conviction liable to imprisonment for a period not exceeding 1 year or a fine not exceeding N\$50 000 or both such fine and such imprisonment.

ANNEXURE 1 FORM 1

APPLICATION FORM COMMUNICATIONS EQUIPMENT TYPE APPROVAL

In terms of Regulation 6 of the Regulations in respect of Telecommunications Equipment Requiring Type Approval a person intending to provide a broadcasting service is required to complete this application for type approval.

After completing the form, sign it and submit it to the Authority as required by Regulation 6, along with the relevant application fee or proof that the application fee has been paid to the Authority.

Postal Address:	
Physical Address:	
-	
Contact Person:	
Email Address:	
Telephone No:	
Facsimile No:	
Website:	
Name of Agent/Representative Postal Address:	
	+
Physical Address:	
Physical Address: Contact Person:	
•	
Contact Person:	
Contact Person: Email Address:	

4. ORIGINAL EQUIPMENT DETAILS

4.1 Please indicate the appropriate equipment category -

Please indicate the appropriate ed	quipment category -	
Call Monitoring Equipment	Call Metering Unit	
	Call Monitoring Unit	
	Call Barring Unit	
	Call Recording Unit	
	Subscriber Private Meter	
Data Equipment	Modem	
	Router	
	Switch	
	PAD	
	MUX	
Facsimile Equipment	All Types	
Network Equipment	Microwave Transmitter	
1 1	Base Station Transmitter	
	Network Management System	
Paging Equipment	All Types	
Payphone Terminal Equipment	All Types	
Private Exchange Equipment	PMBX	
Tivate Exchange Equipment	PABX	
	Voice Messaging System	
	Switchboard Equipment	
Dadia Camanaisationa Emis	Media Convergence Server	
Radio Communications Equipment	HF	
	VHF	
	UHF	
	Radio Alarm Transmitter	
	Citizen Band Radio	
	Amateur Radio	
Satellite Earth Terminal	GMPCS terminal (with ITU MoU Mark)	
	GMPCS terminal (without ITU MoU Mark)	
	VSAT	
Short Range Devices/ Low Power terminals	Access Control (including door and gate openers)	
terminais	Alarms and movement detectors	
	Closed circuit television (CCTV)	
	Cordless audio devices including wireless microphones	
	Industrial control devices	
	Local Area Networks	
	Medical Devices	
	UWB sensors and radars (such as ground probing radar)	
	Remote controls	
	Radio frequency identification (RFID)	
	Road Transport telematics	
	Road Transport telematics	
	Telemetry	
	-	

Telephone Terminal Equipment	Ordinary telephone	
	Executive telephone	
	Cordless telephone	
	Answer machine integrated into the telephone	
	2-line executive telephone	
	Cordless executive telephone	
	Intelligent executive telephone	
	Answering machine unit	
	GSM phone	
	CDMA terminal	
TV Set-Top Box	All types	
VOIP network equipment	E1 interface card	
	VOIP gateway	
	IP terminal	
Wimax terminal	All types	

4.0	-	1
4.2	Equipment	details

Model:	
Frequency Range:	
ITU Emission Code:	
Modulation:	
Power Output:	

4.3 Indicate whether the equipment is intended for use as:

Stand-Alone	
Dual Interface equipment (RF and Telecommunications)	
Plug-in Card	
Other (Please specify below)	

5. REQUIRED DOCUMENTATION TO BE ATTACHED TO APPLICATION

2x Identifying postcard size colour photographs of equipment submitted for type approval	
A functional description of the equipment, at least at block diagram level	
Operating instructions	
Certified copy of declaration of conformity by applicant, manufacturer or supplier of telecommunications equipment including test report (both RF and EMC), issued by an accredited test laboratory	
Certified copies of test reports and certificate of compliance with Radio regulations issued by an accredited test laboratory	
Certified copy of test report for Safety Regulations issued by an accredited test laboratory	
Receipt issued by CRAN as per applicable fees	
Physical sample equipment if type approval of untested equipment is requested	

Signed by	at
	in his/her capacity as
	, duly authorised and warranting such authority
and warranting that the information provided he	erein is true and correct, on the
day of2	20
Signature	
ACKNOWLEDGEMENT OR RECEIPT BY (CRAN
Name	
Date	
Place	
Signature	

ANNEXURE 2 TYPE APPROVAL FEES

EQUIPMENT CATEGORY	EQUIPMENT INCLUDED IN THIS CATEGORY	FEES (N\$)
Radio Transmitter Equipment	Community Radio Transmitter	1,000.00
Call Monitoring	Call metering unit	250.00
Equipment	Call monitoring unit	250.00
	Call barring unit	250.00
	Call recording unit	250.00
	Subscriber private meter	250.00
Data Equipment	Modem	450.00
	Router	450.00
	Switch	450.00
	PAD	450.00
	MUX	450.00
Facsimile Equipment	All types	450.00
Network Equipment	Microwave transmitter	3,000.00
	Base Station transmitter	3,000.00
	Network Management System	3,000.00
Paging Equipment	All types	450.00
Payphone Terminal Equipment	All types	450.00
Private Exchange	PMBX	1,500.00
Equipment	PABX	1,500.00
	Voice messaging system	1,500.00
	Switchboard equipment	1,500.00
	Media convergence server	1,500.00
Radio Communications	HF	450.00
Equipment	VHF	450.00
	UHF	450.00
	Radio alarm transmitter	450.00
	Citizen band	450.00
	Amateur	450.00
Satellite Earth Terminal	GMPCS terminal (with ITU MoU Mark)	100.00
	GMPCS terminal (without ITU MoU Mark)	450.00
	VSAT	1,500.00
Short Range Devices/	Access control (including door and gate openers)	250.00
Low power terminals	Alarms and movement detectors	250.00
	Closed-circuit television (CCTV)	250.00
	Cordless audio devices, including wireless micro- phones	250.00
	Industrial control	350.00
	Local Area Networks	350.00
	Medical implants	350.00
	UWB Sensors & Radars (such as ground probing radar)	250.00
	Remote control	250.00

Radio frequency identification (RFID)	250.00
Road Transport Telematics	250.00
Bluetooth Devices	250.00
Car Radios	250.00
Telemetry.	250.00
Ordinary telephone	250.00
Executive telephone	250.00
Cordless telephone	250.00
Answer machine integrated into the telephone	250.00
2 line Executive telephone	450.00
Cordless executive telephone	450.00
Intelligent executive telephone	450.00
Answering machine unit	450.00
GSM terminal	450.00
CDMA terminal	450.00
All types	450.00
E1 interface card	2,500.00
VoIP gateway	2,500.00
IP terminal	2,500.00
All types	450.00
	Road Transport Telematics Bluetooth Devices Car Radios Telemetry. Ordinary telephone Executive telephone Cordless telephone Answer machine integrated into the telephone 2 line Executive telephone Cordless executive telephone Intelligent executive telephone Answering machine unit GSM terminal CDMA terminal All types E1 interface card VoIP gateway IP terminal

SCHEDULE 2

CONCISE STATEMENT OF THE PURPOSE OF THE PROPOSED REGULATIONS

The purpose of the draft regulations in respect of Telecommunications Equipment Requiring Type Approval is to establish a type approval procedure to ensure that-

- (a) telecommunications equipment used in Namibia comply with international standards applicable in Namibia;
- (b) no sub-standard equipment which may represent health and safety hazards to consumers in general are operated in Namibia;
- (c) consumers are protected from products that are incompatible with local networks; and
- (d) the operating frequency of telecommunications equipment, generally and radio apparatus in particular are in conformance with the national frequency band plan in Namibia so that no harmful interference is caused to essential services.