



GOVERNMENT GAZETTE

OF THE

REPUBLIC OF NAMIBIA

N\$5.60

WINDHOEK - 15 March 2016

No. 5971

CONTENTS

Page

GOVERNMENT NOTICES

No. 47	Alteration of boundaries of Mariental Local Authority Area: Local Authorities Act, 1992	2
No. 48	Designation of inspectors for Communication Regulatory Authority as Ex-officio Commissioners of Oaths: Justices of Peace and Commissioners of Oaths Act, 1963	2
No. 49	Notification of farming units offered for allotment: Agricultural (Commercial) Land Reform Act, 1995	2
No. 50	Proclamation of trunk roads (numbers 1/6(B) and 1/6(C) and the amendment of the road reserve of a portion of trunk road 1/6: Districts of Windhoek and Okahandja	7
No. 51	Correction of Government Notice No. 44 of 9 March 2016	10

GENERAL NOTICES

No. 59	General valuation of rateable properties situated within the Local Authority Area of Koës	11
No. 60	Windhoek Town Planning Amendment Scheme No. 95	11
No. 61	City of Windhoek: Permanent closure of Portion A of Erf 6275 Katutura, as public open space and the consolidation of Portion A with Erf 8973, Katutura. Portion A is to assume the same zoning of Erf 8973 Katutura being one residential building per erf	11
No. 62	City of Windhoek: Permanent closure of Portion B of Rudolph Hertzog Street Windhoek, as street and the consolidation of Portion B with Erf 6880, Windhoek. Portion B is to assume the same zoning as Erf 6880 Windhoek being business to be used as a parking area as per Council Resolution No. 319/11/2015	12
No. 63	Namibian Standards Institution (NSI): Notice on the setting, establishing and issue of Namibian standards including their full particulars and the description of each of the Namibian standards	12

Government Notices

MINISTRY OF URBAN AND RURAL DEVELOPMENT

No. 47

2016

ALTERATION OF BOUNDARIES OF MARIENTAL LOCAL AUTHORITY AREA: LOCAL AUTHORITIES ACT, 1992

Under section 4(1)(b) of the Local Authorities Act, 1992 (Act No. 23 of 1992), I alter the boundaries of Mariental local authority area by adding to its boundaries Portion 89 a portion of Portion 50, of Farm Kachas No. 92 and Portion 130, a portion of Portion 5, of Farm Koichas No. 89 situated in the Registration Division "R" in the Hardap Region and represented by the Cadastral Diagram No. A890/58 and No. A507/2015, respectively which lies open for inspection at the Office of the Surveyor-General, during working hours.

S. SHANINGWA**MINISTER OF URBAN AND RURAL DEVELOPMENT**

Windhoek, 18 February 2016

MINISTRY OF INFORMATION AND COMMUNICATION TECHNOLOGY

No. 48

2016

DESIGNATION OF INSPECTORS FOR COMMUNICATION REGULATORY AUTHORITY AS EX-OFFICIO COMMISSIONERS OF OATHS: JUSTICES OF PEACE AND COMMISSIONERS OF OATHS ACT, 1963

In terms of section 6 of the Justices of the Peace and Commissioners of Oath Act 1963 (Act No. 16 of 1963), I announce the appointment of the following persons as Ex-officio Commissioners, with effect from 15 February 2016.

T. TWEYA**MINISTER OF INFORMATION AND COMMUNICATION TECHNOLOGY**

SCHEDULE

- a) Mr Kristof Itana
- b) Mr Lazarus Paulus
- c) Mr John Imene
- d) Mr Victor Simasiku
- e) Ms Ronel Le grange
- f) Mr Melvin Angula
- g) Mr Jochen Traut

MINISTRY OF LAND REFORM

No. 49

2016

NOTIFICATION OF FARMING UNITS OFFERED FOR ALLOTMENT: AGRICULTURAL (COMMERCIAL) LAND REFORM ACT,

In terms of Section 39 of the Agricultural (Commercial) Land Reform Act, 1995 (Act No. 6 of 1995),
I -

- (a) make known, in terms of subsection (3) of that section, that copies of the approved allotment plans in respect of the farming units referred to in the Schedule are available for public inspection at the places and during the periods mentioned in the Schedule; and
- (b) invite, in terms of subsection (4) of that section, applications for the allotment of the farming units offered for allotment, which applications must be made in the manner stated in the Schedule.

U. NUJOMA
MINISTER OF LAND REFORM

Windhoek, 1 March 2016

SCHEDULE

1. Number, location and description of farming units offered for allotment

Region	District	Farm Name & Number	Number of Farming Unit Offered for Allotment	Size of Farming Unit (Ha)	Land Use of Farming Unit
Erongo	Omaruru	Weissenfels No. 35	2	Unit - A Measuring 2500.000 ha (5 x Boreholes) Two (2) non-functional Unit - B Measuring 2647.000 ha (3 x Borehole) functional	Large and Small Stock farming
Erongo	Omaruru	Remainder of Farm Klein Otuwapa No. 36	3	Unit - A Measuring 1824.0000 ha (4 x Boreholes) functional Unit - B Measuring 2010.0000 ha (1 x Borehole) functional Unit - C Measuring 1860.0000 ha (3 x Boreholes) functional	Large and Small stock farming
Otjozondjupa	Grootfontein	Klippan No. 918	2	Unit - A Measuring 1334.4150 ha (4 x Boreholes) Two (2) non-functional Unit - B Measuring 1480.0000 ha (3 x Boreholes) Two (2) non-functional	Large and small stock farming
//Karas	Koes	GrossFrankenstein No. 419	4	Unit - A Measuring 6196 ha (4 x Boreholes) functional Unit - B Measuring 6106 ha (5 x Boreholes) functional	Small Stock farming

				Unit - C Measuring 5712 ha (4 x Boreholes) functional Unit - D Measuring 5854.6031 ha (4 x Boreholes) functional	
Khomas	Windhoek	Remainder of Farm Renette No. 232	2	Unit - A Measuring 1443.8967 ha (5 x Boreholes) Three (3) non-functional Unit - B Measuring 1500 Ha (1 x Borehole) functional	Large and Small stock farming
Kunene	Kamanjab	Ombonde No. 616	3	Unit - A Measuring 1915.0000 ha (2 x Boreholes) One (1) non-functional Unit - B Measuring 2348 ha (3 x Boreholes) Two (2) non-functional Unit - C Measuring 2282.0995 ha (3 x Boreholes) One (1) non-functional	Large and Small stock farming

2. Public inspection of allotment plans

The approved allotment plans, in respect of the farming unit offered for allotment, are available for public inspection during the office hours at the offices mentioned in paragraph 3(c) for a period of 30 days from the date of publication of this notice in the *Gazette*.

3. Application for allotment of farming unit

An application for allotment of a farming unit must -

- (a) be made on the forms determined by the Minister, which form may be obtained from the offices mentioned in subparagraph (c);
- (b) Where the unit to be allotted is to be used for project development, be accompanied by -
 - (i) detailed project proposal
 - (ii) proof of registration or provisional registration, where the applicant is a company, a close corporation, a co-operative or any other entity required by law to be registered; and
- (c) within 30 days from the date of publication of this notice in the *Gazette*, be delivered or sent to any of the following offices:

Physical Addresses:

The Regional Governor
Erongo Regional Council
Government Building
Tobias Hainyeko Street
Swakopmund

The Regional Governor
Hardap Regional Council
Government Building
Ernst Stumfe Street
Mariental

The Regional Governor
//Karas Regional Council
Education Building
Wheeler Street
Keetmanshoop

The Regional Governor
Khomas Regional Council
Pull Mann Street
Windhoek

The Regional Governor
Kavango East Regional Council
Government Building
Usivi Road
Rundu

The Regional Governor
Kunene Regional Council
Government Building
Opuwo Main Road
Opuwo

The Regional Governor
Ohangwena Regional Council
Government Building
Eenhana Main Road
Eenhana

The Regional Governor
Omaheke Regional Council
Government Building
Church Street
Gobabis

The Regional Governor
Omusati Regional Council
Government Building
Namaungu Street
Outapi

Postal address:

The Regional Governor
Erongo Region
Private Bag 1230
Swakopmund

The Regional Governor
Hardap Region
Private Bag 2017
Mariental

The Regional Governor
//Karas Region
P.O. Box 384
Keetmanshoop

The Regional Governor
Khomas Region
P. O. Box 3379
Windhoek

The Regional Governor
Kavango East Region
Private Bag 2082
Rundu

The Regional Governor
Kunene Region
Private Bag 502
Opuwo

The Regional Governor
Ohangwena Region
Private Bag 2032
Ondangwa

The Regional Governor
Omaheke Region
Private Bag 2277
Gobabis

The Regional Governor
Omusati Region
Private 523
Outapi

The Regional Governor
Oshana Regional Council
Government Building
Leo Shoopala Street
Oshakati

The Regional Governor
Oshana Region
Private Bag 5543
Oshakati

The Regional Governor
Oshikoto Regional Council
Omuthiya Main Road
Omuthiya

The Regional Governor
Oshikoto Region
P.O. Box 19247
Omuthiya

The Regional Governor
Otjozondjupa Regional Council
Erf No. 219
Hage Geingob Street, Main Road
(Next to Avis Car Rental) Otjiwarongo

The Regional Governor
Otjozondjupa Region
P. O. Box 2091
Otjiwarongo

The Regional Governor
Zambezi Regional Council
Government Building
Boma, Ngoma Road
Katima Mulilo

The Regional Governor
Zambezi Region
Private Bag 5002
Katima Mulilo

4. Minimum qualifications required to qualify of applicants

An applicant, other than a company or close corporation contemplated in section 41(7) of the Agricultural (Commercial) Land Reform Act, 1995 (Act No. 6 of 1995) must be a Namibian citizen who -

- (a) 18 years of age or older;
- (b) has a background or interest in agriculture or related activities;
- (c) has been socially, economically or educationally disadvantaged by past discriminatory laws or practices; and
- (d) has relinquished any right in respect of agricultural land.

5. Rent payable in respect of farming units

A farming unit is to be leased for a period of 99 years and the approximate rent payable in respect of a farming unit leased for livestock farming, is as determined by the Minister of Land Reform, on the recommendation of the Land Reform Advisory Commission, based on the value of the farming unit.

6. Lease Agreement

A successful applicant must enter into a lease agreement with the Minister of Land Reform.

MINISTRY OF WORKS AND TRANSPORT

No. 50

2016

PROCLAMATION OF TRUNK RODS (NUMBERS 1/6(B) AND 1/6(C)) AND THE AMENDMENT OF THE ROAD RESEVE OF A PORTION OF TRUNK ROAD 1/6: DISTRICTS OF WINDHOEK AND OKAHANDJA

It is hereby made known -

- (a) that in terms of section 22(2) of the Roads Ordinance, 1972 (Ordinance 17 of 1972), the Minister has, in the districts of Windhoek and Okahandja of the said Ordinance declared trunk roads (numbers 1/6(b) and 1/6(c) as described in Schedules I and II, shown by coordinates in Schedule III and indicated on sketch-map P2360 by the symbols B-C-D-E-FG-H and G-J be proclaimed respectively; and
- (b) in terms of section 23(3) of the said Ordinance the Minister has under section 23(1)(a) of the said Ordinance the roads described in paragraph (a) above be declared trunk roads (numbers 1/6(b) and 1/6(b)); and
- (c) in terms of section 3(4)(a) of the said Ordinance the width of the road reserve of a portion of trunk road 1/6 be increased according to the co-ordinates in Schedule IV and shown on sketch-map P2360 by the symbols A-B.

The said sketch-map shall at all times lie open to inspection at the office of the Roads Authority, Windhoek, during normal office hours.

SCHEDULE I

From a point (B on sketch-map P2360) at the junction with trunk road 1/6 on the farm Remainder of Portion AR of Osona Commonage 65 generally north-westwards across the said farm and the farm Portion 108 of Osona Commonage 65 to a point (C on sketch-map P2360) on the last-mentioned farm; thence generally north-north-westwards across the last-mentioned farm and the farms Lot AQ of Osona Commonage 65, Lot 22 of Oshona Commonage 65; Lot 21 of Oshona Commonage 65 and the Swakop River to a point (D on sketch-map P2360) on the farm boundary of the farm Lot R of Oshona Commonage 65; thence generally north-westwards across the last-mentioned farm and the farms Lot Q of Oshona Commonage 65; Lot P of Oshona Commonage 65, Lot W of Oshona Commonage 65 and Lot X of Oshona Commonage 65 to a point (E on sketch-map P2360) on the common boundary of the last-mentioned farm and the farm Lot Y of Oshona Commonage 65; thence generally north-north-westwards across the last-mentioned farm and the farms Remainder of the Consolidated farm Okahandja Town and Townlands to a point (F on sketch-map P2360) on the last-mentioned farm; thence generally north-north-eastwards across the last-mentioned farm to a point (G on sketch-map P2360) at the junction with the road described in Schedule III on the last-mentioned farm; thence generally north-north-eastwards across the last-mentioned farm to a point (H on sketch-map P2360) at the junction with trunk roads 7/1 and 1/7 on the last-mentioned farm.

SCHEDULE II

From a point (G on sketch-map P2360) at the junction with the road described in Schedule I on the farm Remainder of the Consolidated farm Okahandj a Town and Townlands generally northwestwards and more and more west-north-westwards across the said farm and the farm Ongombeomuriu 56 to a point (J on sketch-map P2360) at the junction with trunk road 7/1 on the last-mentioned farm.

SCHEDULE III

The co-ordinates measured in metres according to the LO 22/17 system which indicate the road reserve boundaries of trunk road 1/6(b) as set out hereunder and shown on sketch-map P2360.

ID	Y	X
91	3268.412	12912.314
92	3332.483	12960.220
93	3459.253	12685.655
94	3517.372	12740.629
95	3570.843	12563.915
96	3655.797	12603.056
97	4069.154	12328.886
98	4090.340	12337.224
99	4145.111	12291.312
100	4160.438	12252.367
101	4027.026	12103.227
102	4042.353	12064.282
103	4097.124	12018.370
104	4118.310	12026.708
105	4565.229	11730.370
106	4616.621	11791.679
107	6583.562	10038.501
108	6634.954	10099.810
109	6847.705	9897.566
110	6827.486	9776.850
111	6961.433	9719.804
112	6950.467	9574.629
113	7066.952	9537.051
114	7070.581	9237.683
115	7148.659	9255.111
116	7252.136	8424.336
117	7330.215	8441.765
118	7359.360	8068.673
119	7434.061	8097.304
120	7467.869	7824.759
121	7548.815	7842.304
122	7673.796	7295.216
123	7880.784	7408.613
124	7666.060	7268.173
125	7908.130	7400.789
126	7695.474	7215.873
127	7937.545	7348.490
128	7722.820	7208.050
129	7929.809	7321.447
130	8060.412	6766.925
131	8130.140	6806.142
132	8322.957	6300.169
133	8391.098	6342.207
134	8448.564	6113.793
135	8513.104	6161.175

ID	Y	X
171	12262.821	-41.883
172	12340.245	-21.746
173	12300.110	-241.191
174	12379.578	-231.975
175	12309.426	-443.744
176	12389.404	-445.626
177	12298.046	-565.718
178	12369.536	-658.578
179	12246.789	-709.401
180	12320.355	-866.724
181	12082.401	-948.723
182	11799.403	-1178.530
183	11756.431	-1399.379
184	12186.638	-1518.800
185	11816.897	-1598.476
186	11836.397	-1796.476
187	11826.377	-1915.486
188	12298.674	-1868.671
189	11818.885	-1998.970
190	12368.009	-2198.840
191	12265.080	-2131.884
192	12137.666	-2120.890
193	11999.260	-2181.847
194	11770.915	-2198.833
195	11899.326	-2297.267
196	11714.451	-2398.695
197	11836.868	-2398.697
198	11629.170	-2601.737
199	11706.453	-2673.008
200	11593.478	-2670.218
201	11579.021	-2696.486
202	11536.493	-2777.082
203	11615.013	-2826.401
204	11487.394	-2869.975
205	12598.852	-2268.795
206	12598.850	-2415.696
207	12798.713	-2585.585
208	12964.601	-2598.578
209	12998.576	-2736.486
210	13148.976	-2726.995
211	13229.921	-2776.963
212	13202.437	-2868.901
213	13398.304	-2984.828
214	13532.715	-2964.344
215	13687.109	-3151.723

136	9692.743	4683.378
137	9724.700	4515.109
138	10080.020	4444.068
139	10100.983	4462.585
140	10154.816	4441.143
141	10167.765	4417.012
142	9981.191	4184.608
143	10071.228	4133.922
144	10267.107	4332.079
145	10083.000	4109.195
146	10136.704	4085.113
147	10157.717	4104.726
148	10400.148	3973.311
149	10491.242	4038.851
150	10669.422	3744.316
151	10737.772	3803.087
152	10858.082	3489.549
153	10932.797	3519.580
154	11046.924	3140.903
155	11117.268	3179.004
156	11708.980	1918.599
157	11779.324	1956.700
158	11783.514	1758.586
159	11857.942	1787.920
160	11830.571	1473.192
161	11866.990	1123.934
162	12112.830	1198.160
163	11859.354	1100.737
164	12130.769	1182.684
165	11876.801	1043.329
166	12148.222	1125.279
167	11894.538	1027.793
168	12140.378	1102.019
169	12115.759	523.547
170	12193.184	543.684

216	13869.987	-3163.719
217	13997.899	-3342.603
218	14139.806	-3309.628
219	14129.809	-3453.033
220	14270.719	-3355.601
221	14197.762	-3554.468
222	14526.550	-3376.593
223	14197.760	-3610.431
224	14586.510	-3419.067
225	14615.491	-3426.563
226	14839.347	-3327.632
227	14868.327	-3391.092
228	14658.961	-3485.025
229	14657.461	-3510.509
230	14708.426	-3597.953
231	14751.866	-3642.615
232	14797.365	-3689.395
233	14946.765	-3797.829
234	15197.099	-3920.256
235	15396.968	-3984.721
236	15567.857	-4021.202
237	15552.364	-4109.145
238	15303.526	-4066.165
239	14997.229	-3921.750
240	14755.889	-3797.824
241	14597.495	-3739.357
242	14353.155	-3724.361
243	14287.200	-3677.390
244	14254.721	-3672.392
245	14069.841	-3755.332
246	13997.890	-3683.378
247	13747.053	-3783.805
248	13798.022	-3705.858
249	13598.155	-3686.865

SCHEDULE IV

ID	Y	X
0	-5469.590	38398.360
1	-5489.489	38300.356
2	-5676.056	38033.430
3	-5636.409	37884.473
4	-5727.717	37837.485
5	-5648.953	37823.478
6	-5653.628	37729.267
7	-5746.774	37635.741
8	-5638.653	37633.006
9	-5732.718	37433.588
10	-5593.291	37461.609
11	-5685.924	37236.424

ID	Y	X
46	-2038.742	24122.129
47	-1968.431	24160.291
48	-1738.875	23569.648
49	-1668.564	23607.810
50	-1542.201	23039.983
51	-1370.883	23122.749
52	-1546.147	23026.402
53	-1341.956	23070.128
54	-1517.243	22973.823
55	-1503.662	22969.877
56	-1161.858	22519.993
57	-1091.960	22558.907

12	-5544.806	37278.412
13	-5574.807	36895.213
14	-5453.137	36932.054
15	-5477.884	36339.234
16	-5309.827	36404.480
17	-5484.296	36326.629
18	-5294.126	36388.559
19	-5465.717	36269.578
20	-5275.547	36331.508
21	-5453.112	36263.166
22	-5278.862	36309.395
23	-5223.743	35752.095
24	-5146.867	35774.294
25	-3856.072	30622.157
26	-3789.346	30682.425
27	-3024.039	28575.316
28	-2937.507	28607.903
29	-2891.833	28037.639
30	-2712.054	28099.924
31	-2897.331	28024.609
32	-2689.459	28044.341
33	-2874.737	27969.026
34	-2861.707	27963.528
35	-2540.710	27642.653
36	-2609.571	27462.445
37	-2570.581	27238.023
38	-2269.948	24841.363
39	-2190.570	24851.320
40	-2237.569	24654.246
41	-2159.461	24671.541
42	-2187.930	24470.950
43	-2111.768	24495.433
44	-2121.462	24293.063
45	-2047.907	24324.522

58	-477.857	21291.365
59	-407.959	21330.278
60	-372.666	21074.840
61	-298.872	21105.734
62	-292.222	20847.955
63	-215.449	20870.446
64	32.518	19739.450
65	111.454	19754.559
66	81.153	19487.274
67	161.142	19494.973
68	81.526	19230.592
69	170.306	19222.307
70	63.946	19042.224
71	152.663	19033.259
72	-67.620	18493.410
73	112.530	18486.641
74	-78.506	18484.382
75	120.628	18465.798
76	-84.082	18424.642
77	-75.054	18413.756
78	115.053	18406.058
79	-47.313	17850.074
80	41.531	17842.469
81	-57.500	17740.916
82	27.576	17692.939
83	-39.414	17556.065
84	39.746	17568.557
85	-10.386	17423.458
86	66.471	17446.472
87	64.106	17229.316
88	136.156	17264.857
89	171.583	17054.075
90	237.856	17099.035

MINISTRY OF LABOUR, INDUSTRIAL RELATIONS AND EMPLOYMENT CREATION

No. 51

2016

CORRECTION OF GOVERNMENT NOTICE NO. 44 OF 9 MARCH 2016

The Regulations published under Government Notice No. 44 of 9 March 2016 are corrected, by the substitution for the word “12 months” of the word “12 weeks” in regulation 9(1).

General Notices

KOËS VILLAGE COUNCIL

No. 59

2016

GENERAL VALUATION OF RATEABLE PROPERTIES SITUATED WITHIN THE LOCAL AUTHORITY AREA OF KOËS

Notice is hereby given in terms of the provisions of section 66(1) of the Local Authorities Amendment Act, 2000 (Act No. 24 of 2000), that a General Valuation roll of rateable properties situated within the Local Area of Koës will be out as from 1 February 2016 in accordance with the provisions and stipulations contained in section 67 to 72, inclusive of the Local Authorities Act, 1992 (Act No. 23 of 1992).

W. HUMPHRIES
CHIEF EXECUTIVE OFFICER
KOËS VILLAGE COUNCIL

No. 60

2016

WINDHOEK TOWN PLANNING AMENDMENT SCHEME NO. 95

Notice is hereby given in terms of Section 23 of the Town Planning Ordinance 1954, (Ordinance 18 of 1954), as amended, that the Windhoek Town Planning Amendment Scheme No. 95, has been submitted to the Minister of Urban and Rural Development for approval.

Copies of the Windhoek Town Planning Amendment Scheme No. 95 and the maps, plans, documents and other relevant matters are lying for inspection during office hours at the City of Windhoek and also at the Namibia Planning Advisory Board (NAMPAB), Ministry of Urban and Rural Development, 2nd Floor, Room 234, GRN Office Park, Windhoek.

Any person who wishes to object to the approval of the Town Planning Scheme, should lodge objections in writing to the Secretary, Namibia Planning Advisory Board (NAMPAB), Private Bag 13289, Windhoek on or before 03 May 2016.

No. 61

2016

PERMANENT CLOSURE OF PORTION A OF ERF 6275 KATUTURA, AS PUBLIC OPEN SPACE AND THE CONSOLIDATION OF PORTION A WITH ERF 8973, KATUTURA. PORTION A IS TO ASSUME THE SAME ZONING AS ERF 8973 KATUTURA BEING ONE RESIDENTIAL BUILDING PER ERF

In terms of Section 50(1)(a) (ii) of the Local Authorities Act, 1992 (Act No. 23 of 1992) the City of Windhoek intends to permanently close a part of Erf 6275, Katutura (Portion A measuring $\pm 75 \text{ m}^2$) as a Public Open Space. The intended closure will allow the consolidation of Portion A with Erf 8973, No. 26 Gregor Mendel Street, Katutura, into one erf.

Further take notice that the locality plan of the erf lies for inspection during normal office hours at the office of the Division: Urban Planning Room 516, Municipal Offices, Independence Avenue.

Objections to the proposed permanent closure are to be served on the Secretary: Townships Boards, Private Bag 13289, and the Chief Executive Officer, P.O. Box 59, Windhoek, within 14 days of the last publication of this notice.

Applicants:

**City of Windhoek
Dept. of Planning
P O Box 59, Windhoek
MR. H. RUST
CHIEF URBAN PLANNER**

**Ritta Khiba Planning Consultants
(Town and Regional Planners)
P.O. Box 22543, Windhoek
1012 Virgo Street, Doradopark
Tel: +264 61 225062
Email: rkhiba@gmail.com**

No. 62

2016

**PERMANENT CLOSURE OF PORTION B OF RUDOLPH HERTZOG STREET
WINDHOEK, AS STREET AND THE CONSOLIDATION OF PORTION B WITH ERF
6880, WINDHOEK. PORTION B IS TO ASSUME THE SAME ZONING AS ERF
6880 WINDHOEK BEING BUSINESS TO BE USED AS A PARKING AREA AS
PER COUNCIL RESOLUTION NO. 319/11/2015**

In terms of Section 50(1)(a)(ii) of the Local Authorities Act, 1992 (Act No. 23 of 1992) that the City of Windhoek intends to permanently close a part of Rudolph Hertzog Street adjacent Erf 6880 Windhoek, (Game Shopping Centre) referred to as Portion B measuring ± 412 m² as a Street. The intended closure will allow for the consolidation of Portion B with Erf 6880 Windhoek, into one erf.

Further take notice that the locality plan of the erf lies for inspection during normal office hours at the office of the Division: Urban Planning Room 516, Municipal Offices, Independence Avenue.

Objections to the proposed permanent closure are to be served on the Secretary: Townships Boards, Private Bag 13289, and the Chief Executive Officer, P.O. Box 59, Windhoek, within 14 days of the last publication of this notice.

Applicants:

**City of Windhoek
Dept. of Planning
P O Box 59, Windhoek
MR. H. RUST
CHIEF URBAN PLANNER**

**Ritta Khiba Planning Consultants
(Town and Regional Planners)
P.O. Box 22543, Windhoek
1012 Virgo Street, Doradopark
Tel: +264 61 225062
Email: rkhiba@gmail.com**

NAMIBIAN STANDARDS INSTITUTION (NSI)

No. 63

2016

**NOTICE ON THE SETTING, ESTABLISHING AND ISSUE OF NAMIBIAN STANDARDS
INCLUDING THEIR FULL PARTICULARS AND THE DESCRIPTION OF EACH OF THE
NAMIBIAN STANDARD**

Pursuant to section 20(4) of the Standards Act, 2005 (Act No. 18 of 2005), the NSI notifies the standards set, established and issued in terms of section 20(1)(a) of the Act as prescribed by Regulation 6 of the Standards Regulations: Standards Act, 2005, appearing in the Schedule hereto to be Namibian standards with effect from the publication of this notice.

SCHEDULE

No	Namibian Standards (NAMS)	Particulars and Description of the Namibian Standards
1	NAMS/IEC 60055-1:2015	Paper-insulated metal-sheathed cables for rated voltages up to 18/30 kV (with copper or aluminium conductors and excluding gas-pressure and oil-filled cables) – Part 1: Tests on cables and their accessories
2	NAMS/IEC 60060-1:2015	High-voltage test techniques – Part 1: General definitions and test requirements
3	NAMS/IEC 62271-100:2015	High-voltage switchgear and controlgear – Part 100: – Alternating-current circuit-breakers
4	NAMS/IEC 62271-108:2015	High-voltage switchgear and controlgear – Part 108: – High-voltage alternating current disconnecting circuit-breakers for rated voltages of 72,5 kV and above
5	NAMS/IEC 62271-200:2015	High-voltage switchgear and controlgear – Part 200: A.C. metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV
6	NAMS/IEC 62271-203:2015	High-voltage switchgear and controlgear – Part 203: Gas-insulated metal-enclosed switchgear for rated voltages above 52 kV
7	NAMS/IEC 61089-1:2015	Amendment 1 - Round wire concentric lay overhead electrical stranded conductors
8	NAMS/IEC 60502-4:2015	Power cables with extruded insulation and their accessories for rated voltages from 1 kV ($U_m = 1,2$ kV) up to 30 kV ($U_m = 36$ kV) – Part 4: Test requirements on accessories for cables with rated voltages from 6 kV ($U_m = 7,2$ kV) up to 30 kV ($U_m = 36$ kV)
9	NAMS/IEC 60871-1:2015	Shunt capacitors for a.c. power systems having rated voltage above 1000 V – Part 1: General
10	NAMS/IEC 62052-11:2015	Electricity metering equipment (AC) - General requirements, tests and test conditions – Part 11: Metering equipment
11	NAMS/IEC 62054-21:2015	Electricity metering equipment (a.c.) – Tariff and load control – Part 21: Particular requirements for time switches
12	NAMS/IEC 60099-4:2015	Surge arresters – Part 4: Metal-oxide surge arresters without gaps for a.c. systems
13	NAMS/IEC 61243-1:2015	Amendment 1 – Live working – Voltage detectors – Part 1: Capacitive type to be used for voltages exceeding 1kV a.c.
14	NAMS/IEC 61243-2:2015	Amendment 2 – Live working – Voltage detectors – Part 2: Resistive type to be used for voltages of 1kV to 36kV a.c.
15	NAMS/IEC 60364-5-53:2015	Electrical installations of buildings – Part 5-53: Selection and erection of electrical equipment – Isolation, switching and control
16	NAMS/IEC 61109:2015	Insulators for overhead lines – Composite suspension and tension insulators for a.c. systems with a nominal voltage greater than 1 000 V – Definitions, test methods and acceptance criteria
17	NAMS/IEC 62501:2015	Voltage sourced converter (VSC) valves for high-voltage direct current (HVDC) power transmission – Electrical testing
18	NAMS/IEC 60826:2015	Design criteria of overhead transmission lines
19	NAMS/IEC 60598-2-3:2015	Amendment 1 – Luminaires – Part 2-3: Particular requirements – Luminaires for road and street lighting
20	NAMS/IEC 60909-3:2015	Short-circuit currents in three-phase AC systems – Part 3: Currents during two separate simultaneous line-to-earth short circuits and partial short-circuit currents flowing through earth
21	NAMS/IEC 60255-1:2015	Measuring relays and protection equipment – Part 1: Common requirements
22	NAMS/IEC 60214-1:2015	Tap-changers – Part 1: Performance requirements and test methods
23	NAMS/IEC 60214-2:2015	Tap-changers – Part 2: Application guide
24	NAMS/IEC 60076-6:2015	Power transformers – Part 6: Reactors

25	NAMS/ISO 8589:2015	Sensory analysis – General guidance for the design of test rooms
26	NAMS/ISO 8586:2015	Sensory analysis – General guidance for the selection, training and monitoring of selected assessors and expert sensory assessors
27	NAMS/ISO 22004:2015	Food Safety management systems – Guidance on the application of ISO 22000
28	NAMS/ISO 11133:2015	Microbiology of food, animal feed and water – Preparation, production, storage and performance testing of culture media.
29	NAMS/IEC 60034-1:2016	Rotating electrical machines
30	NAMS/IEC 60059:2016	IEC standards current ratings
31	NAMS/IEC 60137:2016	Insulated bushings for alternating voltages above 1 000 V
32	NAMS/IEC 60364-5-53:2016	Electric installations of buildings – Part 5-53: Selection and erection of electrical equipment – Isolation, switching and control.
33	NAMS/IEC 60433:2016	Insulators for overhead lines with a nominal voltage above 1 000V – Ceramic insulator for a.c. systems – Characteristics of insulator units of the long rod type
34	NAMS/IEC 60445:2016	Basic and safety principles for man-machine interface, marking and identification – identification of equipment terminals, conductor terminals and conductors
35	NAMS/IEC 60529:2016	Degrees of protection provided by enclosures (IP Code)
36	NAMS/IEC 60670-1:2016	Boxes and enclosures for electrical accessories for household and similar fixed electrical installation – Part 1: General requirements.
37	NAMS/IEC 60794-1-2:2016	Optical fibre cables - Part 1 -2: Generic specification – Cross reference table for optical cable test procedures
38	NAMS/IEC 61347-2-8:2016	Lamp controlgear –Part 2-8: Particular requirements for ballasts for fluorescent lamps
39	NAMS/IEC 61439-1:2016	Low-voltage switchgear and controlgear assemblies- - Part 1 :General rules
40	NAMS/IEC 61508-1:2016	Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 1: General requirement
41	NAMS/IEC 62259:2016	Secondary cells and batteries containing alkaline or other non-acid electrolytes – Nickel – cadmium prismatic secondary single cells with partial gas recombination.
42	NAMS/IEC 62270:2016	Guide for computer-based control for hydro electric power plant automation
43	NAMS/IEC 62209-2:2016	Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Human models, instrumentation, and procedures – Part 2: Procedures to determine the specific absorption rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)
44	NAMS/IEC 60076-1:2016	Power transformers – Part 1: General
45	NAMS/IEC 60076-4:2016	Power transformers – Part 4: Guide to the lightning impulse and switching impulse testing – Power transformers and reactors
46	NAMS/IEC 60076-5:2016	Power transformers – Part 5: Ability to withstand short circuit
47	NAMS/ISO 9806:2016	Solar Energy – Solar thermal collectors – Test methods
48	NAMS/ISO 9488:2016	Solar Energy – Vocabulary
49	NAMS/ISO 9553:2016	Solar Energy – Methods of testing preformed rubber seals and sealing compounds used in collectors

C. WASSERFALL
CHIEF EXECUTIVE OFFICER
NAMIBIAN STANDARDS INSTITUTION

Windhoek, 25 February 2016